LESS LETHAL










SAFETY TIP®

AutoLock X3 HG Batons

The Monadnock® AutoLock® X3™ HG incorporates improvements found in the AutoLock X3™ series of batons, along with larger diameter shafts for those who prefer a baton with a stouter feel. Some of the features found in the X3 HG are an integrated nose guide for more efficient holstering and grip protection, improved positive locking design for reliability, a more stable feel with tightened tolerances and a corrosion-resistant finish and components. See our website for more information



Model	Length	Weight	Finish	Grip Style	Tip Style	End Cap Style	Holder Plain
9643	19.75" (50cm)	17 oz. (.48 kg)	Black Electroless Nickel	Super Grip®	Safety Tip®	Standard	3080
9643W	19.75" (50cm)	16.47 oz. (.467kg)	Black Electroless Nickel	Super Grip	Safety Tip	Wedge	3080
9645	21" (53.34cm)	21 oz. (.597kg)	Black Electroless Nickel	Super Grip	Safety Tip	Standard	3080
9645W	21" (53.34cm)	20.59 oz. (.584kg)	Black Electroless Nickel	Super Grip	Safety Tip	Wedge	3080
9647	19.75" (50.16cm)	17 oz. (.48 kg)	Black Electroless Nickel	Foam Grip	Safety Tip	Standard	3080
9648	21" (53.34cm)	21 oz. (.597kg)	Black Electroless Nickel	Foam Grip	Power Safety Tip	Standard	3080
9647W	19.75" (50.16cm)	17 oz. (.48 kg)	Black Electroless Nickel	Foam Grip	Safety Tip	Wedge	3080
9648W	21" (53.34cm)	21 oz. (.597kg)	Black Electroless Nickel	Foam Grip	Power Safety Tip	Wedge	3080

AutoLock X3 Batons

The Monadnock® AutoLock® X3™ expandable baton improves its original positive locking design with notable improvements which include an updated cam and stainless steel ball bearing design which offers reliably consistent locking action. A more solid feel in the hand when performing or demonstrating techniques and a new smooth plastic nose on the baton handle for more efficient holstering and transition from the holster to the hand. New blackened electroless nickel finish improves corrosion resistance on the inside and outside of the baton. See our website for more information.



Model	Length	Weight	Finish	Grip Style	Tip Style	End Cap Style	Holder Plain	Holder Basketweave
9865	16" (40.64cm)	17 oz. (.48 kg)	Black Electroless Nickel	Foam Grip	Safety Tip®	Standard	3042	3642
9866	16" (40.64cm)	17 oz. (.48 kg)	Black Electroless Nickel	Super Grip®	Safety Tip	Standard	3042	3642
9867	16" (40.64cm)	17 oz. (.48 kg)	Black Electroless Nickel	Foam Grip	Safety Tip	Wedge	3042	3642
9868	16" (40.64cm)	17 oz. (.48 kg)	Black Electroless Nickel	Super Grip®	Safety Tip	Wedge	3042	3642
9869	18" (45.72cm)	19 oz. (.54 kg)	Black Electroless Nickel	Foam Grip	Power Safety Tip®	Standard	3042	3642
9870	18" (45.72cm)	19 oz. (.54 kg)	Black Electroless Nickel	Super Grip	Power Safety Tip	Standard	3042	3642
9871	18" (45.72cm)	19 oz. (.54 kg)	Black Electroless Nickel	Foam Grip	Power Safety Tip	Wedge	3042	3642



AutoLock X3 Batons

Model	Length	Weight	Finish	Grip Style	Tip Style	End Cap Style	Holder Plain	Holder Basketweave
9872	18" (45.72cm)	19 oz. (.54 kg)	Black Electroless Nickel	Super Grip®	Power Safety Tip®	Wedge	3042	3642
9850	21" (53.34cm)	19 oz. (.54 kg)	Black Electroless Nickel	Foam Grip	Safety Tip®	Standard	3030	3630
9851	21" (53.34cm)	19 oz. (.54 kg)	Black Electroless Nickel	Super Grip	Safety Tip	Standard	3030	3630
9852	21" (53.34cm)	19 oz. (.54 kg)	Black Electroless Nickel	Foam Grip	Safety Tip	Wedge	3030	3630
9853	21" (53.34cm)	19 oz. (.54 kg)	Black Electroless Nickel	Super Grip	Safety Tip	Wedge	3030	3630
9860	22" (55.88cm)	22 oz. (.62 kg)	Black Electroless Nickel	Foam Grip	Power Safety Tip	Standard	3034	3634
9861	22" (55.88cm)	22 oz. (.62 kg)	Black Electroless Nickel	Super Grip	Power Safety Tip	Standard	3034	3634
9862	22" (55.88cm)	22 oz. (.62 kg)	Black Electroless Nickel	Foam Grip	Power Safety Tip	Wedge	3034	3634
9863	22" (55.88cm)	22 oz. (.62 kg)	Black Electroless Nickel	Super Grip	Power Safety Tip	Wedge	3034	3634
9873	26" (66.04cm)	24 oz. (.68 kg)	Black Electroless Nickel	Foam Grip	Power Safety Tip	Standard	3056	3656
9874	26" (66.04cm)	24 oz. (.68 kg)	Black Electroless Nickel	Super Grip	Power Safety Tip	Standard	3056	3656
9875	26" (66.04cm)	24 oz. (.68 kg)	Black Electroless Nickel	Foam Grip	Power Safety Tip	Wedge	3056	3656
9876	26" (66.04cm)	24 oz. (.68 kg)	Black Electroless Nickel	Super Grip	Power Safety Tip	Wedge	3056	3656



AUTOLOCK BLACK CHROME FINISH									
Model	Length	Weight	Finish	Grip Style	Tip Style	Holder Plain			
9630	22" (55.88cm)	21 oz. (.57kg)	Black Chrome	Foam Grip	Power Safety Tip®	3084			
9641R	19.75" (50cm)	18 oz. (.51kg)	Black Chrome	Super Grip®	Safety Tip®	3080			

AutoLock II Baton



The AutoLock® II baton features patented AutoLock technology with a newly designed cam and stainless steel ball bearing which improves the locking action and baton stability.



AUTOLOCK® II								
Model	Length	Weight	Finish	Grip Style	Tip Style	Holder Plain	Holder Basketweave	
9830	23" (58.42cm)	24.8 oz. (.70kg)	Black Electroless Nickel	Foam Grip	Power Safety Tip®	3034*	3634	

^{*}DESIGNATE 45 DEGREE LOCKING HOLDER WITH /L AFTER PART NUMBER

AutoLock Batons



Model	Length	Weight	Finish	Grip Style	Tip Style	Holder Plain	Holder Basketweave
9170	18" (45.72cm)	19 oz. (.54kg)	Black Chrome	Foam Grip	Power Safety Tip®	3042	3642
9172	18" (45.72cm)	19 oz. (.54kg)	Black Chrome	Super Grip®	Power Safety Tip	3042	3642
9120	21" (53.34cm)	19 oz. (.54kg)	Black Chrome	Foam Grip	Safety Tip®	3030	3630
9141	21" (53.34cm)	19 oz. (.54kg)	Black Chrome	Super Grip	Safety Tip	3030	3630
9130	22" (55.88cm)	22 oz. (.62kg)	Black Chrome	Foam Grip	Power Safety Tip	3034	3634
9152	22" (55.88cm)	22 oz. (.62kg)	Black Chrome	Super Grip	Power Safety Tip	3034	3634
9121	26" (66.04cm)	24 oz. (.68kg)	Black Chrome	Foam Grip	Power Safety Tip	3056	3656
9146	26" (66.04cm)	24 oz. (.68kg)	Black Chrome	Super Grip	Power Safety Tip	3056	3656
9220	21" (53.34cm)	19 oz. (.54kg)	Nickel	Foam Grip	Safety Tip	3030*	3630
9241	21" (53.34cm)	19 oz. (.54kg)	Nickel	Super Grip	Safety Tip	3030*	3630
9230	22" (55.88cm)	22 oz. (.62kg)	Nickel	Foam Grip	Power Safety Tip	3034*	3634
9252	22" (55.88cm)	22 oz. (.62kg)	Nickel	Super Grip	Power Safety Tip	3034*	3634

DESIGNATE 45 DEGREE LOCKING HOLDER WITH /L AFTER PART NUMBER

Classic Friction Lock Batons



Model	Length	Weight	Finish	Grip Style	Tip Style	Holder Plain*	Holder Basketweave*
2516	16" (40.64cm)	14 oz. (.40kg)	Black Chrome	Foam Grip	Standard	3025	3625
2521	21" (53.34cm)	17 oz. (.48kg)	Black Chrome	Foam Grip	Standard	3027	3627
2562	21" (53.34cm)	17 oz. (.48kg)	Black Chrome	Super Grip®	Standard	3027	3627
2526	26" (66.04cm)	20 oz. (.57kg)	Black Chrome	Foam Grip	Standard	3027/3032	3627/3632
2530	21" (53.34cm)	17 oz. (.48kg)	Nickel	Foam Grip	Standard	3027	3627
2534	26" (66.04cm)	20 oz. (.57kg)	Nickel	Foam Grip	Standard	3027/3032	3627/3632

^{*360°} LOCKING HOLDER; 45° LOCKING HOLDERS ALSO AVAILABLE





The Baton with Ball Bearing Action.

PATROL KITS

- Added savings with three amazing tools in one complete package
 AutoLock® 22" Black Chrome Expandable Baton
 Bright hard coat Hindi Baton Cap™
 Front Draw® Holder made of durable polycarbonate with a clip-on attachment
- Choose from 360° or 45° swivel locking holder models
- Hindi Baton Cap[™] adds baton retention and officer confidence
- Choose Foam Grip or Super Grip®
- Includes *Power* Safety Tip® providing larger, more effective striking force







*Comes with Patrol Kit only



AUTOLOCK® PATROL KIT						
Description	360° Part No.	45° Part No.	Grip	End Cap		
AutoLock® 22", BC, <i>Power</i> Safety Tip®, Hindi Baton Cap™	9330	9334	Foam Grip	Hindi Baton Cap		
AutoLock 22", BC, Power Safety Tip, Hindi Baton Cap	9352	9354	Super Grip®	Hindi Baton Cap		

DUTY KITS

- Save money purchasing these popular baton and holder sets!
- AutoLock® 22" Baton w/*Power* Safety Tip®
 Front Draw® 360° swivel locking holder made of durable polycarbonate with a clip-on attachment
- Choose Foam Grip or Super Grip®
- Includes Power Safety Tip providing larger, more effective striking force

AUTOLOCK® DUTY KIT

Description	360° Part No.	Grip	End Cap
AutoLock® 22", BC, <i>Power</i> Safety Tip®	9530	Foam Grip	Standard Cap
AutoLock 22", BC, Power Safety Tip	9552	Super Grip®	Standard Cap

^{*}SAME POPULAR KIT AS ABOVE WITH THE EXCLUSION OF THE HINDI BATON CAP, INCLUDES BATON AND HOLDER ONLY

Baton Kits



PATROL KITS

- Added savings with three amazing tools in one complete package
 21" and 26" Classic Friction Lock Black Chrome Expandable Baton
- Standard Steel Tip
- Bright hard coat Hindi Baton Cap™
- Polycarbonate Front Draw® Holder
- Clip-on polycarbonate holder—choose from 360° or 45° swivel locking models
- Hindi Baton Cap™ adds baton retention and officer confidence
- Choose Foam Grip or Super Grip®







*Comes with Patrol Kit only

MONADNOCK

CLASSIC FRICTION LOCK PATROL KIT

Description	360° Part No.	45° Part No.	Grip	End Cap
Friction Lock 21" BC, Hindi Baton Cap	2620	2680	Foam Grip	Hindi Baton Cap
Friction Lock 26" BC, Hindi Baton Cap	2630	2690	Foam Grip	Hindi Baton Cap

DUTY KITS

- Save money purchasing these popular baton and holder sets!
 - 21" and 26" Friction Lock Baton w/Standard Tip
- Front Draw® 360° swivel locking holder made of durable polycarbonate with a clip-on attachment
- Choose Foam Grip or Super Grip®

CLASSIC FRICTION LOCK DUTY KIT

Description	360° Part No.	Grip	End Cap
Friction Lock 21", Standard Tip	2721	Foam Grip	Standard Cap
Friction Lock 26", Standard Tip	2726	Foam Grip	Standard Cap

^{*}SAME POPULAR KIT AS ABOVE WITH THE EXCLUSION OF THE HINDI BATON CAP, INCLUDES BATON AND HOLDER ONLY



PR-24 Side-Handle Batons









Part No.	Model	Туре	Length	Weight	Diameter	Grip Style	Shaft Finish	Holder Plain
1100	PR-24X	Expandable	24" (60.96cm)	24 oz. (.68kg)	1.25" (3.2cm)	Knurled	Black Polycarbonate	3010
1101	PR-24XTS	Expandable	24" (60.96cm)	24 oz. (.68kg)	1.25" (3.2cm)	Knurled	Black Polycarbonate	3010
1102	PR-24FX	Expandable	24" (60.96cm)	31 oz. (.88kg)	1.25" (3.2cm)	Knurled	Black Powder Coat	3010
1105	PR-24NX	Expandable	24" (60.96cm)	31 oz. (.88kg)	1.25" (3.2cm)	Foam	Black Powder Coat	3010
1121	Control Device 21	Expandable	21" (53.34cm)	16 oz. (.45kg)	1" (2.5cm)	Super Grip®	Black Powder Coat	3015
1124	Control Device 24	Expandable	24" (60.96cm)	18 oz. (.51kg)	1" (2.5cm)	Super Grip	Black Powder Coat	3015
1121-2	Control Device 21*	Expandable	21" (53.34cm)	17.42 oz. (.494kg)	1" (2.5cm)	Super Grip®	Black Anodized Aluminum	3015
1124-2	Control Device 24*	Expandable	24" (60.96cm)	19.54 oz. (.554kg)	1" (2.5cm)	Super Grip	Black Anodized Aluminum	3015

^{*}NEXT GENERATION CONTROL DEVICE REDESIGNED WITH AN IMPROVED SHOCK ABATEMENT SYSTEM FOR GREATER LONGEVITY



PR-24® BLACK POLYCARBONATE								
Part No.	Model	Туре	Length	Weight	Diameter	Grip Style	Holder Plain	Holder Basketweave
1000	PR-24STS	Rigid	24" (60.96cm)	24 oz. (.68kg)	1-1/4" (3.2cm)	Grenade	3010	N/A
1001	PR-24S	Rigid	24" (60.96cm)	24 oz. (.68kg)	1-1/4" (3.2cm)	Grenade	3010	N/A

Expandable Straight Batons

SX & MX SERIES

- Uses a pin and spring to create a mechanical (or positive locking) mechanism that keeps baton open and makes it easy to close
- Baton locks in handle and may be locked in the extended open position with the push of a button
- Weight-forward shaft technology for increased "knock-down" power
- Aluminum polycarbonate composition impervious to rusting
- Model 2502: 24" closed and expands to 36" in the open position; can be used as a straight baton closed and a riot baton in the open position
- SX Baton models available in 1.25" diameter; MX Baton models available in 1" diameter



2502



SX EXPA	NDABLE STRA	IGHT BATO	NS					
Part No.	Model	Length	Weight	Diameter	Material	Finish	Grip Style	Holder Plain
2502	SX-24/36 Riot Baton	36" (91.44cm)	24 oz. (.68kg)	1.25" (3.2cm)	Aluminum/Polycarbonate	Black	Knurled	3011
2503	SX-24	24" (60.96cm)	19 oz. (.54kg)	1.25" (3.2cm)	Aluminum/Polycarbonate	Black	Foam	3011

2506



MX EXP	ANDABI	E STRAIGHT	BATONS						
Part No.	Model	Length	Weight	Diameter	Material	Finish	Grip Style	Holder Plain	Holder Basketweave
2506	MX-21	21" (53.34cm)	13 oz. (.37kg)	1" (2.54cm)	Aluminum	Black	Foam	3006	3606
2507	MX-24	24" (60.96cm)	14 oz. (.40kg)	1" (2.54cm)	Aluminum	Black	Foam	3006	3606

RIGID BATONS

2006



PLP BATONS

- Polycarbonate material provides an extremely durable finish
- Stronger in cold weather and does not warp in heat
- Excellent impact resistance

- Weather and dent resistant, and won't warp, peel or splinter
- 1" diameter

PLP BATONS

Part No.	Model	Length	Weight	Diameter	Material	Finish	Grip Style	Holder Plain	Holder Basketweave
2006	PLP-24	24" (60.96cm)	14.4 oz. (.41kg)	1" (2.5cm)	Polycarbonate	Black	Foam	3006	3606
2007	PLP-26	26" (66.04cm)	15 oz. (.43kg)	1" (2.5cm)	Polycarbonate	Black	Foam	3006	3606
2009	PLP-36	36" (91.44cm)	20.8 oz. (.59kg)	1" (2.5cm)	Polycarbonate	Black	N/A	3006	3606





MP BATONS

- Polycarbonate material provides an extremely durable finish
- 1 ¼" diameter; choose from a variety of grips
- Stronger in cold weather and will not warp in heat
- Excellent impact resistance
- Resists denting and won't splinter
- 24", 26", 36" (60.96cm, 66.04cm, 91.44cm)



Part No.	Model	Length	Weight	Diameter	Material	Finish	Grip Style	Holder
2001	MP24	24" (60.96cm	20 oz. (.57kg)	1.25" (3.2cm)	Polycarbonate	Black	Knurled	3011
2002	MP26	26" (66.04cm)	21.6 oz. (.61kg)	1.25" (3.2cm)	Polycarbonate	Black	Knurled	3011
2003	MP26 (LAPD Style, No Grip)	26" (66.04cm)	21.6 oz. (.61kg)	1.25" (3.2cm)	Polycarbonate	Black	Plain	3011
2004	MP36 Riot Baton	36" (91.44cm)	30 oz. (.85kg)	1.25" (3.2cm)	Polycarbonate	Black	Knurled	3011
2011	36" Riot Baton	36" (91.44cm)	19 oz. (.54kg)	1.25" (3.2cm)	Thermoplastic	Black	Grenade	3011
2015	MPNYPD26 (Thong/Grommet)	26" (66.04cm)	19 oz. (.54kg)	1.25" (3.2cm)	Polycarbonate	Black	Foam	3011
2154	GG-36	36" (91.44cm)	19 oz. (.54kg)	1.25" (3.2cm)	Polycarbonate	Black	Grenade	3011

2906 / 2915



PERSUADER™

- Lightweight and compact 5 1/2" in length
- Grooved black polycarbonate with convenient key ring attachment
- · Last chance self-defense tool
- Model 2915 offered in aluminum, black anodized



D-JAMMER™ FIREARM CLEANING TOOL

- · Easily and quickly dislodges jammed shells
- Clears jammed semi-automatic magazines and revolver cylinders
- · Can also be used as a Persuader

WOOD BATONS

- Traditional design
- Made from a natural hardwood for long-lasting service

2800

Available with thong

WOOD BATONS

Part No.	Model	Length	Weight	Diameter	Material	Finish	Grip Style	Holder
2800	2800	36" (91.44cm)	18 oz. (.51kg)	1.25" (3.2cm)	Hardwood	Natural	Ring	Ring
2800 /B	2800	36" (91.44cm)	18 oz. (.51kg)	1.25" (3.2cm)	Hardwood	Black	Ring	Ring
2801	2801	26" (66.04cm)	13 oz. (.37kg)	1.25" (3.2cm)	Hardwood	Black	Plain	Ring

Monadnock® offers a wide selection of baton holders in different styles and materials to fit the needs of each of its batons. Safariland® and Bianchi® Duty Gear also offer baton holders for several Monadnock baton styles.



FRONT DRAW®

BATON HOLDER

- Designed with clip-on backs specifically for easy removal from a duty belt
- Made from durable polycarbonate, all holders feature a molded tension spring for baton security
- · Choose from three models:
 - 360° with 8 locking position
- 45° with 2 locking positions
- 90° swivel providing the ability to lock at any preferred angle
- Fits 2.25" (58mm) belt widths



BATON HOLDER

- Designed with the Safariland® 774BL belt clip and retention clip for cross draw carry (right hand model will sit on left side of body and left hand model sits on right side of body)
- 90° swivel provides the ability to lock at any preferred angle
- Available for both PR-24® and Control Device batons in both left- and right-handed versions
- · Unique retention device secures baton by side-handle for security
- Fits 2.25" belt widths



3035 **BATON HOLDER**

- · Low-profile design
- Fits most 1 1/16" expandable batons
- User-adjustable design to customize baton retention

Part No.	Description	Length	Weight	Baton Diameter	Material	Finish	Worn On
3770	Expandable Baton Holder	3.25" (8.26cm)	1.6 oz. (.045kg)	1" (2.54cm)	STX	Tactical	Left
3771	Expandable Baton Holder	3.25" (8.26cm)	1.6 oz. (.045kg)	1" (2.54cm)	STX	Tactical	Right
3772	Expandable Baton Holder	3.25" (8.26cm)	1.6 oz. (.045kg)	1" (2.54cm)	STX	Basket Weave	Left
3773	Expandable Baton Holder	3.25" (8.26cm)	1.6 oz. (.045kg)	1" (2.54cm)	STX	Basket Weave	Right
3774	Expandable Baton Holder	3.25" (8.26cm)	1.6 oz. (.045kg)	1.25" (3.17cm)	STX	Tactical	Left
3775	Expandable Baton Holder	3.25" (8.26cm)	1.6 oz. (.045kg)	1.25" (3.17cm)	STX	Tactical	Right
3776	Expandable Baton Holder	3.25" (8.26cm)	1.6 oz. (.045kg)	1.25" (3.17cm)	STX	Basket Weave	Left
3777	Expandable Baton Holder	3.25" (8.26cm)	1.6 oz. (.045kg)	1.25" (3.17cm)	STX	Basket Weave	Right

BATON CAPS



6213

PATENTED





Friction Lock style

AutoLock style

HINDI BATON CAP™

· Offers enhanced baton retention and maximum striking power during physical altercations while being safer to the suspect without limiting the use of force

WEDGE™ BATON CAP

. This tapered design offers a natural grip for maximum baton retention while in the field or performing techniques in a training environment





Monadnock batons feature a wide variety of grips, tips and finishes to allow you to choose the tool that best fits your duty requirements.

TIPS



Standard Steel Tip Allows for opening the baton in a high-profile manner; may gain psychological advantage for officer over subject.



Safety Tip® Reduces sharp edges; urethane covering allows passive drawing of the baton.



Power Safety Tip®
Engineered to put more weight forward to better balance the baton in the hand and improve kinetic energy transfer at the moment of impact. The larger tip surface may turn a subject's pockets inside out, reducing the risk of getting stuck with sharp objects.





3xT Tactical Training Targeting Tip Featuring the *Power* Safety Tip that helps criminal justice professionals improve their striking skill because they can clearly see the track of the baton's tip during demonstrations, practice and/or in the street. Lime green only.

GRIPS



Foam Grip Offers the highest tear strength and allows quick access from the Front Draw® Holder.



Super Grip®
The fluted surface texture provides excellent baton retention in and out of the holder.



Knurled Grip The knurled grip enhances baton retention while performing strikes, blocks or jabbing techniques.



Grenade Grip Offers a ridged handle design for a sure grip.

FINISHES



Black Chrome



Polycarbonate



Nickel



Black Anodized Aluminum



Blackened Electroless Nickel

Training Aids

The finest training aids for the finest products. Proper training with the right tools makes all the difference. Our line of practical training aids significantly enriches learning during practice exercises. Resistance training builds confidence. Our Universal Training Bags and foam batons can be used during dynamic or scenario training to improve skills and reduce the risk of injury.



ULTIMATE STRAIGHT

TRAINING BATON

- Durable DuPont[™] nylon cover
- 1/2" closed high-density cell foam
- Tip dipped in vinyl
- Energy absorbing construction allows scenarios to be performed with greater ease and comfort

ULTIMATE SIDE-HANDLE

TRAINING BATON

- Durable DuPont nylon cover
- 1/2" closed high-density cell foam
- Tip dipped in vinyl
- Energy absorbing construction allows scenarios to be performed with greater ease and comfort

SIDE-HANDLE

5101

TRAINING BATON

- High-density, closed-cell white foam training side handle baton
- Flexible for lower impact while practicing techniques

MFTB STRAIGHT BATON

TRAINING BATON

· Lightweight, open-cell foam

5102

- For performing dynamic training exercises
- Economical

STRAIGHT

TRAINING BATON

• High-density, closed-cell foam white training baton

5103

 Flexible design for lower impact while practicing techniques

Diameter

1.25" (3.175cm)

1.375" (3.49cm)

1.25" (3.175cm)

1.25" (3.175cm)

2" (5.08cm)

2.25" (5.61cm)



TRAINING BATONS ARE RECOMMENDED FOR USE WITH STATIC DYNAMIC BATON TRAINING



5006

UNIVERSAL TRAINING BAG 2 (UTB2)

- Features a high-tech Force Deceleration Core to dissipate training blows from knees, elbows, fists or training-baton strikes with ease and comfort
- Offers six hand positions to create multiple target positions around the human body, which develops target acquisition and application skills for more realism in training
- · Easy to carry and store



5002 UNIVERSAL TRAINING BAG (UTB)

- Helps bridge the gap between static and dynamic movement in training
- Tactically used for baton physical encounter training:
- Simulated training scenarios
- Punching, kicking, elbowing, kneeing, etc.
- Action-reaction response drills, including unarmed self-defense training and baton training
- · Easy to carry and store

EXOTECH

HARD SHELL RIOT CONTROL SYSTEM

The cost-effective, lightweight ExoTech® System offers hard-shell protection without sacrificing mobility and can be quickly donned or doffed with ease for rapid riot control response. Each piece of the ExoTech system fastens and adjusts quickly with durable polypropylene and elastic straps with hook and loop closures, allowing a custom fit for a wide variety of body types. The contour-molded polyethylene outer shell provides substantial protection from blunt force trauma.









ECB100

UPPER BODY/SHOULDER

- Polyethylene outer shell
- L2500 EVA foam & 3mm polyethylene plate chest/back/arm padding
- EVA foam & polyethylene plate shoulder padding

OPTIONAL REFLECTIVE LABELS



6595 POLICE

6596 SHERIFF

6597 CORRECTIONS

ExoTech



TS70

HARD-SHELL SHIN GUARD

- Hard polyethylene shells with interior leg-brace support can safely withstand a substantial blow to the leg from non-ballistic weapons or flying debris
- Includes adjustable, removable foot protector
- Non-reflective outer surface



EFP150

FOREARM

- · Polyethylene outer shell
- EVA foam & polyurethane sponge padding
- Mesh inner lining



ETP200

THIGH & GROIN SECTIONS

- · Polyethylene outer shell
- Laminated EVA foam & L2500 EVA foam
- Mesh inner lining



HUEX100

HYDRATION SYSTEM

- Includes bladder and carrier
- · High-quality, odorless bladder
- 70 oz. capacity
- Features Bite Me[™] revolutionary flow control valve for 360° activation and leak free operation
- Compatible with both ExoTech® and Centurion™ Riot Control Systems



KNP100

NECK PROTECTOR


- Offers heat, cut and abrasion-resistant protection for throat, neck and larynx
- Designed to be worn with Centurion[™] and / or ExoTech[®] riot suits
- Comfortable stretch knit construction
- Made with Kevlar® fiber



KS19

PROTECTIVE SLEEVES

- Resists bites, scratches or cuts from sharp objects
- Design provides a moderate amount of heat, abrasion and cut protection
- Excellent for deploying flash bangs
- 2-ply, 7oz. Kevlar® fiber





Based on our ExoTech® line of riot suits, the MOLLE loop option allows for greater payload, allowing an officer to carry gear and accessories required for crowd management situations.





ECB100/MOLLE VEST

MOLLE TORSO ATTACHMENT

- MOLLE webbing to carry more payload
- Attaches to ECB100 Hard-Shell Upper Body
- Sizes: Small, Medium, Large, X-Large and XX-Large



AP EXOTE

EXOTECH ARM PROTECTION KIT

- Attaches to any PROTECH® vest, not included
- 3mm polyethylene hard shell for protection from blunt force trauma
- Moisture-wicking fabric for comfort
- EVA foam & polyurethane sponge padding
- Riveted polypropylene connector straps
- Commercial-grade elastic adjustment straps with hook and loop fasteners
- Reflective label compatible

Shown with PROTECH plate rack, not included





Centurion

OPTIONAL REFLECTIVE LABELS



6595 POLICE 6596 SHERIFF 6597 CORRECTIONS

- Hook and loop compatible
- Dimensions: 3" W x 8 11/16" L x 1/8" D (7.6cm x 22.1cm x .3cm)
- Not shown: State (6772)



TS70

HARD-SHELL SHIN GUARD

- · Hard polyethylene shells with interior leg-brace support can safely withstand a substantial blow to the leg from non-ballistic weapons or flying debris
- Includes adjustable, removable foot protector
- Non-reflective outer surface



GP300

CENTURION™ GROIN PROTECTOR

- Hook and loop fasteners provide groin protection without hindering mobility
- Construction consists of durable EVA foam pads with sponge foam covering on the inside for comfort and surrounded by a black polyester mesh rigging
- Fastens easily to the CPX2500 with 1" elastic and non-elastic straps
- Weight: 8 oz.
- One size fits all



CPX2500

CENTURION™ UPPER BODY AND SHOULDER PROTECTION

- Torso protection consists of durable EVA foam with 7mm sponge foam on the interior for comfort
- Shoulder pad features hard-shell plastic plates with durable foam padding
- Will safely absorb blows delivered from blunt objects



TPX200

CENTURION™ THIGH/GROIN PROTECTION SYSTEM

- Specifically designed for blunt trauma protection during riot control situations
- Multilayer protective design with 420-denier outer fabric covers hip and thigh areas and has an adjustable and removable groin protector
- Provides excellent shock-absorbing protection, and is flexible and comfortable

Berry Compliant models are also available. Contact Customer Service at 800.347.1200 for more information and to purchase.

Non-Ballistic Riot Shields

2036H/2448H

PEACEKEEPER SHIELD

- Constructed of 4mm shatter-resistant polycarbonate
- Lightweight
- Ambidextrous

2036C/2448C

PEACEKEEPER II SHIELD

- Constructed of 4mm shatter-resistant polycarbonate
- Lightweight
- Ambidextrous if rotated 180°
- Comfort-molded cradle handle features high-density foam for comfort and strength



FRONT

Optional Police Decal Shown



COMFORT-MOLDED HANDLE

- 2036C: 20" x 36" (50.8cm x 91.4cm) Weight: 6 lbs.
- 2448C: 24" x 48" (60.9cm x 121.9cm) Weight: 6.8 lbs.



TRIANGLE HANDLE

- 2036H: 20" x 36" (50.8cm x 91.4cm) Weight: 6 lbs.
- 2448H: 24" x 48" (60.9cm x 121.9cm) Weight: 6.8 lbs.



CAPTURE SHIELD

- Capture Handle
- 2448E: 24" x 48" (60.9cm x 121.9cm)







Non-Ballistic Riot Helmets

TR-1000



NON-BALLISTIC RIOT HELMET

- Durable injection-molded polycarbonate shell
- High-retention strap system with flexible chin cup and quick connect release buckle
- High density foam neck protector for added comfort
- Combi-Fit Pad System provides sizing options for most head sizes
- Weight: 3.6 lbs (1.63 kg)

INTEGRATED NON-BALLISTIC RIOT FACE SHIELD

- Molded polycarbonate for clear viewing area
- Brim extends outward for extra clearance to accept gas masks
- Dual liquid barrier which channels liquid back away from lens and away from field of vision
- Meets NIJ standard 0104.02 Riot helmet requirements



D4CC DELTA™ 4

CROWD CONTROL KIT

- Ballistic protection (NIJ 0106.01 Tested, modified to address Type IIIA rounds & velocities)
- · Warrior/ACH (brimless) style: Mid-cut
- · Aramid ballistic material
- Integral rubber seal for liquid barrier at the helmet/shield interface
- Shield locks for stowed or deployed positions with release by hand
- Pivot and lock assembly transferable to the right or left of the shield for individual preference
- .150" lens thickness
- 8" lens length
- Nape Curtain (Constructed of Cordura® nylon and high-density foam with chemical-resistant plastic shock absorbent pads)









8210-3

SPARE CUFF™

- Standard single cuff for controlling both wrists/ forearms and ankles
- 22" (55.88cm) when laid flat
- ½" (1.27cm) wide with beveled edges to reduce potential for subject injury
- Available in quantities of ten White 10 pack 8210-3-10

White 100 pack — 8210-3-10B Black 10 pack — 8210-3-2 Black 100 pack — 8210-3-2B





8220-3

DOUBLE CUFF™

- The Double Cuff feature gives the officer greater control and the ability to stabilize the subject after one cuff is in place
- Two individual cuffs rather than the standard single cuff for controlling both wrists/forearms or ankles
- Standard length is 34" (86.36cm)
- Available in quantities of ten

White 10 pack – 8220-3-10 White 100 pack – 8220-3-10B Black 10 pack – 8220-3-2 Black 100 pack – 8220-3-2B

CUTTERS



8500-1 SAFETY CUTTER™

- Lever action for smooth cutting of disposable plastic restraints
- Simple, fast, one-squeeze operation
- Pocket-sized for easy carry



8210-0

COMPACT SPARE CUFF™

- Compact version of Spare Cuff restraints
- · User-friendly and easy to carry and store
- Ideal backup to steel handcuffs; can be carried in pocket, briefcase, glove compartment, etc.
- Available in quantities of three with an included Safety Cutter[™]

White 3 pack w/Safety Cutter – 8712 Black 3 pack w/Safety Cutter – 8713



8220-2

COMPACT DOUBLE CUFF™

- Compact version of Double Cuff restraints
- User-friendly and easy to carry and store
- Ideal backup to steel handcuffs; can be carried in pocket, briefcase, glove compartment, etc.
- Available in quantities of three with an included Safety Cutter[™]

White 3 pack w/Safety Cutter -8710 Black 3 pack w/Safety Cutter -8711



Ą

8730

MOLLE DISPOSABLE CUFF HOLDER

- Mount on a vest, belt or go bag with with MOLLE loop mounting system
- Deploy disposable cuffs with one hand
- · Durable, lightweight polymer
- · Holds (6) disposable cuffs



8500-0

CUFF CUTTER

- Can be used on any disposable restraint
- Pocket-sized for easy carry and storage
- Inexpensive and durable

Metal Restraints



TAKE CONTROL. AND KEEP IT.

Hiatt® handcuffs offer a variety of unique features designed to address the needs of today's law enforcement personnel. Our fast back-loading application allows an open cuff to be snapped back into place with a quick motion of the wrist and then reapplied without having to release the offender's hand. With 18 teeth, 3 independent retaining bars with 6 teeth on each, we make it extremely difficult to pick, while providing increased strength as the shackle engages the additional teeth. Finally, True Swing Technology ensures the swing arm is balanced and centered so it locks into the center of the shackle every time.



2010HD

DOUBLE KEY HOLE CHAIN STYLE

Crafted from heavy-duty high carbon steel with reinforced steel swivels. Double key hole handcuffs make removing Hiatt handcuffs much easier. With key holes on both sides of the cuff, there is always one facing up for ease of access.



2050H / 2075H

STANDARD HINGE STYLE

Crafted from high quality steel, the hinge style cuffs feature heavy-duty, solid hinges for reinforced holding power.

2075H

2050H – Nickel Plate Model 2075H – Black Finish Model



2010H / 2015H

STANDARD CHAIN STYLE

Made from top quality steel, the chain style model features reinforced steel swivels for added strength and durability.

2010H – Nickel Plate Model 2015H – Black Finish Model




2054H / 2055H

OVERSIZED HINGE STYLE

17% larger than the standard model, oversized hinge style cuffs are ideal for restraining larger subjects who have trouble placing their hands behind their backs.

2054H – Nickel Plate Model 2055H – Black Finish Model





2103H / 2105H

RIGID STYLE NON-FOLDING

The Rigid handcuff provides a firm, comfortable grip that molds to the shape of your hand for added control and ease of application. $\frac{1}{2} \int_{-\infty}^{\infty} \frac{1}{2} \left(\frac{1}{2} \int_{-\infty}^{\infty} \frac$

2103H – Nickel Plate Model 2105H – Black Finish Model

UL-1-H / UL-5-H

ULTIMATE - FOLDING STYLE

With heavy-duty construction this cuff features oversized rivet heads for added strength. Folds easily for storage.

UL-1-H — Nickel Plate Model UL-5-H — Black Finish Model



8400

HANDCUFF KEYS

- Lightweight, oversized handcuff key
- Textured grip allows solid grasp of key, even in wet conditions
- 8400-1 features pocket clip
- 8400-2 features key ring

Metal Restraints



3103-H

LIGHTWEIGHT STELOY CHAIN HANDCUFF

This chain style handcuff offers reinforced steel swivels for added strength and durability. The 3103-H Steloy is 40% lighter and 17% larger than standard cuffs. Constructed from a combination of aluminum and steel this lightweight model offers high strength without the extra weight.



3154-H

OVERSIZED STELOY HINGE HANDCUFF

Crafted from a combination of steel and aluminum known as Steloy, this lightweight hinge style cuff features solid hinges for reinforced holding power. This lightweight hinged model cuff is 40% lighter and 17% larger than a standard hinge handcuff.

SAFARILAND TRAINING ACADEMY

MONADNOCK® DEFENSIVE TACTICS SYSTEM

(MDTS) INSTRUCTOR COURSE

This powerful two-day course shows you how to use your hands, elbows, knees and feet for protection against an attack, especially in close quarter battles (CQB). It relies heavily on practical hands-on applications and is intended for first responders who want instruction in how to use their personal weapons for self-defense and subject-control, for escort and handcuffing.

Contact the Safariland Training Group for details to take or host this course.

WWW.SAFARILAND.COM/TRAINING 800.347.1200 OPTION TRAINING

SEE INDEX ON PAGE 231 FOR INFORMATION ON CLASSES LISTED THROUGHOUT THIS CATALOG



