



Remington®

R 20
20
CATALOG



R



A NEW ERA OF PERFECTION

Two years ago, we introduced sweeping changes across every process and division in every Remington facility. Dramatic upgrades with aerospace standards of precision and new quality protocols resulting in craftsmanship you can see and feel in every product we make. In 2020, we proudly raise the bar - again. With expanded legacy offerings and new models built around a culture of precision, advanced by Remington's unique brand of innovation. The finest products in our 204-year history, and proof of what's possible when perfection is the only goal.

| | |
|-----------------------|-----|
| NEW PRODUCTS | 04 |
| SHOTGUNS | 08 |
| COMPACT | 42 |
| RIFLES | 44 |
| CUSTOM SHOP | 76 |
| HANDGUNS | 78 |
| AMMUNITION | 104 |
| ACCESSORIES | 162 |
| PARTNERS | 190 |
| SPECIFICATIONS | 192 |

Remington

2020 NEW PRODUCTS

America's unstoppable autoloader, the V3 adds two new tactical offerings while the Model 870 - the most popular pump shotgun of all time - expands its family with three new express models. The ever-popular Model 700 adds three new rifles, including the distance-dominating Model 700 PCR Enhanced, and the Model 700-CP Arm Brace, the newest addition to our innovative bolt-action pistol platform. It's our most innovative lineup yet, proudly assembled by the most skilled craftsmen in the industry today - for you.

SHOTGUNS



V3 COMPETITION TACTICAL



V3 TACTICAL



VERSA MAX SPORTSMAN MOSSY OAK® BOTTOMLAND®



MODEL 870 EXPRESS COMPACT



870 EXPRESS TRAP



MODEL 870 EXPRESS SUPER MAGNUM

SHOTSHELLS



PREMIER TSS TURKEY LOADS

TACTICAL SHOTGUN PARTS



MODEL 870 M-LOK BARREL CLAMP

- M-LOK barrel clamp for unlimited accessory upgrades
- Compatible with 870, 1100 & 11-87 shotguns
- Backwards compatible with all Remington mag tube extensions
- Reduces mag tube creep and listing during extended use



MODEL 870 SIDE FOLDING STOCK KITS

- Ergonomically designed right-hand folding shotgun stock
- VERSA MAX soft touch adjustable cheek piece insert
- QD cup attachment points
- SuperCell+ recoil pad; Works with adjustable LOP kit
- Strength exceeded LE requirements
- Includes stock, pad, knuckle and fore-end
- MOE M-LOK compatible fore-end



MODEL 870 M-LOK FORE-END

- Fits any 870 12-gauge shotgun
- Single piece construction for the utmost in felt and proven durability
- M-LOK® compatible accessory slots for user customization and aftermarket upgrades
- Beveled edges for a smooth ergonomic feel compared to competitive models
- Same easy installation as with any standard 870 fore-end
- Perfect option for consumer to upgrade their shotguns for style and usability

MAG TUBE EXTENSION KIT

- Optimized for flush mount when used with 18 1/2" barrel
- Can be utilized for tactical or hunting
- Comes with +3 mag tube extension
- Respective models designed for use with V3 mag tube or any 870, 1100 & 11-87 standard mag tube
- Includes new M-LOK barrel clamp



V3 FIELD SPORT BARREL

- Optimized for tactical/home protection
- Drop-in solution for upgrading or changing barrel length on any V3 shotgun
- Includes a welded rib with bead sight for rapid target acquisition





RIFLES



MODEL 700 PCR ENHANCED



MODEL 700 CDL SF LIMITED EDITION



MODEL SEVEN SYNTHETIC MOSSY OAK® CAMO

HANDGUNS



MODEL 700-CP ARM BRACE

SHOTGUNS & SPECIALTY FIREARMS



V3 WATERFOWL PRO



NEW V3 TACTICAL



V3 TAC-13



MODEL 870 WINGMASTER



VERSA MAX



MODEL 1100

| | |
|-----------------------|----|
| VERSA MAX | 12 |
| V3 | 16 |
| Model 11-87 | 22 |
| Model 1100 | 24 |
| Tactical | 26 |
| TAC-14/13 | 28 |
| Model 870 | 32 |
| Youth / Compact | 42 |

THE VERSA PORT ADVANTAGE

CYCLES ANYTHING. CHANGES EVERYTHING.

AT THE HEART OF EVERY VERSA MAX AND V3 SHOTGUN IS A REVOLUTIONARY GAS PISTON SYSTEM THAT IS CHANGING THE WAY WE THINK ABOUT RECOIL.


The patented VersaPort system is able to reduce the felt recoil of a 12-gauge shotgun to that of a 20-gauge thanks to a series of gas pistons and strategically placed ports that self-regulate gas pressure depending on the length of the shell. The result is consistent, reliable cycling from the sporting clays course to the goose blind.

From light 2¾-inch loads to heavy 3½-inch magnums, the VersaPort system cycles every load with flawless consistency because only the precise amount of gas required to operate the rotary bolt is delivered. On top of that, the VersaPort system is self-cleaning, meaning reduced maintenance and more time to shoot.




VERSA MAX

THREE CUSTOM-TUNED ACTIONS
INGENIOUSLY DISGUISED AS ONE.




LESS RECOIL.

VERSA MAX produces dramatically less recoil than the competition.



V3 FIELD SPORT


THE V3 DELIVERS DRAMATICALLY LESS RECOIL VERSUS STANDARD AUTOLOADERS.



TWO-CUSTOM TUNED ACTIONS
INGENIOUSLY DISGUISED AS ONE.

V3 FIELD SPORT VS. COMPETITOR PRODUCTS

The softest-recoiling auto in the field.



NEVER-SAY-DIE DEPENDABILITY.

Tested and proven with thousands of rounds.

In an extreme torture test, our engineers fed it thousands of rounds without cleaning.





VERSA MAX WATERFOWL PRO FEATURES:

- Most versatile, reliable shotgun on the market
- Reliably cycles 12-gauge rounds from 2¾" to 3½" magnums
- VersaPort gas system regulates cycling pressure based on shell length
- Reduces recoil to that of a 20-gauge
- Self-cleaning – continuously cycled thousands of rounds in torture test
- Enlarged trigger guard opening and larger safety for easier use with gloves
- Nickel-plated barrels
- Nickel-Teflon® plated internal components offer extreme corrosion resistance
- Length of pull kit to extend length by 1"
- Fully adjustable stock for drop, cast, and LOP plus comb insert



VERSA MAX BLACK SYNTHETIC
Left hand also available.



VERSA MAX CAMO
Left hand also available.



VERSA MAX COMPETITION TACTICAL

VERSA MAX

ANY LOAD. ANYWHERE. EVERY TIME.

VERSA MAX, the new standard for reliability in autoloading shotguns. Powered by our revolutionary VersaPort gas-operated system, VERSA MAX shatters convention and all previous benchmarks for reliability. Proven in extreme endurance tests with thousands of rounds, VERSA MAX cycles any 12-gauge load with flawless consistency, dramatically reduced recoil and less maintenance than any autoloader ever. Equipped to take the flyways by force, the **VERSA MAX Waterfowl Pro** is decked in Mossy Oak® Shadow Grass Blades camo, and features oversized controls, an enlarged feeding port and more. The **VERSA MAX Competition Tactical** is outfitted with the features top competitors demand, like a green Cerakote® receiver, oversized controls, an enlarged feeding port and more. And the unstoppable reliability of VERSA MAX now fits comfortably in a southpaw's hands with **VERSA MAX Left-Hand** models. Available in Realtree® camo or Black Synthetic. Should the ultimate power of VERSA MAX and you'll never look back.



OVERSIZED CONTROLS

ENLARGED FEEDING PORT AND FLAT FACED CARRIER



VERSA MAX ACCESSORIES

We've added several new camo stocks to the VERSA MAX lineup to make finding the perfect pattern for your pursuit easier than ever. (Mossy Oak Duck Blind shown). See page 166.

SPECS AT A GLANCE.

For a complete list of all model specifications, see page 192

| MODEL | ORDER NO. | GAUGE/BBL LENGTH | BARREL TYPE | STOCK MATERIAL |
|--|----------------|------------------|-------------|---------------------------------|
| VERSA MAX Waterfowl Pro ⁴ Mossy Oak Shadow Grass Blades Camo | 83205 | 12/28" | Vent Rib | Synthetic, w/ Over-Molded Grips |
| VERSA MAX Black Synthetic ¹ | 81043 81042 | 12/26" 12/28" | Vent Rib | Synthetic, w/ Over-Molded Grips |
| VERSA MAX Competition Tactical ¹ | 81029 | 12/22" | Vent Rib | Synthetic, w/ Over-Molded Grips |
| VERSA MAX Waterfowl Realtree AP Camo ² | 81054 | 12/26" | Vent Rib | Synthetic, w/ Over-Molded Grips |

¹ Supplied with Flush Mount ProBore Choke Tubes - Improved Cylinder, Light Modified, Modified, Improved Modified and Full. ² Supplied with Extended ProBore Choke Tubes - Over Decoys, Flooded Timber, Pass Shooting and Turkey/Predator. ⁴ Supplied with Extended ProBore Choke Tubes - Skeet, Improved Cylinder, Light Modified, Modified and Full.



NEW

VERSA MAX SPORTSMAN

THE UNSTOPPABLE AMERICAN WORKHORSE.

The engineers at The Rock changed the world of autoloader design forever when they created the VERSA MAX - and then they boldly did it again when they unveiled the VERSA MAX Sportsman. A hard-working, streamlined version of our breakthrough VERSA MAX, yet driven by the same relentless heart. VersaPort. Our revolutionary, self-regulating gas system, that flawlessly cycles any 12-gauge load - from light 2¾" to the heaviest 3½" magnums. Along with its unstoppable, self-cleaning design, it reduces the felt recoil of a 12-gauge load to that of 20-gauge pump gun. Meaning faster, smoother followups, more comfort and simply better shooting. Here to take the woods, fields and flyways by force, the Sportsman is available in five configurations. Get your VERSA MAX Sportsman in standard black with a 26" or 28" barrel, or decked in Mossy Oak® Bottomland or Realtree® Edge camo coverage. The VERSA MAX Sportsman Turkey sports Mossy Oak Obsession camo and a highly maneuverable 22" barrel. Any load. Anywhere. Every time. For every application.

TEXTURED GRIP PANELS

IVORY FRONT BEAD

PROBORE CHOKE

VERSA MAX SPORTSMAN CAMO FEATURES:

- Groundbreaking VersaPort operating system, featuring multi-port gas system, self-cleaning pistons and rotating bolt-head
- Synthetic stock decorated in Realtree® Camo
- Black oxide barrel and anodized receiver
- SuperCell™ recoil pad for up to 54% less recoil
- Stepped tapered, undercut vent rib



NITRO STEEL

The steel more wingshooters choose, now in higher velocities and higher payloads. Premium, zinc-plated pellets deliver tighter patterns and more dead birds. See page 130.



VERSA MAX SPORTSMAN TURKEY



VERSA MAX SPORTSMAN BLACK SYNTHETIC



VERSA MAX SPORTSMAN CAMO

SPECS AT A GLANCE.

For a complete list of all model specifications, see page 192.

| MODEL | ORDER NO. | GAUGE/BBL LENGTH | BARREL TYPE | STOCK MATERIAL |
|--|-----------|------------------|----------------------------|----------------|
| VERSA MAX Sportsman Synthetic Stock Realtree Edge Camo ¹ | 81037 | 12/26" | Vent Rib | Synthetic |
| VERSA MAX Sportsman Synthetic Stock Mossy Oak Bottomland Camo ² | 81038 | 12/26" | Vent Rib | Synthetic |
| VERSA MAX Sportsman Black Synthetic ¹ | 81045 | 12/28" | Vent Rib | Synthetic |
| VERSA MAX Sportsman Black Synthetic ¹ | 81046 | 12/26" | Vent Rib | Synthetic |
| VERSA MAX Sportsman Turkey Mossy Oak Obsession Camo ² | 81028 | 12/22" | Smooth Barrel Rifle Sights | Synthetic |

¹ Supplied with ProBore, modified.

² Supplied with ProBore Wingmaster Turkey Choke.



V3 AUTOLOADERS

AMERICA. RELIABILITY. PERFORMANCE

In just a few years, the Remington V3 has forever changed the course of firearms history. Its unique, VersaPort gas system delivers flawless cycling and super-soft recoil like no other autoloader, foreign or domestic ever will. In the marshlands, uplands and everywhere dawn-to-dusk reliability matters, the lightweight, 3-inch-capable V3 adapts to every possible hunting or sporting application with supreme balance and pointability. For 2020, the **V3 Waterfowl Pro** adds Realtree® Timber, to its choices of Realtree Max-5, Mossy Oak® shadow Grass Blades. Featuring an oversized bolt handle and safety, and a widened loading port for improved loading ease. With Cerakote® coated receiver and barrel, HIVIZ® fiber-optic front sight and steel mid bead. Includes three extended black chokes. The new **V3 Competition Tactical** adds a green Cerakote® receiver, and fiber optic front sight to the V3's long list of performance and handling enhancements. The new **V3 Tactical Rifle Sights** comes with the same oversized bolt handle and fiber optic front sight as V3 Waterfowl Pro, in addition to an M-LOK® barrel clamp and 6+1 capacity. And the new **V3 Tactical Bead Sight** offers all of the above for those who prefer bead sights. The **V3 Turkey Pro** sports complete coverage in Realtree Timber camo, and features an adjustable LOP stock with SuperCell+ recoil pad; 21½" Rem choke barrel with TruGlo® Head Banger™ Choke tube. Picatinny rail and TruGlo optic are also included.



OVERSIZED BOLT HANDLE



V3 WATERFOWL PRO FEATURES:

- VersaPort gas system for flawless, dependable cycling and super-soft recoil
- Reliably cycles all 2¾" and 3" 12-gauge loads
- Self-cleaning design promotes extreme reliability
- Perfectly balanced for effortless pointability
- Modernized oversized bolt handle
- Redesigned opened loading port
- Available in Mossy Oak Shadow Grass Blades and Realtree® Timber
- Cerakote® coated receiver and barrel
- HIVIZ fiber optic front sight and steel mid bead
- Sling included



V3 WATERFOWL PRO



V3 TURKEY PRO



NEW V3 TACTICAL



NEW V3 TACTICAL BEAD SIGHT



NEW V3 COMPETITION TACTICAL



CERAKOTED RECEIVER AND BARREL



FIBER OPTIC FRONT SIGHT




V3 TACTICAL ACCESSORIES

Choose from barrel clamps, barrels, tube extensions and more. Upgrade your Model 870 or V3 for any tactical application with Remington original parts. *Page 168.*

SPECS AT A GLANCE.

For a complete list of all model specifications, see page 192.

| MODEL | ORDER NO. | GAUGE/BBL LENGTH | BARREL TYPE | STOCK MATERIAL |
|--------------------------------------|-----------|------------------|--------------|----------------|
| NEW V3 Waterfowl Pro Realtree Timber | 83439 | 12/26" | Vent Rib | Synthetic |
| V3 Waterfowl Pro | 83435 | 12/28" | Vent Rib | Synthetic |
| V3 Turkey Pro | 83445 | 12/22" | Vent Rib | Synthetic |
| NEW V3 Competition Tactical | 83440 | 12/22" | Vent Rib | Synthetic |
| NEW V3 Tactical Rifle Sights | 83441 | 12/18" | Rifle Sights | Synthetic |
| NEW V3 Tactical Bead Sight | 83442 | 12/18" | Vent Rib | Synthetic |



NEW

V3 FIELD SPORT

OUR LAND. OUR AUTOLOADER.

We're proud to say the finest autoloaders in the world aren't made in Italy, Belgium or Japan. They're built right here. With the addition of the lightweight, 3-inch-capable V3 to our lineup, every possible hunting or sporting application is now under the reign of our VersaPort gas system. The V3 incorporates the system's unfailing reliability and super-soft recoil into a sleek platform with the athletic handling and pointability that have made Remington autos an icon in the field. From light 2¾" target loads to the hardest-hitting 3" mags, it cycles them all with the same unrelenting consistency. Choose from durable synthetic stocked models in all black, and now, decked butt to bore in Mossy Oak® Blades or Obsession camo. For traditional good looks, the V3 is also available with American walnut woodwork and a rich satin finish. All models with synthetic stocks are compatible with an adjustable length-of-pull system to create a custom fit for any shooter. It's the next generation of the most enduring, most innovative legacy in autoloaders. Built in the land where the best shotgun wins.

SELF-CLEANING VERSAPORT SHORT-PISTON-STROKE GAS OPERATING SYSTEM



TRIGGER GUARD AND CONTROLS

V3 FIELD SPORT MOSSY OAK OBSESSION FEATURES:

- World-class autoloader performance, made in America
- VersaPort gas system for flawless, dependable cycling and super-soft recoil
- Reliably cycles all 2¾" and 3" 12-gauge loads
- Self-cleaning design promotes extreme reliability
- Perfectly balanced for effortless pointability
- Decorated in Mossy Oak® Obsession NWTF
- Crisp target-style trigger
- The combination of any shell performance, light weight and lack of recoil make the V3 the most versatile autoloader you can buy

V3 ACCESSORIES

Choose from several new Mossy Oak camo patterns to give your V3 the ultimate in concealment. (Mossy Oak Break-Up Country shown). See page 164.



V3 FIELD SPORT BLACK SYNTHETIC

V3 FIELD SPORT CAMO

V3 FIELD SPORT WALNUT

V3 FIELD SPORT COMPACT

SPECS AT A GLANCE.

For a complete list of all model specifications, see page 192.

| MODEL | ORDER NO. | GAUGE/BBL LENGTH | BARREL TYPE | STOCK MATERIAL |
|--------------------------------------|----------------|------------------|------------------------|----------------|
| V3 Field Sport Walnut | 83421 83420 | 12/26" 12/28" | Light Contour Vent Rib | Walnut |
| V3 Field Sport Camo Realtree® Timber | 83409 | 12/26" | Light Contour Vent Rib | Synthetic |
| V3 Field Sport Black Synthetic | 83401 83400 | 12/26" 12/28" | Light Contour Vent Rib | Synthetic |
| NEW V3 Field Sport MO Obsession | 83418 | 12/26" | Light Contour Vent Rib | Synthetic |
| V3 Field Sport Compact | 83402 | 12/22" | Light Contour Vent Rib | Synthetic |

SHOOTING THE — REMINGTON —

MODEL V3 FIELD SPORT TURKEY PRO

— by Brian McCombie | *Featured in American Rifleman* —

THE V3 TURKEY PRO is the latest model in Remington's successful V3 line of shotguns. It is an accurate shotgun, handles 2¾" and 3" shells, cycles and ejects those shells without any difficulties, and features very ergonomic controls.

To create the V3 line, Remington employed its VersaPort gas system, which regulates cycling pressure based on the length of the shell. Remington also did away with the recoil spring in the buttstock common to semi-automatics. Instead, Remington engineers added a pair of recoil springs located on guide rails along the lower inside receiver walls. The springs absorb recoil as the bolt comes back and, on the rebound, pop the bolt and a fresh round into battery. The combination creates one of the softer-recoiling 12-gauges I've ever used.

I used Birchwood-Casey's 12"x18" Turkey Splattering Targets to test out the V3 with the different loads at 25 yards, sitting and using a tripod for a rest. Aiming just below the tom's head, the Federal TSS loads consistently put 20 pellets into the head and neck vitals, the Hornady 12 pellets, and the Winchester loads 11 pellets.

At 40 yards, those same loads did the job very nicely. Again, the TSS load was the winner, with an average of 15 pellets in the head/neck kill zones, while Hornady and Winchester both had 10 pellets. With additional practice, I believe I can increase my pellet counts into the vital areas. The more I used the V3 Turkey Pro, the more I appreciated the thought that went into the controls.

Is it just me, or has anyone else tried to rack back the bolt of a shotgun with wet hands and had the curved bolt handle slip? Such mishaps shouldn't occur with the V3 Turkey Pro. The bolt handle is large and sticks out perpendicular to the receiver, allowing for a steady pull to the rear with excellent leverage. The handle also sports deep lines cut into it for a firm grip with gloves or wet hands.

I rate the trigger on the V3 Turkey Pro as "very serviceable." No, it's nothing like a precision rifle trigger. There is, for example, about ¼" of take up before the trigger begins to engage. Once engaged, the trigger pull is a bit stiff. Yet the trigger pull only measured a surprisingly light three pounds, six ounces, on average, as recorded by my Lyman Digital Trigger Pull Gauge. With a little practice, the trigger on the V3 works more than well enough to help you drop that big tom at 40 to 50 yards. Last, the V3 Turkey Pro comes with several drop and cast adjustment shims to tailor the gun's fit to the individual hunter.

The V3 Turkey Pro is also built in the U.S. at Remington's Ilion, N.Y., facility. For me, it's a plus knowing you can buy a quality hunting shotgun that isn't made overseas.





MODEL 11-87

MODEL 11-87 SPORTSMAN FIELD FEATURES:

- Wood and satin blued configuration
- Solid walnut stock and fore-end with satin finish and fleur-de-lis checkering
- 12-gauge with 28" barrel and mod choke, 20-gauge with 26" barrel and mod choke
- Dual bead sights
- Nickel-plated bolt and gold trigger



MODEL 11-87 SPORTSMAN BLACK SYNTHETIC



MODEL 11-87 SPORTSMAN COMPACT BLACK SYNTHETIC

A SPORTSMAN FOR ALL SEASONS.

No matter the season, the Model 11-87 Sportsman answers the call. Built to our legendary standards for autoloader performance, each features the unrivaled speed, reliability and smooth operation that have made this platform a standout for more than a quarter century. As timeless and versatile as the American sportsman, the **Model 11-87 Sportsman Field** offers classic looks that are complemented with an all-around versatility for clays, field and upland hunting. It comes with a handsome, satin-finish walnut stock and fore-end with cut fleur-de-lis checkering, and is available in 12- and 20-gauge versions, with 2¾" and 3" capability.

FLEUR-DE-LIS CHECKERING COMPLIMENTS THE SATIN-FINISHED WALNUT STOCK AND FORE-END TO CREATE CLASSIC APPEAL.



NITRO PHEASANT LOADS

One of the most potent pheasant loads on the market. Uses our Copper-Lokt shot for deep penetration and consistent patterns. See page 134.

SPECS AT A GLANCE.

For a complete list of all model specifications, see page 195.

| MODEL | ORDER NO. | GAUGE/BBL LENGTH | BARREL TYPE* | STOCK MATERIAL |
|---|-------------------------|----------------------------|---------------------------|-----------------|
| 11-87 Sportsman Field Walnut w/ Fleur-De-Lis Checkering | 83700 83704 | 12/28" 20/26" | Vent Rib Rem Choke Mod | American Walnut |
| 11-87 Sportsman Black Synthetic | 29879 29881 19827 | 12/28" 12/26" 20/26" | Vent Rib Rem Choke Mod | Synthetic |
| 11-87 Sportsman Compact Black Synthetic | 83626 | 20/21" | Vent Rib Rem Choke Mod | Synthetic |

* NOTE: All Model 11-87 Sportsman shotguns with a Rem Choke barrel come equipped with Modified Rem Choke tube.

AUTOLOADERS

STARTING WITH THE MODEL 11 — THE FIRST AUTOLOADING SHOTGUN PRODUCED IN THE U.S. — REMINGTON HAS BEEN AT THE FOREFRONT OF SEMI-AUTOMATIC SHOTGUN DESIGN AND INNOVATION FOR MORE THAN 100 YEARS.

VERSAPORT: FEATURED IN THE V3 AND VERSA MAX SHOTGUNS, THIS GROUNDBREAKING GAS-OPERATED SYSTEM SELF-REGULATES THE AMOUNT OF GAS USED TO CYCLE THE ACTION BASED ON THE LENGTH OF THE SHELL USED.

LESS PUNCH

THE VERSAPORT SYSTEM IS CAPABLE OF REDUCING THE FELT RECOIL OF A 12 GAUGE TO THAT OF A 20 GAUGE.

THE MODEL 11-48

WAS THE ONLY AUTOLOADER MADE IN 12, 16, 20, AND 28 GAUGES AND 410 BORE AT THE TIME OF ITS INTRODUCTION

THE MODEL 1100 IS THE BEST-SELLING AUTOLOADER IN U.S. HISTORY. LAID END TO END, THEY'D REACH FROM THE ATLANTIC TO THE PACIFIC.

4 MILLION

RELIABLE: THE MODEL 1100 HOLDS THE RECORD FOR MOST ROUNDS FIRED FROM AN AUTOLOADER WITHOUT MALFUNCTION • CLEANING • BREAKAGE: MORE THAN 24,000





MODEL 1100

MODEL 1100 COMPETITION FEATURES:

- Twin target-style bead sights
- Polished nickel finish on receiver
- Adjustable comb and cast adjustment options
- Includes full set of five Briley (Target) ProBore choke tubes: skeet, improved cylinder, light modified, modified and full
- Recoil-reducing stock



PREMIER NITRO SPORTING CLAYS

A long-time favorite of trap and skeet shooters thanks to their 1300 fps velocity, pattern uniformity and "reloader-friendly" design. Pair your Model 1100 with this for an extra competitive edge. See page 142.



FULLY ADJUSTABLE STOCK

THE ULTIMATE COMPETITIVE ADVANTAGE.

Chosen by millions across the nation for its exceptionally soft recoil and sleek pointing characteristics, the Model 1100 has been dominating the competitive scene for over 50 years. The Model 1100 Competition features an action optimized for 2¾" target and light field loads, a fully adjustable stock, plus a handsome nickel finish on the receiver and all internal parts for the smoothest, most reliable cycling possible.



MODEL 1100 CLASSIC TRAP FEATURES:

- Twin bead target sights
- Polished blued receivers and barrels
- Semi-fancy American walnut Monte Carlo stock and fore-end
- High-gloss wood finish with cut checkering
- Gold-plated triggers

THE MOST FAMOUS AUTOLOADER OF ALL TIME.

More than 50 years since it was first introduced, the Remington Model 1100 has cemented its name as the most popular autoloader in history. And it is still the choice of countless competitive shooters nationwide – for its proven-reliable Model 1100 action, superior handling qualities and rich tradition. One of the most successful competitors ever, the **Model 1100 Classic Trap** provides serious shooters all of the time-tested features of the Model 1100 field guns, but optimized to handle 2¾" target and light field loads. Ivory front bead and steel mid-bead sights provide for ease of target acquisition and improved followups. And it features a B-grade, American walnut stock with handsome high-gloss finish and cut checkering. The **Model 1100 Sporting Series** shotguns are quick to impress and sweet to shoot. Gold triggers and a custom Premier Sporting hard case complete the package. If you haven't already, shoulder this and you'll soon see why the Model 1100 is America's favorite.



MODEL 1100 SPORTING

SPECS AT A GLANCE.

For a complete list of all model specifications, see page 193.

| MODEL | ORDER NO. | GAUGE/BBL LENGTH | BARREL TYPE | STOCK MATERIAL |
|---|-----------|------------------|--|-------------------------|
| 1100 Competition Synthetic ⁵ | 82821 | 12/30" | Vent Rib Pro Bore | Synthetic |
| 1100 Classic Trap | 25333 | 12/30" | Lt. Contour Rib Rem Choke ² | Semi-Fancy Amer. Walnut |
| 1100 Sporting 12 | 25315 | 12/28" | Lt. Contour Rib Rem Choke ³ | Semi-Fancy Amer. Walnut |
| 1100 Sporting 20 (LT) | 25399 | 20/28" | Lt. Contour Rib Rem Choke ³ | Semi-Fancy Amer. Walnut |
| 1100 Sporting 28 | 29583 | 28/27" | Vent Rib Rem Choke ³ | Semi-Fancy Amer. Walnut |
| 1100 Sporting 410 | 29549 | .410/27" | Vent Rib Rem Choke ³ | Semi-Fancy Amer. Walnut |

¹ Model 1100 Sporting 410 shotguns have 3" chambers and will cycle 2½" and 3" shotshells. ² These guns are supplied with special Rem Chokes, Mid Handicap (.034"), Singles (.027"), and Long Handicap (.041"). ³ NOTE: Model 1100 Sporting Shotguns are equipped with four extended Briley Rem Choke tubes (Skeet, Improved Cylinder, Light Modified and Modified.) ⁴ Model 1100 shotguns have 2¾" chambers, unless otherwise noted. ⁵ Model 1100 Competition Synthetic shotgun is supplied with Briley Pro Bore chokes (Skeet, Improved Cylinder, Light Modified, Modified and Full). It has approximately 14¼" Length of Pull and is not adjustable.



TACTICAL

BOOST YOUR SCORES. DEFEND YOUR TURF.

Our 2020 lineup of tactical shotguns includes some of the most trusted and popular shotguns in the industry, each fine-tuned for your specific tactical application. The new **Model 870 Tactical Side Folder** adds side-stock versatility and enhanced ergonomics to the Model 870's legendary strength and dependability. Its right-hand folding stock instantly converts for shouldered or non-shouldered shooting, while the **VERSA MAX** soft-touch adjustable cheek piece insert promotes perfect cheek weld. Includes SuperCell recoil pad and adjustable LOP kit. The **VERSA MAX Competition Tactical** adds a carbon-fiber, two-shot extension and several other enhanced features to the **VERSA MAX Tactical** to meet the demands of avid 3-gunners. Built on the ever-reliable Model 870 platform, the **Model 870 Express Tactical Magpul**®, **Model 870 Express Tactical 20-gauge**, and **Model 870 Express Tactical 6-Position**, round out our lineup of tactical workhorses for 2020. With features like 18½" barrel, 6 + 1 capacity and adjustable tactical stocks, they deliver the edge you can count on when you need it most.

MODEL 870 EXPRESS TACTICAL SIDE FOLDER FEATURES:

- Built on the world's strongest, smoothest, and most reliable pump shotgun platform
- Right-hand folding stock assembly designed specifically for shotgun ergonomics
- **VERSA MAX** soft-touch, adjustable cheek piece insert
- QD cup attachment points
- SuperCell+ recoil pad; works with adjustable LOP kit
- Extremely strong to exceed LE requirements
- Includes stock, pad, knuckle and fore-end
- Magpul M-LOK® compatible fore-end



VERSA MAX COMPETITION TACTICAL

VERSA MAX TACTICAL

MODEL 870 EXPRESS TACTICAL MAGPUL

MODEL 870 EXPRESS TACTICAL WITH 7-ROUND CAPACITY

MODEL 870 EXPRESS TACTICAL WITH GHOST RING SIGHTS

MODEL 870 EXPRESS HARDWOOD HOME DEFENSE

MODEL 870 SPS MARINE MAGNUM



SIDE FOLDER WITH VERSA MAX ADJUSTABLE CHEEK PIECE



M-LOK COMPATIBLE FORE-END



MODEL 870 EXPRESS TACTICAL 6-POSITION STOCK

SPECS AT A GLANCE. For a complete list of all model specifications, see page 192.

| MODEL | ORDER NO. | GAUGE/BBL LENGTH | BARREL TYPE | STOCK MATERIAL |
|--|----------------|--------------------|------------------------|---------------------------------|
| 870 Express Tactical Side Folder | 81210 81223 | 12/18½" 20/18½" | Fixed Cylinder Choke | Black Synthetic |
| VERSA MAX Competition Tactical¹ | 81029 | 12/22" | Vent Rib | Synthetic, w/ Over-Molded Grips |
| VERSA MAX Tactical¹ | 81059 | 12/22" | Vent Rib | Synthetic, w/ Over-Molded Grips |
| 870 Express Tactical 6-Position Stock | 81212 | 12/18½" | Fixed Cylinder Choke | Synthetic |
| 870 Express Tactical Magpul | 81192 | 12/18½" | Fixed Cylinder Choke | Synthetic |
| 870 Express Tactical (w/ XS Ghost Ring Sight) | 81198 | 12/18½" | Rem Choke ¹ | Synthetic |

| MODEL | ORDER NO. | GAUGE/BBL LENGTH | BARREL TYPE | STOCK MATERIAL |
|---|----------------|--------------------|----------------------|----------------|
| 870 Express Synthetic Tactical | 25549 | 12/18½" | Fixed Cylinder Choke | Synthetic |
| 870 Express Synthetic Tactical (7-Round Capacity) | 25077 81100 | 12/18½" 20/18½" | Fixed Cylinder Choke | Synthetic |
| 870 Express Hardwood Home Defense (7-Round Capacity) | 25559 | 12/18½" | Fixed Cylinder Choke | Hardwood |
| 870 Express Hardwood Home Defense | 81197 | 12/18½" | Fixed Cylinder Choke | Hardwood |
| 870 Marine Magnum² | 25012 | 12/18" | Fixed Cylinder Choke | Synthetic |

¹ Supplied with Flush Mount ProBore Choke Tubes - Improved Cylinder, Light Modified, Modified, Improved Modified and Full. ² Will not accept certain law enforcement accessories.



V3 TAC-13 FEATURES:

- Ultra-reliable V3 autoloading platform
- Shockwave Raptor® pistol grip & synthetic fore-end with retention strap
- Exclusive Remington-designed adaptor for 870 Shockwave Technology grip
- 13" barrel with fixed-cylinder choke and bead sight
- Extended magazine capacity (5+1)
- No NFA registration or fee required
- Reliably cycles 1-oz target loads or managed recoil loads, 2¾" light-field loads and 3" magnums

TAC-13 / TAC-14

THE SHORTEST ALLOWABLE DISTANCE BETWEEN POWERLESS AND PREPARED.

The **V3 Tac-13** delivers 12-gauge firepower with the recoil of a 20-gauge. Its ultra-reliable, soft-shooting V3 gas system flawlessly cycles 2¾" light target, 3" magnums and any load in between. Shockwave Technologies Raptor® birds-head style grip provides positive handling, rock-solid recoil control and next-level shooter comfort. Its 13" barrel with fixed-cylinder choke provides optimum close-range patterning with buckshot, or for use with rifled slugs. The **Model 870 Tac-14** pump-action delivers devastating, threat-stopping power in five tactical configurations. Our **Model 870 Tac-14 Hardwood** sports a hardwood grip and fore-end, while the **Model 870 Tac-14 Arm Brace** offers the sure handling of a Magpul® M-LOK® fore-end. The **Model 870 Tac-14 Marine Magnum** packs 4+1 rounds of 12-gauge in just 14 inches. Fully nickel-plated internals and externals deliver all-weather durability. For more manageable recoil, the **Model 870 Tac-14 20 Gauge** brings 20-gauge wallop courtesy of a Mesa Tactical® Lucy™ adaptor. And with its detachable magazine, the **Model 870 Tac-14 DM** allows for fast reloading via attachable magazine.



MODEL 870 TAC-14
20-gauge also available.



MODEL 870 TAC-14 MARINE MAGNUM



MODEL 870 TAC-14 ARM BRACE



MODEL 870 TAC-14 HARDWOOD



MODEL 870 DM TAC-14



ACCESSORY RAIL

BIRDS-HEAD GRIP WITH QD CUP

SPECS AT A GLANCE.

For a complete list of all model specifications, see page 193.

| MODEL | ORDER NO. | GAUGE/BBL LENGTH | BARREL TYPE | STOCK MATERIAL |
|--------------------------|----------------|------------------|-------------|----------------|
| V3 Tac-13 | 83392 | 12/13" | Cyl. Bore | Synthetic |
| 870 Tac-14 | 81230 81145 | 12/14" 20/14" | Cyl. Bore | Synthetic |
| 870 Tac-14 Marine Magnum | 81312 | 12/14" | Cyl. Bore | Synthetic |
| 870 Tac-14 Arm Brace | 81240 | 12/14" | Cyl. Bore | Synthetic |
| 870 Tac-14 Hardwood | 81231 | 12/14" | Cyl. Bore | Hardwood |
| 870 DM Tac-14 | 81348 | 12/14" | Cyl. Bore | Synthetic |

MODEL 870

WORKHORSE WITH A HEART OF STEEL.



Starting with a receiver machined from an 8½-pound billet of steel might not be the easiest way to build a shotgun, but the end result is well worth the extra effort. No other pump shotgun can match the Model 870's strength and smooth, effortless operation. Its legendary reliability is the heart of its popularity, as evidenced by the more than

13 million outdoorsmen, law enforcement officers, competitive shooters and home defenders who have chosen the never-say-die pump gun since its introduction in 1950. That same reliability has made the Model 870 one of the most adaptable shotgun designs ever, and the best-selling shotgun of all time.

TWIN ACTION BARS

With symmetrical support on either side of its slide, the Model 870 delivers smooth, sure cycling in even the most adverse conditions. Whether in arctic cold, desert heat or jungle humidity, its twin action bars prevent binding and allow you to drive home the bolt with certainty every time you shuck the fore-end.



13 MILLION
ENOUGH 870S HAVE BEEN SOLD TO
ARM EVERY SOLDIER
IN THE WORLD'S 25 
LARGEST ARMIES. 

CAMO
THE FIRST FULLY CAMOUFLAGED
870—THE SP-CAMO, CLAD IN
MOSSY OAK BOTTOMLAND—
WAS INTRODUCED IN 1992.

MODEL 870


★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★
FROM THE DEER WOODS TO THE GOOSE BLIND AND FROM THE HOME TO THE BEAT, NO OTHER SHOTGUN EVER MADE HAS PROVED AS VERSATILE, DEPENDABLE, AND ENDURING AS REMINGTON'S 870—THE BEST-SELLING PUMP-ACTION SHOTGUN OF ALL TIME.

R
MATINEE IDOL
THE 870 HAS APPEARED IN MORE THAN 150 FILMS
AND TELEVISION SHOWS SINCE 1967.



INTRODUCED
THE SAME YEAR
AS COLOR
TELEVISION.

MAGNUMS 3" MODELS WERE
INTRODUCED IN 1955
AND 3½" GUNS IN 1998.

 8.5lb
EACH 870 RECEIVER IS
MILLED FROM A
SINGLE 8.5-POUND
**BLOCK
OF STEEL.**

 \$69.95
PRICE OF THE
LEAST EXPENSIVE 870
IN 1951: THE AP STANDARD GRADE
EQUIVALENT TO ALMOST \$700 TODAY.

GRAND MILESTONE



RUDY ETCHEN USED ONE OF THE FIRST DOZEN 870S PRODUCED TO RECORD THE FIRST EVER 100 STRAIGHT IN TRAP DOUBLES WITH A PUMP GUN, AT THE 1950 GRAND NATIONAL.



MODEL 870 DM MAGPUL® FEATURES:

- Proven 12-gauge 3" Model 870 shotguns platform fed by a factory detachable 6-round box magazine
- Magpul SGA stock and fore-end, SuperCell recoil pad
- 18½" barrel with tactical Rem Choke
- XS Ghost Ring sights and tactical rail



MODEL 870 DM TACTICAL

MODEL 870 DM PREDATOR

MODEL 870 DM HARDWOOD

SPECS AT A GLANCE.
For a complete list of all model specifications, see page 193.

| MODEL | ORDER NO. | GAUGE/DBL LENGTH | BARREL TYPE | STOCK MATERIAL |
|-----------------|-----------|------------------|----------------------|----------------|
| 870 DM | 81350 | 12/18½" | Fixed Cylinder Choke | Synthetic |
| 870 DM Magpul | 81352 | 12/18½" | Rem Choke | Synthetic |
| 870 DM Predator | 81354 | 12/18½" | Rem Choke | Synthetic |
| 870 DM Hardwood | 81351 | 12/18½" | Fixed Cylinder Choke | Hardwood |
| 870 DM Tactical | 81360 | 12/18½" | Rem Choke | Synthetic |
| 870 DM Tac-14 | 81348 | 12/14" | Cyl. Bore | Synthetic |

STACK THE ODDS IN YOUR FAVOR.

Introducing the only magazine-fed shotgun built on the pedigree of the world's strongest, smoothest, and most reliable pump shotgun. Featuring a detachable magazine system and fire controls designed from the ground up available with 3- and 6-round mags. It's the fastest response time of any pump shotgun in history, and the ultimate choice for a home defense shotgun. The **Model 870 DM** features a bead sight, black synthetic stock, corn cob fore-end, and SuperCell™ recoil pad, while our **Model 870 DM Magpul®** sports a Magpul SGA stock and fore-end, 18½" barrel with Rem Choke, and tactical rail with ghost ring sights. The **Model 870 DM Predator's** ShurShot® over-molded stock and corn cob fore-end deliver exceptional handling and stability. Features a 12-gauge 18½" Rem Choke barrel with 2 Trulock chokes, and comes with 3- and 6-round mags. The **Model 870 DM Hardwood** sports a tactical hardwood stock and fore-end. And the **Model 870 DM Tactical** brings 12-gauge authority courtesy of a Rem Choke barrel with ported tactical choke, corn cob tactical fore-end, pistol grip tactical stock, and XS® Ghost Ring sights with tactical rail.



MODEL 870 DM




MODEL 870 DM TAC-14

MAXIMUM FIREPOWER, INSTANT RESPONSE.

SYNTHETIC TACTICAL STOCK //
Comes standard with black synthetic tactical stock with molded grip area and SuperCell recoil pad.

ALL-NEW, MAG-FED RECEIVER //
Reengineered from the ground up for the fastest, most reliable pump-shotgun cycling on the planet.



DRIVEN BY A HEART OF STEEL //
It's legendary Model 870 strength and reliability, perfected for flawless cycling in this all-new magazine-fed platform.

QUICK-LOADING MAGAZINE //
Available with both 3- and 6-round magazines, so you can reload, respond and defend what's most important, instantly.



MODEL 870 WINGMASTER

THE GREATEST OF ALL TIME.

It's the strongest, smoothest and most reliable pump shotgun ever conceived, and it's still ahead of its time 70 years since its introduction. With a receiver machined from a solid billet of steel, the Model 870's sleek, bulletproof design remains the standard by which all other pump guns are measured. The fore-end glides effortlessly on twin action bars for positive chambering and ejection. The gun mounts, swings and points like an extension of your body. Consider that this unmatched combination of form and function has been produced in dozens of versions for every pursuit, and it's no wonder that the Model 870 is the best-selling shotgun in history with more than 13 million made. The **Model 870 Wingmaster Claro** matches the beauty of high-polished metal, and high-gloss claro walnut stock and fore-end with the 12-gauge performance of our light contour 26" barrel that includes 3 chokes.



MODEL 870 WINGMASTER CLARO

MODEL 870 CLASSIC TRAP


MODEL 870 WINGMASTER FEATURES:

- America's most trusted pump shotgun
- Twin-action bars for remarkable action and durability
- The smoothest pump-action shotgun on the market
- Superior balance, handling and looks
- Points, swings and functions better than anything else in its class
- A wide array of barrel and choke options make versatility a Wingmaster hallmark

THE LEGEND OF MR. 870

HOW ONE OF THE GREATEST SHOTGUNNERS EVER POPULARIZED THE GREATEST PUMP SHOTGUN EVER MADE.

If you were to draw a two-circle Venn diagram, with one circle representing the sport of trap shooting and the other circle representing the Model 870 pump shotgun, you likely would struggle to find many common elements. After all, most trap shooters' shotgun of choice is typically either an over-under or a semi-automatic. However, one man's name is sure to show up in the overlap: Fred R. "Rudy" Etchen, aka Mr. 870.



Etchen, the son of Trap Shooting Hall of Famer Fred E. Etchen, started his competitive shotgunning career as a teenager in the 1930s. He would go on to win scores of trophies at competitions around the world in the decades that followed, and with a variety of guns. But it was in 1950 when Rudy earned the moniker by which he would come to be known. That year, he took one of the first dozen 870s ever produced to the Grand American Trap Championships and became the first person ever to break a registered 100 straight in trap doubles with a pump gun. As if that feat were not remarkable enough on its own, 32 years later - and with that same 870 - he registered another 100 straight in doubles at the 1982 Louisiana State Shoot.



AMERICAN CLAY & FIELD

A devastating combination of the best features of our world-champion target loads and on-game performance that's equally effective on feathers and clay. See page 144.

SPECS AT A GLANCE.

For a complete list of all model specifications, see page 194.

| MODEL | ORDER NO. | GAUGE/BORE ¹ BBL LENGTH | BARREL TYPE | STOCK MATERIAL |
|------------|-----------|--|---------------------------------|-----------------|
| Wingmaster | 26927 | 12/28" | Light Contour Vent | American Walnut |
| | 26929 | 12/26" | Rib Rem Choke ² | |
| Wingmaster | 26947 | 20/28" | Vent Rib Rem Choke ² | American Walnut |
| | 26949 | 20/26" | | |
| Wingmaster | 24983 | 28 (2 ³ / ₄) 25" | Vent Rib Rem Choke ² | American Walnut |

| MODEL | ORDER NO. | GAUGE/BORE ¹ BBL LENGTH | BARREL TYPE | STOCK MATERIAL |
|------------------|-----------|------------------------------------|----------------------------------|-----------------|
| Wingmaster | 24991 | 410 Bore (3") 25" | Vent Rib Fixed Modified | American Walnut |
| 870 Classic Trap | 24857 | 12/30" | Light Contour Vent Rib Rem Choke | American Walnut |
| Wingmaster Claro | 82010 | 12/28" | Vent Rib Rem Choke ² | Claro Walnut |

¹ NOTE: All Model 870 Wingmaster shotguns with a Rem Choke barrel come equipped with Improved Cylinder, Modified and Full Rem Choke tubes.
² 12-gauge Model 870 Wingmaster shotguns have 3" chambers, unless otherwise noted, and will cycle 2³/₄" and 3" shotshells. 410 bore will cycle both 2¹/₂" and 3" shotshells.



MODEL 870 SPS SUPER MAG

MODEL 870 SPS SUPER MAGNUM TURKEY PREDATOR FEATURES:

- Handles 12-gauge, 2¾", 3" and 3½" shells
- 20" barrel Turkey/Predator Extended Rem Choke included
- ShurShot pistol grip stock
- TRUGLO® 30mm Red/Green Dot Scope (Model TG8030DB) pre-mounted
- Full Mossy Oak® Obsession camo coverage
- 3½ lb. "competition" style spring on trigger assembly
- Sling included

PATTERNING MADE EASY

Because turkey hunting is a one-shot proposition, the patterning of your shotgun is the most important deciding factor of a successful hunt. The process begins on the bench with a rock-solid rest. Starting at 15 yards with three low-brass game loads, check your point of impact. Next, adjust your sights to leave maximum shot coverage on the turkey's head and spine when aiming at its neck. Depending on your shotgun and choke combination, ammunition payload, velocity and shot-size will pattern on target with different densities. That is why it's critical to work through every variable until you find the shotgun's sweet spot. After sighting in, start at 20 yards and systematically move back in 5- to 10-yard increments, firing one shot from each test load into a clean target to evaluate pattern coverage. A good rule to establishing effective



range is 20-25 holes in the vital head and neck area. While dense patterns at 50 and even 60 yards are possible, it takes roughly 2.5 ft-lb of energy for shot to penetrate a turkey's spine and head. Trust Remington turkey loads for maximum knockdown power and pattern density at every range.

AN AMERICAN ICON, TURNED LONG-RANGE SPECIALIST.

The Model 870 SPS Super Magnum. The most popular slide-action of all time, engineered to deliver long-range payloads to turkeys and deer with deadly precision. It's an all-American icon of reliability taken to the next level of application-specific innovation. The **Model 870 SPS Super Magnum Turkey Predator** combines full camo concealment and super-magnum range. The ShurShot pistol grip stock with overmolds enables ambidextrous handling and pointability. The 20-inch barrel is topped with a TRUGLO® red/green selectable illuminated sight on a Weaver rail, making it a truly specialized turkey hunting platform. Plus, it handles 2¾-, 3- and 3½-inch 12-gauge loads. A black padded sling and a Wingmaster HD Turkey/Predator Rem Choke are included. The 12-gauge **Model 870 SPS ShurShot Synthetic Super Slug** sets a new standard for deer-pounding accuracy. The one-inch-diameter, 25½-inch-long barrel is pinned to the receiver to control harmonics and shot-to-shot variation. Longitudinal flutes minimize weight and heat buildup while enhancing barrel rigidity. Parabolic Ultragon rifling grooves with 1-in-35-inch twist optimize slug flight. The ambidextrous ShurShot pistol-grip synthetic stock with rubberized overmoldings promotes superior pointability and buttstock includes a SuperCell recoil pad. The receiver is drilled and tapped, and a Weaver® rail and sling swivel studs are included.

NITRO TURKEY

Bird-hammering performance at an outstanding value. See page 133.



MODEL 870 SPS SHURSHOT FULLY RIFLED SUPER SLUG

SPECS AT A GLANCE.

For a complete list of all model specifications, see page 194.

| MODEL | ORDER NO. | GAUGE/BL LENGTH | BARREL TYPE | STOCK MATERIAL |
|--|-----------|-----------------|-----------------------------------|----------------|
| 870 SPS Super Mag Turkey/Predator w/Scope w/Overmolded Grips | 81062 | 12 (3½") 20" | Clean Barrel Bead Sight Rem Choke | Synthetic |
| 870 SPS Super Slug | 82101 | 12 (3") 25½" | Fully Rifled Extra Heavy (Fluted) | Synthetic |

3" chambers handle 2¾" shells and 3½" chambers handle 3" shells.

THE WILD TURKEY

THERE IS NO GREATER CONSERVATION STORY IN NORTH AMERICA THAN THAT OF THE WILD TURKEY. REBOUNDING FROM NEAR EXTINCTION A CENTURY AGO, HEALTHY POPULATIONS OF THE QUIRKY AND—AT TIMES—CONFOUNDING BIRD NOW RESIDE IN 49 STATES.

A FULLY-GROWN WILD TURKEY HAS APPROXIMATELY 5,500 FEATHERS.

ALASKA IS THE ONLY U.S. STATE WHERE WILD TURKEYS ARE NOT FOUND.

47,603 NUMBER OF WILD TURKEYS HARVESTED IN MISSOURI IN 2014, THE MOST IN THE U.S.

THERE ARE 5 SUBSPECIES OF WILD TURKEYS IN THE U.S. THE MOST COMMON IS THE EASTERN, WITH MORE THAN 5 MILLION BIRDS.

5 BAG LIMIT

OF SOUTH CAROLINA AND ALABAMA, THE HIGHEST IN THE COUNTRY.

500,000 NO STATE HAS MORE TURKEYS THAN TEXAS

>23,000% INCREASE OF THE WILD TURKEY POPULATION IN THE U.S. SINCE 1930

37.6 lbs.

THE HEAVIEST TURKEY EVER TAKEN BY A HUNTER WEIGHED 37.6 POUNDS. THE BIRD WAS SHOT BY DAVID GUESS IN 1915 AT HIS FAMILY FARM IN KENTUCKY.



NEW

870 EXPRESS TRAP FEATURES:

- 12-gauge vent-rib with mid bead and ivory front bead
- 30" barrel with Rem Choke
- Monte Carlo stock
- Shoots 2¾" and 3" shells
- Recoil pad
- Gold trigger
- Includes three choke tubes



MODEL 870 EXPRESS HARDWOOD HOME DEFENSE

MODEL 870 EXPRESS
Super Magnum and Left-hand also available.

MODEL 870 EXPRESS

100% ALL-AMERICAN MUSCLE.

No imported parts. No aluminum. Just 100% pure American strength and capability. And with 12 million unleashed into the woods, fields and flyways since 1951, the Model 870's reign as this nation's favorite shotgun continues uncontested. The reason is simple - it remains the most advanced, smoothest shooting pump shotgun on the planet. Shot after shot, the pump slides seamlessly on twin action bars for positive chambering and ejection. And the receiver is machined from solid steel, for unrivaled strength and reliability.



Honored partners with Delta Waterfowl Foundation, working to secure the future of waterfowl hunting across North America. For more, visit Deltawaterfowl.org.



Remington is proud to support Ducks Unlimited, the world leader in wetlands conservation. To learn more, visit ducks.org.



MODEL 870 EXPRESS BLACK SYNTHETIC



MODEL 870 EXPRESS RC MD VT MOSGB



MODEL 870 EXPRESS SUPER MAGNUM TURKEY/WATERFOWL

SPECS AT A GLANCE. For a complete list of all model specifications, see page 194.

| MODEL | ORDER NO. | GAUGE/BBL LENGTH | BARREL TYPE | STOCK MATERIAL |
|---|-------------------------|-----------------------------|--|----------------|
| 870 Express Super Mag Waterfowl Camo ¹ | 81074 | 12 (3½")/28" | Vent Rib Rem Choke ⁸ | Synthetic |
| 870 Express | 25568 25569 | 12/28" 12/26" | Vent Rib Rem Choke (Mod) | Hardwood |
| 870 Express Magnum w/ShurShot | 81114 | 12/21" | Vent Rib Rem Choke (Turkey Extra Full) | Synthetic |
| 870 Express | 25583 25582 25601 | 20/28" 20/26" 410/25" | Vent Rib Rem Choke (Mod) | Hardwood |
| 870 Express Lam. Compact ⁴ | 25561 | 20/21" | Vent Rib Rem Choke (Mod) | Hardwood |
| 870 Express Synthetic | 25587 25589 | 12/28" 12/26" | Vent Rib Rem Choke (Mod) | Synthetic |
| 870 Express Turkey Camo | 81115 | 12/21" | Vent Rib Rem Choke (Turkey Extra Full) | Synthetic |
| 870 Express Compact ¹ | 81148 | 20/21" | Vent Rib Rem Choke (Mod) | Synthetic |

| MODEL | ORDER NO. | GAUGE/BBL LENGTH | BARREL TYPE | STOCK MATERIAL |
|--|----------------|------------------|-----------------------------------|----------------|
| 870 Express Super Mag Realtree Max ³ | 81113 | 12/28" | Vent Rib Rem Choke | Synthetic |
| 870 Express Compact Jr. ¹ | 81161 | 20/18¾" | Vent Rib Rem Choke (Mod) | Synthetic |
| 870 Express Compact Pink Blaze Camo ³ | 81150 | 20/21" | Vent Rib Rem Choke (Mod) | Synthetic |
| 870 Express Left Hand | 25577 | 12/28" | Vent Rib Rem Choke (Mod) | Hardwood |
| 870 Express Super Mag Turkey/Waterfowl Camo | 81125 | 12 (3½")/26" | Vent Rib Rem Choke ^{7,8} | Synthetic |
| 870 Express Super Mag | 25100 | 12 (3½")/28" | Vent Rib Rem Choke (Mod) | Hardwood |
| 870 Express Super Mag Synthetic | 25103 25102 | 12/28" 12/26" | Vent Rib Rem Choke (Mod) | Synthetic |
| 870 Exores RC MD VT MOSGB | 81074 | 12/30" | Vent Rib Rem Choke | Synthetic |
| NEW 870 Express Trap | 81063 | 12/30" | Vent Rib Rem Choke (Mod) | Black |

¹ Includes new adjustable LOP kit for up to 1" of extra adjustment. ⁴ Model 870 Express Super Magnum shotguns have 3½" chambers and will cycle 2¾", 3" and 3½" shotshells. ⁷ Turkey Extra Full Rem Choke tube. ⁸ Supplied with Rem Choke "Over-Decoys" choke tube.



MODEL 870 EXPRESS

DEER, WATERFOWL, UPLAND, ALL OF THE ABOVE.

The world's strongest, smoothest, most reliable pump shotgun is also the most versatile. Our fully rifled slug gun offerings deliver the rifle-like performance American deer hunters have depended on for decades. And supplied with either 26", 28", or 21" Youth Rem Choke vent-rib smoothbore field barrels, Remington Combo guns provide all the value a shotgun hunter needs. Smoothbore, rifled, or both, it's the all-around hunter, ready for any season whenever you are.

MODEL 870 SUPER MAG PUMP ACTION FEATURES:

- Available in 12- and 20-gauge (2¾" and 3")
- 12-gauge fully rifled, heavy-contour barrel
- All-weather stock and fore-end
- Ultra-strong Model 870 steel receiver
- Twin-action bars deliver smooth, sure cycling



MODEL 870 EXPRESS SYNTHETIC FIELD AND HOME COMBO



MODEL 870 EXPRESS COMBO



MODEL 870 EXPRESS FIELD AND HOME COMBO



MODEL 870 EXPRESS DEER



MODEL 870 EXPRESS FULLY RIFLED



PREMIER EXPANDER

Delivering 2¾" and 3" of magnum-caliber terminal performance plus AccuTip level accuracy, Premier Expander is the hardest-hitting, most deadly accurate slug load to hit the whitetail woods this season. See page 138.

SPECS AT A GLANCE. For a complete list of all model specifications, see page 194.

| MODEL | ORDER NO. | GAUGE/BBL LENGTH | BARREL TYPE | STOCK MATERIAL |
|---|-----------|---|---|-----------------------|
| 870 Express Synthetic Fully Rifled Deer | 25097 | 12/20" | Fully Rifled | Monte Carlo Synthetic |
| 870 Express Deer | 25565 | 12/20" | Fixed Imp. Cyl. Choke | Monte Carlo Laminate |
| 870 Express Fully Rifled Deer | 25575 | 12/20" | Fully Rifled | Monte Carlo Laminate |
| 870 Express Synthetic Fully Rifled Cantilever | 2509 | 12/23" | Fully Rifled Heavy Contour Fully Rifled | Monte Carlo Synthetic |
| 870 Express Super Mag Extra Barrel Combo | 25114 | 12/26" (Mod) Fully Rifled (Deer) ² | Vent Rib Rem Choke (Mod) Fully Rifled (Deer) ² | Hardwood |
| 870 Express Combo ² | 25578 | 12/26" (Vent Rib) 12/20" (Fully Rifled Deer) | Vent Rib Rem Choke (Mod) Fully Rifled (Deer) ² | Hardwood |
| 870 Express Combo ² | 25597 | 20/26" (Vent Rib) 20/20" (Fully Rifled Deer) | Vent Rib Rem Choke (Mod) Fully Rifled (Deer) ² | Hardwood |

| MODEL | ORDER NO. | GAUGE/BBL LENGTH | BARREL TYPE | STOCK MATERIAL |
|---|-----------|---|---|----------------|
| 870 Express Synthetic Compact Combo ² | 25659 | 20/21" (Vent Rib) 20/20" (Fully Rifled) | Vent Rib Rem Choke (Mod) Fully Rifled (Deer) ² | Synthetic |
| 870 Express Synthetic Field and Home Combo ² | 81280 | 12/23" (Fully Rifled) 12/28" (Vent Rib) | Vent Rib Rem Choke (Mod) Fully Rifled (Deer) ² | Synthetic |
| 870 Express Field and Home Combo ² | 81291 | 12/26" (Vent Rib) 12/18½" (Vent Rib) | Vent Rib Rem Choke (Mod) Fixed Cyl. Choke | Synthetic |
| 870 Express Field and Home Combo ² | 81293 | 12/28" (Vent Rib) 12/18½" (Vent Rib) | Vent Rib Rem Choke (Mod) Fully Rifled (Deer) ² | Flat |
| NEW 870 Super Mag Pump Action | 81113 | 12-3½/28" | Vent Rib Rem Choke (Mod) Fully Rifled (Deer) ² | Camo |

² Supplied with sling swivel studs. ⁶ Combo Deer barrel has 3" chamber.



COMPACT / YOUTH

THE INDUSTRY'S FINEST SELECTION OF COMPACT SHOTGUNS AND RIFLES.

Remington is committed to the future of hunting and shooting. And because young shooters are more apt to continue with the shooting sports if they start with a gun that fits them properly, we crafted our standard, premium-grade stocks with a shorter length of pull, then fit them to some of our finest firearms. All synthetic compact firearms feature our adjustable length-of-pull kit. This kit grows with youngsters, and also helps smaller-framed adults tailor their firearm to their specific builds. These guns feature the world's most effective recoil pad, the SuperCell. It's standard equipment on all Compact firearms to ensure maximum shooting comfort.

SHOTGUNS



MODEL 11-87 SPORTSMAN COMPACT SYNTHETIC



MODEL 700 ADL



MODEL 870 EXPRESS COMPACT JR.

V3 FIELD SPORT COMPACT CAMO REALTREE EDGE FEATURES:

- Matte black finish
- Includes 1" shorter LOP stock with adjustment shims
- 21½" Rem Choke barrel
- Ivory front bead, steel mid bead
- SuperCell recoil pad
- Comes with cast and drop adjustment shims

RIFLES



MODEL 783 COMPACT WITH SCOPE
Length of Pull Kit included.



MODEL 700 SPS COMPACT SYNTHETIC
Length of Pull Kit included. Left hand available.



MODEL SEVEN COMPACT SYNTHETIC
Length of Pull Kit included.



ADJUSTABLE LENGTH OF PULL KITS

Included with all Remington compact firearms, kits come with spacers for up to one inch of LOP adjustment, and a SuperCell recoil pad. See page 174.

SPECS AT A GLANCE. For a complete list of all model specifications, see pages 194-195.

| SHOTGUNS | | | | |
|--|-----------|------------------|--------------------------|----------------|
| MODEL | ORDER NO. | GAUGE/BBL LENGTH | BARREL TYPE | STOCK MATERIAL |
| V3 Field Sport Compact | 83402 | 12/22" | Light Contour Vent Rib | Synthetic |
| 870 Express Compact ¹ | 81148 | 20/21" | Vent Rib Rem Choke (Mod) | Synthetic |
| 870 Express Compact Jr. ¹ | 81161 | 20/18¾" | Vent Rib Rem Choke (Mod) | Synthetic |
| 11-87 Sportsman Compact Synthetic ² | 83626 | 20/21" | Vent Rib Rem Choke (Mod) | Synthetic |
| 11-87 Sportsman Compact Camo ² | 83630 | 20/21" | Vent Rib Rem Choke (Mod) | Synthetic |
| NEW 870 Express Compact Camo RealTree Edge | 81167 | 20/21" | Vent Rib Rem Choke (Mod) | Synthetic |

| RIFLES | | | | |
|---------------|-----------|------------------|---------------|----------------|
| MODEL | ORDER NO. | CALIBER | BARREL LENGTH | STOCK MATERIAL |
| Model 783 | 85852 | 243 Win | 20" | Synthetic |
| | 85853 | 308 Win | 20" | Synthetic |
| Model 700 SPS | 27475 | 243 Win | 20" | Synthetic |
| | 27391 | 7mm-08 Remington | 20" | Synthetic |
| Model 700 ADL | 27092 | 243 Win | 20" | Synthetic |
| Model Seven | 85915 | 243 Win | 18" | Synthetic |
| | 85916 | 7mm-08 Remington | 18" | Synthetic |

¹ Includes new adjustable LOP kit for up to 1" of extra adjustment. ² NOTE: All Model 11-87 Sportsman shotguns with a Rem Choke barrel come equipped with Modified Rem Choke tubes.

RIFLES



NEW MODEL 700 PCR ENHANCED



MODEL 700



MODEL SEVEN



MODEL 783 VARMINT LAMINATE




MODEL 700 5R

| | |
|------------------------------------|----|
| Model 700 | 48 |
| Model 700 Ultimate Muzzleloader .. | 64 |
| Model Seven | 66 |
| Model 783 | 68 |
| Model 7600 | 72 |
| Model 552/572 | 74 |
| Custom Shop | 76 |

MODEL 700 & MODEL SEVEN CENTERFIRE SUPERIORITY AVAILABLE IN FULL-SIZE AND COMPACT

For 58 years and counting, the benchmark in bolt-action reliability, strength, and out-of-the-box accuracy has been the Remington **Model 700**. With more than 5,000,000 sold to-date, no other rifle has been so consistently relied upon to defend our freedoms, protect our communities, and fill our game tags.

That same pedigree of consistency and dependability is also available in a more nimble configuration, the **Model Seven**. Shorter and lighter than the 700, its receiver is based on that of its big brother. And with chamberings up to 300 WSM, it's the ideal choice for tight-quarters handling when sacrificing firepower simply is not an option.



EXTERNALLY ADJUSTABLE TRIGGER

It breaks like glass, has virtually zero creep and offers a level of shot control unmatched by any factory trigger today. The X-Mark Pro externally adjustable trigger delivers true custom-grade performance in a production trigger and is user-adjustable with readily available tools. Not that you'll feel the need. It comes from the factory user adjustable from 3.5 to 5 lbs. While others use gadgets and add-ons to hide inconsistencies, Remington eliminates them with state-of-the-art manufacturing techniques and the tightest possible production tolerances.

HAMMER-FORGED BARRELS

All Model 700 and Model Seven rifles feature cold hammer-forged barrels. The method of hammer forging produces stronger barrels than any other barrel-making process. It also ensures excellent barrel-to-barrel consistency. All Model 700 and Model Seven barrels have exacting bore and rifling dimensions, as well as a carefully tuned exterior contour.



SUPERCCELL RECOIL PAD

The product of more than 10 years of R&D, the SuperCell Recoil Pad found on Model 700 and Model Seven rifles is proven to reduce felt recoil by an astounding 54 percent over standard factory pads. It's one more way we help you focus on your target and eliminate distractions that can rob you of accuracy.



Remington's "three rings of steel" envelop the case head in a recessed bolt face, inside the barrel shank, inside the receiver. It's a strong design, widely copied. With Remington's hammer-forged-barrels, it's also a proven path to one-hole groups. During the Model 700's first decades, the trigger could be adjusted for weight of pull (lower front screw).

The rifle's moon-shaped beryllium extractor is stronger than it looks, and unlike the Mauser claw, requires no cut in the receiver or barrel. Remington's clip has won in shear tests against side-mounted


hooks and contacts more of the case rim. In 40 years, I've never had a Model 700 extractor fail.

I'm pretty sure I shot the first elk taken with the .300 Short Action Mag. in Idaho's Frank Church Wilderness, after descending into a cliff-rimmed canyon. I crept close to a herd. But the bull had vanished! Then a twig broke above me. Out of position as antlers appeared, I hurried the shot – and muffed it. Charitably, the bull held as I cycled the bolt and sent a bullet true. That short .300 is still one of my favorite big-game rounds.

THE SWEETHEART WITH 3 RINGS OF STEEL

BY WAYNE
VAN ZWOLL

- 1 Recessed bolt face completely encloses cartridge head for maximum protection against case rupture.
- 2 Barrel surrounds bolt shroud for additional strength.
- 3 Barrel threaded into receiver machined from hardened steel.



LOCKTIME Its ultrafast locktime of 2.5–3.0 milliseconds is the best in the industry today, minimizing the effects of shooter movement for greater shot-to-shot consistency.


HAMMER-FORGED BARRELS Of all methods, this produces the strongest barrels with unmatched consistency. Model 700 barrels have exacting bore and rifling dimensions and a carefully tuned exterior contour.



NEW

MODEL 700 PCR ENHANCED FEATURES:

- Remington chassis with magazine cut out and dovetail for tripod mounting
- Handguard with M-LOK® attachment and two Picatinny rails
- 24" Barrel with 5R Rifling and LTR flutes
- Threaded muzzle with protector
- Chassis frame and hand-guard Cerakoted tungsten
- Barreled action with black Cerakote® for extra protection
- Adjustable MDT Skeleton carbine stock
- 10-round Magpul detachable magazine
- New oversized bolt knob
- X Mark Pro externally adjustable trigger



SUB-MOA ACCURACY CONFIRMED BY 'CATS' MEASUREMENT.

Every Model 700 PCR is shipped with a printout confirming its sub-MOA accuracy using our Computer Aided Targeting System (CATS), the same system utilized on Remington PSR Rifles for the U.S. Military.



MODEL 700 PCR

MODEL 700 PCR ENHANCED
(PRECISION CHASSIS RIFLE)

SYSTEMATICALLY ELEVATING THE WORLD STANDARD FOR ACCURACY.

More than a rifle, a fully optimized system that'll stretch your effective range and shrink your groups like no other production rifle in the world today. New for 2020, the **Model 700 PCR Enhanced** adds even more advanced accuracy features to the **Model 700 PCR**, including our Remington chassis frame, handguard and barreled action - now Cerakoted in black for added all-weather protection, 10-round detachable Magpul magazine and an adjustable MDT Skeleton carbine stock. Both rifles feature M-LOK attachment and pair the strongest action ever conceived - our legendary Model 700 - with an exclusive aircraft-grade aluminum alloy chassis of unmatched rigidity and atmospheric immunity to create the most stable and consistent platform possible for launching long-distance strikes on game. It's a potent combination made even more effective with a 24" barrel with 5R rifling and sub-MOA accuracy confirmed using our advanced CATS (Computer Aided Targeting System) before they ship to you. Available in three popular long-range chamberings including 6mm Creedmoor, 6.5 Creedmoor, and 308 Win.

SPECS AT A GLANCE.

For a complete list of all model specifications, see page 195.

| MODEL | ORDER NO. | CALIBER | BARREL LENGTH | STOCK MATERIAL |
|------------------|-----------|---------------|---------------|----------------|
| 700 PCR | 84597 | 308 Win | 24" | Polymer |
| | 84598 | 6mm Creedmoor | 24" | Polymer |
| | 84599 | 6.5 Creedmoor | 24" | Polymer |
| 700 PCR Enhanced | 84578 | 6mm Creedmoor | 24" | Polymer |
| | 84579 | 6.5 Creedmoor | 24" | Polymer |
| | 84580 | 308 Win | 24" | Polymer |



5R BARREL ENHANCEMENT

Specially designed for superior gas seal and reduced bullet deformation, for improved accuracy.

ROCK-SOLID PLATFORM FOR ACCURACY

MDT SKELETONIZED STOCK //

This carbine stock offers a wide range of adjustability

MODEL 700 BARRELED ACTION //

The strongest and most accurate ever conceived, Cerakoted for extreme durability and corrosion resistance.

FREE-FLOATED BARREL //

Mechanically bedded and free-floated within the aluminum handguard.



(Scope, base, rings, bipod and silencer not included)

MAGPUL PISTOL GRIP //

Adds stability and control, with ability to accept most AR-15 grip accessories.

OVERSIZED BOLT HANDLE //

For comfort and maximum grip. Threaded for easy aftermarket user customization.

SILENCER READY //

Threaded muzzle with protector.

REMOVABLE HANDGUARD //

M-LOK accessory compatible and removable for barrel access during cleaning.



MODEL 700 TACTICAL

THE NEXT GENERATION OF TACTICAL PRECISION.

Remington engineers are taking the strength and precision of the Model 700 action to new levels of hair-splitting accuracy with the latest additions to our tactical lineup. Introducing the Remington **Model 700 Magpul® Enhanced**. Its Magpul Hunter stock with Magpul M-LOK® mount and folding bipod serve as a rock-solid base for your best long-range performance yet. Its 20" heavy barrel with 5R rifling, delivers added stability and precision, and comes with a threaded muzzle and protector for ease in adding a suppressor. The **Model 700 SPS Tactical Coyote** sports a nails-tough Coyote Tan Cerakote® finish and also comes with a threaded muzzle. And the **Model 700 Long Range Stainless, Model 700 Stainless 5R, Model 700 Stainless 5R Threaded, and Model 700 Stainless 5R Threaded Gen 2** deliver the superior accuracy of Remington's exclusive 5R rifling in a variety of stocks and threaded and non-threaded configurations to choose from.



5R BARREL ENHANCEMENT

Specially designed for superior gas seal and reduced bullet deformation, for improved accuracy.

MODEL 700 MAGPUL ENHANCED FEATURES:

- 20" heavy barrel with LTR flutes; 24" on 300 Win Mag
- Suppressor-ready threaded muzzle and protector
- Barreled action is CereKote® coated black for protection against the elements
- Adjustable mag Magpul® Hunter stock decked in Flat Dark Earth
- 10-round Magpul magazine (5-round on 300 Win Mag)
- M-LOK® bi-pod mount and folding bipod
- X-Mark Pro externally adjustable trigger
- Available in 300 Win Mag, 308 Win, 6.5 Creedmoor and 6mm Creedmoor



SPECS AT A GLANCE.


For a complete list of all model specifications, see pages 195.

| MODEL | ORDER NO. | CALIBER | BARREL LENGTH | STOCK MATERIAL |
|---------------------------------|---------------------------------------|----------------------------|---------------|--------------------------|
| Model 700 Magpul Enhanced | 84303 | 6mm Creedmoor | 20" | Polymer |
| | 84302 | 6.5 Creedmoor | 20" | Polymer |
| | 84301 | 308 Win | 20" | Polymer |
| | 84304 | 300 Win Mag | 24" | Polymer |
| Model 700 Long Range Stainless | NEW 85626 | 6.5 Creedmoor | 26" | Bell & Carlson M40 Stock |
| | 85611 | 7mm Remington Magnum | 26" | Bell & Carlson M40 Stock |
| | 85624 | 300 Win Mag | 26" | Bell & Carlson M40 Stock |
| | 85625 | 300 Remington Ultra Magnum | 26" | Bell & Carlson M40 Stock |
| Model 700 SPS Tactical Coyote | 85551 | 6.5 Creedmoor | 22" | Hogue Overmold |
| Model 700 Stainless 5R | 85504 | 223 Remington | 24" | H-S Precision |
| | 29663 | 308 Win | 24" | H-S Precision |
| | 85505 | 300 Win Mag | 26" | H-S Precision |
| Model 700 Stainless 5R Threaded | 85507 | 223 Remington | 20" | H-S Precision |
| | 85200 | 308 Win | 20" | H-S Precision |
| | 85508 | 300 Win Mag | 24" | H-S Precision |
| | Model 700 Stainless 5R Threaded Gen 2 | 85198 | 6.5 Creedmoor | 24" |
| 85196 | | 308 Win | 20" | H-S Precision |
| 85201 | | 308 Win | 24" | H-S Precision |
| 85197 | | 300 Win Mag | 24" | H-S Precision |

REMINGTON SNIPER RIFLES:

THE EVOLUTION OF PRECISION

For more than 140 years, Remington has provided military sharpshooters with the rifles they needed to eliminate threats from distance. Here's a brief look at the sniper rifles we've produced from the late 19th century to today.





MODEL 700 TACTICAL

BUILDING UPON A TACTICAL LEGACY.

Remington rifles built on the Model 700 action continue to make their mark at the front lines of combat and the firing lines of local shooting ranges. The accuracy enhanced features of the **Model 700 Magpul** add significantly to that reputation of tactical superiority. Its Magpul Hunter Stock is made of reinforced polymer and features an anodized aluminum bedding block. It's designed to fit any shooter thanks to an adjustable length-of-pull kit and three comb-height inserts. The free-floated, 22" threaded, carbon steel barrel has a Cerakote® finish, and 5R rifling means reduced fouling and improved accuracy. The **Model 700 Tactical Chassis**, equipped with an MDT® TAC21 Chassis System is ergonomic and highly customizable. Featuring a Cerakote-coated stainless steel barreled action and a Bell and Carlson® stock, the **Model 700 XCR Tactical Long Range** is a durable extended-range rifle. The **Model 700 XCR Compact Tactical** is its short-action counterpart with a 20-inch barrel. The **Model 700 SPS Tactical** offers tack-driving precision in a fast-handling package, threaded models accept AAC flash hiders, muzzle brakes and silencers.



MODEL 700 TACTICAL CHASSIS

MODEL 700 MAGPUL FEATURES:

- Magpul® Hunter stock
- Adjustable length-of-pull (13-15")
- Three comb-height inserts
- 5-round detachable Magpul magazine
- Carbon steel barreled action with Cerakote® finish
- X-Mark Pro externally adjustable trigger
- 22" free-floated barrel with 5R rifling
- Threaded muzzle with thread protector

ACCEPTS AAC® SILENCERS

Silencers are legal to own in 42 states according to the ASA.



MODEL 700 XCR TACTICAL LONG RANGE



MODEL 700 XCR COMPACT TACTICAL



MODEL 700 SPS TACTICAL
Compact models also available.



MODEL 700 SPS TACTICAL AAC-SD

Works with AAC silencers and flash suppressors. For more information, visit www.advanced-armament.com (Scope, base, rings and silencer not included)



MODEL 700 SPS TACTICAL THREADED



EXTERNALLY ADJUSTABLE TRIGGER



SUPERCCELL RECOIL PAD



HAMMER-FORGED BARRELS

SPECS AT A GLANCE. For a complete list of all model specifications, see pages 196.

| MODEL | ORDER NO. | CALIBER | BARREL LENGTH | STOCK MATERIAL |
|----------------------------|-----------------------------------|---------------|---------------|------------------------------------|
| Model 700 Magpul | 84295 | 6.5 Creedmoor | 22" | Synthetic |
| | 84293 | 308 Win | 22" | Synthetic |
| | 84286 | 300 Win Mag | 24" | Synthetic |
| Model 700 Tactical Chassis | 84474 | 308 Win | 24" | Aluminum |
| | 84475 | 300 Win Mag | 24" | Aluminum |
| | 84477 | 338 Lapua Mag | 26" | Aluminum |
| | Model 700 XCR Tactical Long Range | 84461 | 308 Win | 26" |
| 84462 | | 300 Win Mag | 26" | Bell & Carlson Aramid Fiber Reinf. |
| 84463 | | 338 Lapua Mag | 26" | Bell & Carlson Aramid Fiber Reinf. |

| MODEL | ORDER NO. | CALIBER | BARREL LENGTH | STOCK MATERIAL |
|--------------------------------|------------------------|------------------|---------------|------------------------------------|
| Model 700 XCR Compact Tactical | 84467 | 308 Win | 20" | H.S. Precision Aramid Fiber Reinf. |
| | Model 700 SPS Tactical | 84474 | 223 Remington | 20" |
| 84207 | | 308 Win | 20" | Hogue Overmolded |
| Model 700 SPS Tactical AAC-SD | 85549 | 223 Remington | 16½" | Hogue Overmolded |
| | 84204 | 6.5 Creedmoor | 22" | Hogue Overmolded |
| | 84205 | 300 AAC Blackout | 16½" | Hogue Overmolded |
| | 85538 | 308 Win | 16½" | Hogue Overmolded |
| | 84203 | 308 Win | 20" | Hogue Overmolded |
| Model 700 SPS Threaded | 84159 | 308 Win | 20" | Synthetic |
| | 84161 | 30-06 SPRG | 20" | Synthetic |

REMINGTON MODEL 700 AMERICAN HUNTER

By Adam Heggenstaller | *Featured in American Hunter*

Spend enough time carrying rifles around the woods, and you'll come to form a notion of what the ideal hunting rifle should be, even though it may exist only in your mind. The Remington Model 700 American Hunter represents such desires based on nearly 140 years of cumulative hunting experience among this magazine's staff. It's more than just a tangible compilation of our tastes in rifles, however. It's a rifle built for hunters, by hunters.

We partnered with Remington and based the rifle on the Model 700 because arguably it's the most popular bolt-action hunting rifle in the United States, perhaps the world, and because it's been serving hunters admirably since 1962. American hunters know it, trust it, love it.

Remington recently invested in new machinery and processes that allow the company to make Model 700 parts with more precision, holding tolerances that approach those of custom rifles. The American Hunter rifle benefits from this improved manufacturing system.

For example, the receiver's face, lug recesses and threads that accept the barrel are all held to custom-level tolerances. To build on that precision, additional machining trues and smooths the rear faces of the bolt's twin locking lugs to ensure an exact fit with their recesses in the receiver.

The cold-hammer-forged barrel has 5R rifling, which places grooves opposite lands around the bore, instead of lands opposing each other. The design lessens bullet deformation as the projectile travels through the bore, promoting accuracy and decreasing fouling. Remington employs a set of processes similar to those used for the U.S. Army's A424 when machining the American Hunter rifle's barrel. The result, in terms hunters who are not engineers can understand, is a bore that's centered in the barrel and aligned with the center of the receiver. Precise alignment of the bore and receiver is optimum since a scope centers over the receiver.

How well a rifle handles is just as important to hunters as how well it shoots. The American Hunter rifle's

20-inch fluted barrel makes it quick and handy, but the heavier contour prevents the gun from becoming 'hippy.' Add a suppressor to the threaded muzzle, and the barrel length makes even more sense.

The 20-inch barrel is also a good match for the rifle's 6.5 Creedmoor chambering. The 6.5 Creedmoor is a supremely efficient cartridge, and a barrel that's a bit shorter than the standard 22-24 inches does not adversely affect muzzle velocity. With three factory hunting loads, muzzle velocities from the American Hunter rifle averaged just 65 fps slower than from 22-inch-barreled rifles. This minimal loss in velocity is a non-issue at typical hunting ranges and even out to as far as 500 yards.

The rifle's Bell and Carlson stock – constructed by the hand lay-up process from a composite that includes fiberglass, aramid fiber and graphite – plays a role in handling as well as accuracy. It helps keep the weight of the rifle less than 7 pounds, and the open curve of its grip makes the rifle responsive for quick offhand shooting.



A Pachmayr Decelerator recoil pad reduces the mild recoil of the 6.5 Creedmoor to a level most hunters can tolerate over hours of practice.

The stock's aluminum bedding block presents a stable and consistent interface for the barreled action. Being a

composite, the stock is weatherproof and not as susceptible to dents and scrapes as wood and polymer. And there's no need to worry about rain or snow harming the barreled action: It's finished in matte-black Cerakote. This is a rifle that will hunt over all types of terrain no matter the elements.

The Remington Model 700 American Hunter is a rifle we're proud to present to our readers. We think you'll be proud to hunt with it, too.




NEW



MODEL 700 BIG GAME HUNTING RIFLES

MODEL 700 AMERICAN HUNTER FEATURES:

- Blueprinted Model 700 receiver and barrel
- 20" fluted barrel with ultra-accurate 5R rifling
- Bell & Carlson stock with aluminum bedding block
- Durable black Cerakote finish
- Leupold Mark 4 scope bases
- Enhanced X-Mark Pro adjustable trigger 
- Chambered in 6.5 Creedmoor



THE EVOLUTION OF AN AMERICAN LEGEND.

The Remington Model 700 is an icon in every way. Its accuracy and dependability remain the standard more than half a century since it was unveiled. That superior performance is represented in the diverse lineup you see here. A joint effort of the whitetail fanatics at American Hunter and Remington engineers, the new **Model 700 American Hunter Limited Edition** is built for both long-range precision and thick-woods agility. Combining a blueprinted Model 700 barreled action, Bell & Carlson stock, and host of custom-grade features, it's the ultimate rig for the avid deer hunter. The **Model 700 AWR (American Wilderness Rifle)** meets extreme weather head-on with extreme precision. A nail-tough Cerakote® finish applied to its stainless steel components provides the ultimate in corrosion resistance. A favorite of the high country, the **Model 700 Mountain Rifle SS** combines a sleek 22-inch Mountain Contour barrel and a Bell and Carlson® aramid-fiber-reinforced stock for an overall weight of just 6½ pounds. The ever-popular **Model 700 CDL SF** showcases a blend of traditional looks with the added performance of a 24" fluted barrel and stainless steel finish. The **Model 700 CDL** is available in either a high-polish blued finish or our satin finish. More than 50 years old and stronger than ever, the **Model 700 BDL** is an all-time bestseller. All cataloged models feature our X-Mark Pro externally adjustable trigger.



THREE RINGS OF STEEL

Enveloping the case head in a recessed bolt face, inside the barrel shank, inside the receiver for legendary receiver strength.



SPECS AT A GLANCE. For a complete list of all model specifications, see pages 196-197.

| MODEL | ORDER NO. | CALIBER | BARREL LENGTH | STOCK MATERIAL | |
|----------------------|---|----------------------|-----------------|-----------------------|-----------------|
| Model 700 AWR | 84550 | 270 Win | 24" | Grayboe Fiber & Epoxy | |
| | 84552 | 7mm Remington Magnum | 24" | Grayboe Fiber & Epoxy | |
| | 84551 | 30-06 SPRG | 24" | Grayboe Fiber & Epoxy | |
| | 84555 | 300 Win Mag | 24" | Grayboe Fiber & Epoxy | |
| | 84557 | 300 Remington Magnum | 26" | Grayboe Fiber & Epoxy | |
| | 84556 | 338 Win Mag | 24" | Grayboe Fiber & Epoxy | |
| Model 700 BDL | 25787 | 243 Win | 22" | American Walnut | |
| | 25791 | 270 Win | 22" | American Walnut | |
| | 25803 | 7mm Remington Magnum | 24" | American Walnut | |
| | 25793 | 30-06 SPRG | 22" | American Walnut | |
| | 27007 | 243 Win | 24" | American Walnut | |
| Model 700 CDL | 27011 | 270 Win | 24" | American Walnut | |
| | 27015 | 7mm-08 Remington | 24" | American Walnut | |
| | 27047 | 7mm Remington Magnum | 26" | American Walnut | |
| | 27017 | 30-06 SPRG | 24" | American Walnut | |
| | 27049 | 300 Win Mag | 26" | American Walnut | |
| | Model 700 CDL SF Limited Edition | 84036 | 25-06 Remington | 24" | American Walnut |
| | Model 700 CDL SF | 84014 | 270 Win | 24" | American Walnut |
| 84013 | | 270 WSM | 24" | American Walnut | |
| 84012 | | 7mm-08 Remington | 24" | American Walnut | |
| 84016 | | 7mm Remington Magnum | 26" | American Walnut | |

| MODEL | ORDER NO. | CALIBER | BARREL LENGTH | STOCK MATERIAL |
|----------------------------------|------------------|----------------------------|---------------|--------------------------------|
| Model 700 American Hunter | NEW 84038 | 300 Savage | 20" | American Walnut |
| | 84015 | 30-06 SPRG | 24" | American Walnut |
| | 84017 | 300 WSM | 24" | American Walnut |
| | NEW 84049 | 6.5 Creedmoor | 20" | Bell & Carlson Stock |
| Model 700 Long Range | 84162 | 25-06 Remington | 26" | Bell & Carlson M40 Stock |
| | 84163 | 7mm Remington Magnum | 26" | Bell & Carlson M40 Stock |
| | 84166 | 30-06 SPRG | 26" | Bell & Carlson M40 Stock |
| | 84164 | 300 Win Mag | 26" | Bell & Carlson M40 Stock |
| | 84165 | 300 Remington Ultra Magnum | 26" | Bell & Carlson M40 Stock |
| Model 700 Mountain SS | 84272 | 25-06 Remington | 22" | Bell & Carlson Aramid Fiber |
| | 84273 | 270 Win | 22" | Bell & Carlson Aramid Fiber |
| | 84274 | 280 Remington | 22" | Bell & Carlson Aramid Fiber |
| | 84276 | 7mm-08 Remington | 22" | Bell & Carlson Aramid Fiber |
| | 84275 | 30-06 SPRG | 22" | Bell & Carlson Aramid Fiber |
| | 84277 | 308 Win | 22" | Bell & Carlson Aramid Fiber |
| | NEW 85513 | 6.5 Creedmoor | 22" | Bell & Carlson Synthetic Stock |

*Compact and Left-Hand Models also available.



MODEL 700 BIG GAME HUNTING RIFLES

WORLD'S MOST UNCONQUERABLE. INFINITELY CONFIGURABLE.

The world's strongest, most accurate bolt-action rifle is adaptable for every application and pursuit. Available with a host of industry-leading features in several SPS and ADL offerings, and a long list of chamberings, there's a Model 700 configuration to match any hunting or shooting purpose and budget. Choose from the sleek, all-weather durability of the **Model 700 SPS Stainless**, the concealment of the **Model 700 SPS Camo**, the straightforward styling and reliability of our **Model 700 ADL** in black oxide, traditional deep blued, or the **Model 700 ADL SS** in stainless steel.



HTP COPPER

All copper, pure devastation. Its four cutting petals deliver enormous terminal performance, and near 100% weight retention, every time. See page 110.



MODEL 700 SPS FEATURES:

- Ergonomically designed synthetic stock
- Hinged floorplate
- Short- and long-action caliber offerings feature a 24" clean barrel – Magnum and Ultra Mag offerings feature a 26" barrel
- X-Mark Pro externally adjustable trigger
- Drilled and tapped for scope bases and rings
- SuperCell recoil pad reduces felt recoil by up to 54%



SPECS AT A GLANCE. For a complete list of all model specifications, see pages 196-197.

| MODEL | ORDER NO. | CALIBER | BARREL LENGTH | STOCK MATERIAL |
|------------------|-----------|----------------------|---------------|----------------|
| Model 700 ADL | 84601 | 22-250 Remington | 24" | Synthetic |
| | 84600 | 223 Remington | 24" | Synthetic |
| | 27092 | 243 Win | 20" | Synthetic |
| | 27093 | 243 Win | 24" | Synthetic |
| | 85447 | 6.5 Creedmoor | 24" | Synthetic |
| | 27094 | 270 Win | 24" | Synthetic |
| | 27097 | 7mm Remington Magnum | 26" | Synthetic |
| Model 700 ADL SS | 85407 | 308 Win | 24" | Synthetic |
| | 27095 | 30-06 SPRG | 24" | Synthetic |
| | 27099 | 300 Win Mag | 26" | Synthetic |
| | 85486 | 243 Win | 24" | Synthetic |
| | 85488 | 270 Win | 24" | Synthetic |
| Model 700 SPS* | 85490 | 308 Win | 24" | Synthetic |
| | 85491 | 30-06 SPRG | 24" | Synthetic |
| | 27351 | 223 Remington | 24" | Synthetic |
| | 27355 | 243 Win | 24" | Synthetic |
| | 84148 | 6.5 Creedmoor | 24" | Synthetic |
| | 84149 | 260 Remington | 24" | Synthetic |
| | 27361 | 270 Win | 24" | Synthetic |
| | 27331 | 270 WSM | 24" | Synthetic |
| | 27357 | 7mm-08 Remington | 24" | Synthetic |
| | 27385 | 7mm Remington Magnum | 26" | Synthetic |

| MODEL | ORDER NO. | CALIBER | BARREL LENGTH | STOCK MATERIAL |
|-------------------------|----------------------------|----------------------------|----------------------|----------------------|
| Model 700 SPS Camo | 27363 | 30-06 SPRG | 24" | Synthetic |
| | 27333 | 300 WSM | 24" | Synthetic |
| | 27387 | 300 Win Mag | 26" | Synthetic |
| | 27359 | 308 Win | 24" | Synthetic |
| | 27389 | 300 Remington Ultra Magnum | 26" | Synthetic |
| | 84185 | 270 Win | 22" | Synthetic w/Overmold |
| | 84186 | 30-06 SPRG | 22" | Synthetic w/Overmold |
| Model 700 SPS Stainless | 84187 | 7mm Remington Magnum | 24" | Synthetic w/Overmold |
| | 84188 | 300 Win Mag | 24" | Synthetic w/Overmold |
| | 27135 | 22-250 Remington | 24" | Synthetic w/Overmold |
| | 27263 | 243 Win | 24" | Synthetic w/Overmold |
| | 27251 | 25-06 Remington | 24" | Synthetic w/Overmold |
| | 27267 | 270 Win | 24" | Synthetic w/Overmold |
| | 27253 | 270 WSM | 24" | Synthetic w/Overmold |
| | 27265 | 7mm-08 Remington | 24" | Synthetic w/Overmold |
| | 27271 | 7mm Remington Magnum | 26" | Synthetic w/Overmold |
| | 27269 | 30-06 SPRG | 24" | Synthetic w/Overmold |
| 27255 | 300 WSM | 24" | Synthetic w/Overmold | |
| 27273 | 300 Win Mag | 26" | Synthetic w/Overmold | |
| 27136 | 308 Win | 24" | Synthetic w/Overmold | |
| 27140 | 300 Remington Ultra Magnum | 26" | Synthetic w/Overmold | |

*Compact and Left-Hand Models also available.



MODEL 700 VARMINT/PREDATOR

BECOME A LEGEND IN YOUR OWN RIGHT.

Three-shot groups that drop jaws. Long-range shots that split hairs. True to their reputation, our legendary Model 700 Varmint rifles stack hits and varmints one on top of the other. Each member of this family is engineered to deliver varmint-crushing devastation with tactical efficiency. The **Model 700 VTR** comes in a Flat Dark Earth stock with black rubberized overmold grip panels, while the **Model 700 VTR Stainless Steel** has a black stock with gray overmold. Both also include a tactical bolt knob, Picatinny rail and bipod. The **Model 700 SPS Varmint** has a heavy contour, 26-inch barrel and SPS Varmint stock. The **Model 700 Varmint Stainless Fluted (SF)** has a heavy contour barrel with six longitudinal flutes for rapid cooling and less weight, with a concave target-style barrel crown for even greater consistency. And the **Model 700 VLS** features a richly blued finish, heavy contour barrel and a distinctive laminated stock, contributing to its status as a long-time favorite.

MODEL 700 VTR FEATURES:

- 22" barrel with integrated muzzle brake design and triangular barrel contour
- Available in FDE stock with carbon steel barrel and black overmold grips, or black stock with stainless steel barrel and gray overmold grips
- X-Mark Pro externally adjustable trigger 
- Picatinny rail
- Bipod
- Oversized bolt handle
- SuperCell recoil pad reduces felt recoil by up to 54% 



SPECS AT A GLANCE. For a complete list of all model specifications, see page 196.

| MODEL | ORDER NO. | CALIBER | BARREL LENGTH | STOCK MATERIAL |
|------------------------------|-----------|------------------|---------------|--|
| Model 700 VTR | 84374 | 223 Remington | 22" | Synthetic Overmold Grip Panels |
| | 84376 | 22-250 Remington | 22" | Synthetic Overmold Grip Panels |
| | 84375 | 260 Remington | 22" | Synthetic Overmold Grip Panels |
| | 84377 | 308 Win | 22" | Synthetic Overmold Grip Panels |
| Model 700 VTR SS | 84356 | 223 Remington | 22" | Synthetic w/Hogue Overmold Grip Panels |
| | 84358 | 308 Win | 22" | Synthetic w/Hogue Overmold Grip Panels |
| | 84215 | 223 Remington | 26" | Synthetic Overmold Grip Panels |
| Model 700 SPS Varmint | 84214 | 204 Ruger | 26" | Synthetic Overmold Grip Panels |
| | 84216 | 22-250 Remington | 26" | Synthetic Overmold Grip Panels |
| | 84217 | 243 Win | 26" | Synthetic Overmold Grip Panels |
| | 84218 | 308 Win | 26" | Synthetic Overmold Grip Panels |
| | 84215 | 223 Remington | 26" | Synthetic Overmold Grip Panels |

| MODEL | ORDER NO. | CALIBER | BARREL LENGTH | STOCK MATERIAL |
|-----------------------------|-----------|------------------|---------------|--|
| Model 700 Varmint SF | 84342 | 22-250 Remington | 26" | Synthetic w/Hogue Overmold Grip Panels |
| | 84343 | 223 Remington | 26" | Synthetic w/Hogue Overmold Grip Panels |
| | 84344 | 220 Swift | 26" | Synthetic w/Hogue Overmold Grip Panels |
| | 84345 | 308 Win | 26" | Synthetic w/Hogue Overmold Grip Panels |
| Model 700 VLS | 27467 | 204 Ruger | 26" | Brown Laminated |
| | 27491 | 223 Remington | 26" | Brown Laminated |
| | 27489 | 22-250 Remington | 26" | Brown Laminated |
| | 27495 | 243 Win | 26" | Brown Laminated |
| | 27499 | 308 Win | 26" | Brown Laminated |



PREMIER ACCUTIP-V
World-renowned pinpoint accuracy and explosive on-game results take varmint lethality to a new level. See page 109.

MODEL 700 LEFT-HAND

LEFT-HANDED CONFIGURATIONS OF THE MOST POPULAR BOLT-ACTION EVER CONCEIVED.

Nowhere will you find as broad a selection of left-handed centerfires, and Remington is proud to offer these specially-configured Model 700 rifles so everyone can experience the legendary accuracy and dependability of our flagship bolt action. Along with our unrivaled standard for out-of-the-box accuracy, all come equipped with the X-Mark Pro externally adjustable trigger for the ultimate shooting experience. The **Model 700 SPS Left-Hand** features a black matte finish and rugged synthetic stock. Our **Model 700 SPS Compact Left-Hand** is the industry's first and only left-handed rifle made specifically for youth and small-stature shooters, with an inch shorter length of pull and a swift-handling 20" barrel. The **Model 700 SPS Varmint Left-Hand** sports a 26" heavy-contour barrel, black matte finish and durable synthetic stock with a vented beavertail fore-end to facilitate rapid cooling.



MODEL 700 SPS LEFT-HAND FEATURES:

- Improved, ergonomically designed synthetic stock
- stainless steel contour barrel
- Hinged floorplate magazine
- Standard and long-action caliber offerings feature a 24" clean barrel – Magnum and Ultra Mag offerings feature a 26" barrel
- X-Mark Pro externally adjustable trigger 
- Drilled and tapped for scope mounts
- SuperCell recoil pad reduces felt recoil by up to 54%

HYPERSONIC BONDED

Lightning fast. Hits like a sledgehammer. With up to 200 fps more velocity and the pinnacle of bonded-bullet design, HyperSonic Bonded gives you less bullet drop, more speed and devastating on-game performance. See page 112.



MODEL 700 SPS COMPACT LEFT HAND



MODEL 700 SPS VARMINT LEFT HAND



SPECS AT A GLANCE.

For a complete list of all model specifications, see page 198.

| MODEL | ORDER NO. | CALIBER | BARREL LENGTH | STOCK MATERIAL |
|---------------------------------|-----------|----------------------|---------------|----------------------------------|
| Model 700 SPS Left Hand | 84177 | 270 Win | 24" | Synthetic |
| | 84179 | 7mm Remington Magnum | 26" | Synthetic |
| | 84178 | 30-06 SPRG | 24" | Synthetic |
| | 84180 | 300 Win Mag | 26" | Synthetic |
| Model 700 SPS Compact Left Hand | 84150 | 243 Win | 20" | Synthetic |
| | 84151 | 7mm-08 Remington | 20" | Synthetic |
| Model 700 SPS Varmint Left Hand | 84226 | 22-250 Remington | 26" | Synthetic w/Overmold Grip Panels |
| | 84227 | 223 Remington | 26" | Synthetic w/Overmold Grip Panels |
| | 84228 | 243 Win | 26" | Synthetic w/Overmold Grip Panels |
| | 84229 | 308 Win | 26" | Synthetic w/Overmold Grip Panels |

55 YEARS OF PRODUCTION



OVER 5,000,000 SOLD


CURRENTLY SOLD IN TWENTY-TWO CHAMBERINGS

THE LEGENDARY MODEL 700

WITH MORE THAN 5,000,000 SOLD SINCE 1962, IT'S CARVED A REPUTATION FOR ITSELF OUT OF THE SPORTING LANDSCAPE OF AMERICA. THE MOST ACCURATE, MOST POPULAR PRODUCTION RIFLE EVER CONCEIVED. ★ ★ ★ ★ ★ ★ ★


THE UNITED STATES ARMED FORCES HAVE USED OVER 30,000 MODEL 700-BASED SNIPER RIFLES SINCE VIETNAM WAR

USED TO TAKE EVERY SPECIES OF BIG-GAME, PREDATOR & VARMIT ON EARTH.



PLACED STOCK TO BARREL, EVERY MODEL 700 EVER PRODUCED WOULD SPAN THE ATLANTIC OCEAN.

OFFERED IN 58 CHAMBERINGS & 341 CONFIGURATIONS SINCE 1962



MODEL 700 LSS
ULTIMATE MUZZLELOADER

MODEL 700 ULTIMATE MUZZLELOADER FEATURES:

- UML Ignition System – the patented breech technology that handles 200-grain magnum charges for 300-yard performance
- Primed centerfire brass with Remington 9½M large magnum rifle primer
- Built from the legendary Model 700 receiver that is machined from solid-steel bar stock for uniformity and strength
- Power, accuracy, and handling comparable to most centerfire rifles
- Bell and Carlson® Medalist M40 synthetic stock or gray laminate stock with peep sight (LSS only)
- 26" stainless steel fluted barrel
- Barrel twist: 1 in 26" right-hand
- 1¾" drop comb, 1¾" drop heel
- 47" overall length, 9½ lb. weight
- 13¾" length of pull
- Ships in hard case with 24 pieces of primed brass and 24 Barnes T-EZ sabot projectiles

MODEL 700 ULTIMATE MUZZLELOADER

DOUBLE YOUR LETHAL RANGE.

The muzzleloader has been redefined, with super-magnum power and 300-yard lethal range as achieved by the revolutionary UML Ignition System and .50-caliber Premier AccuTip bullets. The Model 700 Ultimate Muzzleloader doubles your effective range with half the effort. Pre-primed cases load with the ease of centerfire cartridges, and super-hot magnum rifle primers ignite loads up to 200 grains with near smokeless efficiency. The flash channel stays clean and ready for the next load and there's no need to remove the breech plug for cleanup. This innovative system is paired with a Model 700 receiver, a vault of strength and the most trusted in bolt action history. It's a superior rifle in every way, built to match most centerfires for precision, power and performance. The muzzleloader has been reinvented, as only America's most innovative gunmaker can.


SPECS AT A GLANCE.

For a complete list of all model specifications, see page 199.

| MODEL | ORDER NO. | CALIBER | BARREL LENGTH | STOCK MATERIAL |
|---------------------------------|-----------|------------|---------------|---------------------------------------|
| Model 700 Ultimate Muzzleloader | 86950 | 50 Caliber | 26" | Laminate Wood |
| | 86960 | 50 Caliber | 26" | Bell & Carlson Medalist M40 Synthetic |


JET ENGINE OF PROGRESS

UML Ignition System. (Ultimate Muzzleloader)
For maximum burn and efficiency of ultra magnum charges up to 200 grains.




UNLEASH ULTRA MAGNUM LOADS

With a dependable and durable design made of primed centerfire brass, the UML Ignition System handles a 200-grain magnum charge resulting in lethal 300-yard performance.



BURNS 200-GRAIN CHARGES AND 300-YARD BUCKS

The Ultimate Muzzleloader makes in-line muzzleloaders truly primitive, with performance equal to most centerfires. Goes farther. Hits harder. With greater precision.





MODEL SEVEN SYNTHETIC THREADED MOSSY OAK BOTTOMLAND CAMO FEATURES:

- 16.5" barrel
- Threaded muzzle with thread protector
- Stock decorated in Mossy Oak® Bottomland camo
- SuperCell recoil pad
- 20 MOA Picatinny rail
- X-Mark Pro user adjustable trigger
- Capacity – 4+1 in 308 Win and 6.5 Creedmoor, – 5+1 in 300 AAC Blackout

MODEL SEVEN

HANDLES LIKE A SPORTS CAR, HITS LIKE A FREIGHT TRAIN.

The Model Seven puts game-dropping precision and power in a lightning-fast platform perfect for blinds and treestands, or covering ground on foot. These rifles are equipped with 20" light-contour barrels in a wide range of chamberings. All deliver the breaks-like-glass feel of our X-Mark Pro externally adjustable trigger. All new for 2020, the **Model Seven Threaded Mossy Oak® Bottomland** adds one of Mossy Oak's most effective patterns to its stock for unmatched concealment, along with a threaded muzzle with thread protector, and 20 MOA Picatinny rail. The **Model Seven Stainless H-S** is not only impervious to the elements but also features a custom-grade, hand-laminated H-S Precision composite stock with an internal, CNC machined bedding block and free-floated barrel for higher-level accuracy. Our **Model Seven Synthetic** features a rugged, black synthetic stock, while the **Model Seven Stainless** provides the all-weather durability of stainless steel. For increased durability and stunning looks, the **Model Seven Laminate** features a brown laminate wood stock. Our **Model Seven CDL** is the quintessential short-action hunting rifle, sporting its classic, satin-finished walnut stock and a sleek stain-blued barreled action.



THREADED MUZZLE WITH THREAD PROTECTOR



H-S PRECISION STOCK WITH ALUMINUM BEDDING BLOCK



MODEL SEVEN STAINLESS H-S



MODEL SEVEN SYNTHETIC
(Scope, bases and rings not included)
Left-hand models also available.



MODEL SEVEN STAINLESS
(Scope, bases and rings not included)



MODEL SEVEN CDL
(Scope, bases and rings not included)

SPECS AT A GLANCE. For a complete list of all model specifications, see pages 199-200.

| MODEL | ORDER NO. | CALIBER | BARREL LENGTH | STOCK MATERIAL |
|---|------------------|------------------|---------------|----------------|
| Model Seven Stainless H-S Precision Stock | 85970 | 308 Win | 20" | Composite |
| | 85971 | 6.5 Creedmoor | 20" | Composite |
| | 85972 | 7mm-08 Remington | 20" | Composite |
| Model Seven | 85968 | 243 Win | 20" | Composite |
| | 85911 | 243 Win | 20" | Synthetic |
| | 85913 | 7mm-08 Remington | 20" | Synthetic |
| Model Seven Stainless | 85914 | 308 Win | 20" | Synthetic |
| | 85904 | 223 Remington | 20" | Synthetic |
| | 24739 | 243 Win | 20" | Synthetic |
| | 24751 | 260 Remington | 20" | Synthetic |
| 24741 | 7mm-08 Remington | 20" | Synthetic | |

| MODEL | ORDER NO. | CALIBER | BARREL LENGTH | STOCK MATERIAL |
|---|-----------|------------------|---------------|-----------------|
| Model Seven Stainless (cont.) | 24743 | 308 Win | 20" | Synthetic |
| | 85905 | 300 WSM | 20" | Synthetic |
| | 85907 | 6mm Remington | 20" | Synthetic |
| Model Seven CDL | 26419 | 260 Remington | 20" | American Walnut |
| | 23421 | 7mm-08 Remington | 20" | American Walnut |
| | 26423 | 308 Win | 20" | American Walnut |
| NEW Model Seven Synthetic Threaded MO Bottomland Camo | 85925 | 308 Win | 16½" | Synthetic |
| | 85926 | 300 AAC Blackout | 16½" | Synthetic |
| | 85927 | 6.5 Creedmoor | 20" | Synthetic |



MODEL 783

ADVANCED VARMINT-CRUSHING ACCURACY, WELL WITHIN REACH.

Ironclad reliability and custom-grade accuracy that the workingman (or woman) can afford. The Model 783 is a rifle built to hunt, stand up to abuse and place your shots with astounding precision. The new **Model 783 Varmint** not only carries on that tradition, it advances it. A longer, heavier, free-float barrel provides increased rigidity for enhanced shot-to-shot consistency. A stronger, hardwood laminated stock adds uncompromising stiffness and rock-solid stability. With an oversized bolt handle, Picatinny rail and a host of other accuracy enhancing features, the Model 783 Varmint Laminite plants a flag in a new frontier of affordable, ultra-precision. The **Model 783 HBT** sports a heavy 16½" or 24" barrel for added accuracy and a threaded muzzle that's suppressor ready. A Picatinny rail, oversized bolt handle, flat dark earth synthetic stock and metalwork finished in black oxide complete a long list of tactical features. Our **Model 783 Camo** features a synthetic stock, covered in Mossy Oak® Break-Up Country.

PICATINNY RAIL

LAMINATE STOCK



CORE-LOKT

The world's best-selling big game ammunition, and the most proven of all time. See page 114.

MODEL 783 VARMINT LAMINATE FEATURES:

- 26" heavy barrel
- Adjustable CrossFire trigger
- Steel, detachable magazine
- Black oxide finish
- Laminate stock with beavertail forend
- Oversized bolt handle
- Picatinny rail
- Total weight is 8½ lb.
- 223 Remington, 22-250 Remington, 243 Win, 308 Win and 6.5 Creedmoor

SIGHT-IN TIPS

BORESIGHT IT. With the rifle in a sturdy rest and the bolt removed, look through the bore at a target 25 or 50 yards distant. Adjust the rest until the target's bullseye is centered in the bore. Next, adjust the windage and elevation of your reticle until it covers the bullseye and you see roughly the same picture through both the scope and the bore. (Note: Rifles with semi-auto, lever, and pump actions will require a collimator or laser boresighter to complete this step.)

GET ON PAPER. Shoot a three-shot group at a fresh target at 50 yards. Find the center point of the three shots and adjust your windage and elevation from that point to the desired point of impact. Repeat this process until your shots consistently group at that desired point of impact. Next, hang

a fresh target at 100 yards (if your desired zero) and shoot groups and adjust your scope until your shots consistently group at your desired point of impact at that range.

REAL-WORLD PRACTICE. It's not often that you'll find a rock-solid rest in the field, so be sure to practice shots at the range that you might encounter when hunting. Shoot prone, either with a bipod or using your pack as a rest. Shoot from sitting and kneeling positions. Shoot off-hand. The more familiar you become with the different shooting positions, the more confident you'll be at the moment of truth.

It's good to know that select Model 783s come equipped with a premounted and bore-sighted 3-9x40mm riflescope. Simply check your zero at the range, and you're ready to hunt.



MODEL 783 HBT

MODEL 783 CAMO

SPECS AT A GLANCE. For a complete list of all model specifications, see page 201.

| MODEL | ORDER NO. | CALIBER | BARREL LENGTH | STOCK MATERIAL |
|----------------------------|-----------|------------------|---------------|----------------|
| Model 783 Varmint Laminite | 85738 | 22-250 Remington | 26" | Laminite |
| | 85737 | 223 Remington | 26" | Laminite |
| | 85734 | 243 Win | 26" | Laminite |
| | 85748 | 6.5 Creedmoor | 26" | Laminite |
| | 85735 | 308 Win | 26" | Laminite |
| Model 783 HBT | 85764 | 223 Remington | 16½" | Synthetic |
| | 85770 | 223 Remington | 24" | Synthetic |
| | 85767 | 6.5 Creedmoor | 16½" | Synthetic |
| | 85773 | 6.5 Creedmoor | 24" | Synthetic |
| | 85766 | 300 AAC Blackout | 16½" | Synthetic |

| MODEL | ORDER NO. | CALIBER | BARREL LENGTH | STOCK MATERIAL |
|-----------------------|-----------|----------------------|---------------|----------------|
| Model 783 HBT (cont.) | 85765 | 308 Win | 16½" | Synthetic |
| | 85771 | 308 Win | 24" | Synthetic |
| | NEW 85772 | 450 Bushmaster | 16.5" | Synthetic |
| Model 783 Camo | 85750 | 223 Remington | 22" | Synthetic |
| | 85751 | 243 Win | 22" | Synthetic |
| | NEW 85777 | 6.5 Creedmoor | 22" | Synthetic |
| | 85752 | 270 Win | 22" | Synthetic |
| | 85755 | 7mm Remington Magnum | 24" | Synthetic |
| | 85754 | 308 Win | 22" | Synthetic |
| | 85753 | 30-06 SPRG | 22" | Synthetic |
| | 85756 | 300 Win Mag | 24" | Synthetic |



MODEL 783 WALNUT FEATURES:

- 100% Made in the USA
- American black walnut stock
- Select models come with a Vortex Crossfire II 3-9x40mm scope
- Cylindrical receiver and small ejection port for strength
- Reliable and robust detachable magazine
- CrossFire user adjustable trigger
- Magnum contour barrel



MODEL 783 BLACK SYNTHETIC



MODEL 783 WALNUT

MODEL 783

IT'S NOT DRESSED TO IMPRESS, IT'S DRESSED FOR WORK.

It's a tool. Designed by America's bolt-action experts. Assembled by American workers. And engineered with the precision, durability and performance-enhancing technology to get the job done. Period. A dual-pillar bedding platform that free-floats the barrel and our crisp, adjustable CrossFire trigger system ensures hair-splitting accuracy right out of the box. The **Model 783 Walnut** features a traditional wood stock and comes in popular big-game calibers from 243 Win to 300 Win Mag. The **Model 783 Synthetic** comes in offerings with, or without, the same pre-mounted and bore-sighted 3-9x40mm riflescope you'll find on our **Model 783 Compact**. Simply grab some Remington ammo, check your zero at the range, and you're ready to hunt.



HOG HAMMER

Go whole-hog on deep penetration, energy transfer and terminal performance, with Hog Hammer - America's first choice in feral hog control. See page 113.



MODEL 783 COMPACT

ADAPTIVE DESIGN

REMINGTON'S FIRST HIGH-POWERED BOLT-ACTION SPORTING RIFLE WAS THE MODEL 30. IT WAS WELL SUITED TO THE NEW SPORTING CARTRIDGES OF THE DAY, LIKE THE .30-06 SPRINGFIELD.

THE MODEL 700 HAS BEEN CHAMBERED IN 47 DIFFERENT CARTRIDGES SINCE ITS INTRODUCTION IN 1962.

BOLT-ACTION RIFLES


NO RIFLE ACTION FEATURES THE STRENGTH, RELIABILITY, AND POTENTIAL ACCURACY OF THE TIMELESS BOLT ACTION. REMINGTON HAS BEEN AT THE FOREFRONT OF THE VERSATILE ACTION'S INNOVATION FOR MORE THAN 130 YEARS.

A FIRST OF FIRSTS

REMINGTON'S FIRST BOLT-ACTION RIFLE, THE M1885 REMINGTON-LEE, WAS THE FIRST FIREARM IN HISTORY TO UTILIZE A DETACHABLE BOX MAGAZINE.



1100°F
TO ENSURE STRUCTURAL TOUGHNESS, THE 3-PIECE BOLT OF THE MODEL 700 IS BRAZED TOGETHER AT TEMPERATURES IN EXCESS OF 1,100°F



THE BOLT OF THE M788 FEATURES 9 RECEIVER LOCKING LUGS.

SPECS AT A GLANCE. For a complete list of all model specifications, see page 201.

| MODEL | ORDER NO. | CALIBER | BARREL LENGTH | STOCK MATERIAL |
|-------------------------|-------------|----------------------|---------------|-----------------|
| Model 783 Walnut | 85884 | 243 Win | 22" | American Walnut |
| | 85870/85886 | 270 Win | 22" | American Walnut |
| | 85888 | 30-06 SPRG | 22" | American Walnut |
| | 85874/85890 | 308 Win | 22" | American Walnut |
| | 85826/85892 | 7mm Remington Magnum | 24" | American Walnut |
| Model 783 | 85866 | 6.5 Creedmoor | 22" | American Walnut |
| | 85894 | 300 Win Mag | 24" | American Walnut |
| | 85845 | 22-250 Remington | 22" | Synthetic |
| | 85840 | 223 Remington | 22" | Synthetic |
| | 85842 | 243 Win | 22" | Synthetic |

| MODEL | ORDER NO. | CALIBER | BARREL LENGTH | STOCK MATERIAL |
|------------------------------|-----------|----------------------|---------------|----------------|
| Model 783 (cont.) NEW | 85826 | 6.5 Creedmoor | 22" | Synthetic |
| | 85844 | 270 Win | 22" | Synthetic |
| | 85835 | 7mm-08 Remington | 22" | Synthetic |
| | 85848 | 7mm Remington Magnum | 24" | Synthetic |
| | 85847 | 308 Win | 22" | Synthetic |
| Model 783 Compact | 85846 | 30-06 SPRG | 22" | Synthetic |
| | 85849 | 300 Win Mag | 24" | Synthetic |
| | 85852 | 243 Win | 20" | Synthetic |
| | 85853 | 308 Win | 20" | Synthetic |



MODEL 7600

MODEL 7600 FEATURES:

- Action, slide release and safety based on the design of the Model 870, America's most popular pump shotgun, for instantaneous end user familiarity
- Weight distribution and slim line design result in shotgun-like balance and pointability
- 22" barrel with iron sights and receiver drilled and tapped for scope mounts allow for multiple sighting options
- American black walnut stock and fore-end

SPECS AT A GLANCE.

For a complete list of all model specifications, see page 201.

| MODEL | ORDER NO. | CALIBER | BARREL LENGTH | STOCK MATERIAL |
|--------------------|-----------|------------|---------------|-----------------|
| Model 7600 | 24655 | 270 Win | 22" | American Walnut |
| | 24657 | 30-06 SPRG | 22" | American Walnut |
| | 24659 | 308 Win | 22" | American Walnut |
| Model 7600 Carbine | 24661 | 30-06 SPRG | 18½" | American Walnut |

SHOULD YOU NEED ANOTHER SHOT AT THAT SHOT OF A LIFETIME.

Hunts don't always unfold like you see on TV, and when the heat of the moment finds you looking for a follow-up, our famous Model 7600 can deliver with outstanding speed and accuracy, time and time again. The twin steel action bars and rotary bolt lockup of its pump action provide smooth operation, ultrapositive chambering and ejection and rock-solid strength. For accuracy rivaling that of the best bolt guns, the barrel is free floated. Hunters who rely on the Model 870 in other pursuits will love that the action, slide release and safety are based on the best-selling pump shotgun of all time. Its weight distribution and sleek design provide shotgun-like pointability. Equipped with a 22" barrel with iron sights, the rifle's receiver is also drilled and tapped for scope mounts.



PREMIER SCIROCCO

Leading the industry in bone-crushing power and long-range precision, Premier Scirocco combines bonded-core technology with a ballistically superior profile for unparalleled accuracy and knockdown energy on big game. See page 108.





**MODEL 552 BDL
DELUXE SPEEDMASTER
FEATURES:**

- Handles 22 Short, 22 Long and 22 Long Rifle cartridges
- High-gloss American walnut stock and fore-end
- Tubular magazine fed
- Richly blued carbon-steel barrel
- Adjustable iron sights for open sight plinking
- Receiver grooved for scope mounts for precision shooting with optics
- Features an autoloading action for serious plinking

**SPECS AT
A GLANCE.**

For a complete list of all model specifications, see page 201.



**MODEL 572 BDL
DELUXE FIELDMASTER**

| MODEL | ORDER NO. | ACTION TYPE (CALIBER) | BARREL LENGTH | STOCK MATERIAL |
|----------------------------|-----------|-----------------------|---------------|-----------------|
| 552 BDL Deluxe Speedmaster | 25594 | Auto (22, S, L, LR) | 21" | American Walnut |
| 572 BDL Deluxe Fieldmaster | 25624 | Pump (22, S, L, LR) | 21" | American Walnut |

MODEL 552 / MODEL 572

CLASSIC DESIGNS THAT CONTINUE TO LEAD THE WAY.

For those who still love the look and feel of a classic rimfire rifle, our **Model 572 BDL Deluxe Fieldmaster** and **Model 552 BDL Deluxe Speedmaster** may be the finest available today. Their tack-driving accuracy and quick follow-ups have made them a customer favorite. So much so, the Model 572 Fieldmaster has been an American standard since its introduction in 1955, and the Model 552 Speedmaster a mainstay since it hit the scene in 1957. They combine richly blued carbon steel barrels with generously checkered high-gloss American walnut stocks and fore-ends. Both feature big-game sights, a positive cross-bolt safety and a grooved receiver for scope mounting. The Model 572 Fieldmaster is the most popular pump-action 22 rimfire made in America today, and handles 22 Short, 22 Long and 22 Long Rifle cartridges interchangeably. Our Model 552 Speedmaster is now in its 53rd year of production, carrying forward this classic design for future shooting enthusiasts.

COMPLETE YOUR SHOOTING EXPERIENCE

For years of optimal performance, pair your Model 552 BDL Speedmaster or Model 572 BDL Fieldmaster with our full range of 22 Short and 22 Long Rifle cartridges. One of the most complete lineups in the industry, all our rimfire ammo is made to the highest standards of quality, delivering reliability, accuracy and consistency with every shot. See pages 162-163.



REM SQUEEG-E

This revolutionary gun cleaning system quickly cleans lands and grooves in one pass. And with no patches needed, you'll save money and time. Cleans bores from .22 - 12-gauge. See page 182.

TIMELESS CRAFTSMANSHIP, FROM OUR HANDS TO YOURS.

Welcome to the Remington Custom Shop. Where the highest levels of artistry and performance meet. Where the world's finest materials, premium barrels, components and masterful engraving come together to create your firearm of a lifetime. Honed to perfection by the world's foremost gunsmiths using the most advanced equipment in modern guncraft. The Custom Shop difference is clear the first time you hold your firearm - and even clearer when you shoot it.

RIMFIRE

The Model 547 Custom Classic Rimfire rifle is the benchmark choice for the classic rimfire connoisseur, passionate rimfire hunter or dedicated rimfire competitor who wants a lifetime of unsurpassed performance in a classically-crafted firearm. It's a one-of-a kind masterpiece, hand-built to your specifications.



MODEL 547 CLASSIC

CLASSIC SERIES RIFLES

Discover a higher level of craftsmanship and precision. Built on the most popular bolt-action of all time, the Model 700, or the lightning-quick agility afforded by the compact Model Seven. Our world-class craftsmen will hand-build the custom rifle of your dreams for your chosen pursuit.



MODEL 40-XB
RANGEMASTER WOOD

MODEL 40X

Our custom Model 40-X series rifles are designed to deliver five-shot groups you can cover with a dime. Customizable with a wide variety of options including caliber, barrel contours, metal finishes as well as options for stocks, chassis and optics.



MODEL 700 CUSTOM
SIXSITE

TACTICAL SHOTGUNS & SPECIALTY FIREARMS

It's the strongest, smoothest and most reliable pump action of all time, elevated to custom-grade craftsmanship and tactical features. You choose the sights; stock and forearm; Cerakote® or polished blued finish; and extended magazine tube.



MODEL 870 CUSTOM
TACTICAL

MODEL 1911 R1 CUSTOM

Choose a customized Model 1911 R1, or order one built to your exact specifications. The Remington Custom Shop offers a wide variety of accurizing upgrades and exotic finishes, and custom options, including hand-checked grips and more.



CUSTOM R1

FIND A DEALER NOW, CALL 605-347-4686 OR VISIT REMINGTONCUSTOM.COM

HANDGUNS



NEW MODEL 700-CP ARM BRACE



MODEL 1911 R1 HUNTER



MODEL 1911 R1 ULTRALIGHT



MODEL 1911 R1 LIMITED DOUBLE STACK



REMINGTON RM380 EXECUTIVE

| | |
|-----------------------|-----|
| Model 700-CP | 80 |
| Model 1911 R1 | 84 |
| Remington RM380 | 98 |
| Remington RP | 102 |



NEW

MODEL 700-CP

SHOOTS FASTER, FLATTER AND FARTHER THAN ANY BOLT-ACTION HANDGUN IN HISTORY.

Engineered for drilling big game, varmints, steel silhouettes and targets from a couple football fields away. Built around the Remington 700 action and chassis system, the **Model 700-CP** gives hunters and shooters an accurate and compact platform for backcountry hunting and long-range competition where the targets may be set 300, 500, 700 yards and beyond. The legendary Model 700 action provides the industry's fastest locktime (2.5 to 3.0 milliseconds), which minimizes the effects of shooter movement meaning greater shot-to-shot consistency. The Model 700-CP's X-Mark Pro externally adjustable trigger is set from 3.5 to 5 lbs. at the factory and is user-adjustable with readily available tools. Bringing Remington bolt-action pistols into the tactical age, the Model 700-CP's Remington Chassis comes equipped with a rear stock QD plate and an M-LOK® compatible free float handguard. The forged aluminum chassis is lightweight, extremely durable and allows for detachable magazines and many MSR-based accessories. New for 2020, the **Model 700-CP Arm Brace** brings the added stability and inherent precision of an SB Tactical arm brace to the bolt-action platform's accuracy equation.



MODEL 700-CP
10 1/2" Model



HARD COATED ANODIZED, FORGED ALUMINUM, REMINGTON PRECISION CHASSIS WITH M-LOK ADAPTABLE FREE-FLOAT TUBE

NEW MODEL 700-CP ARM BRACE FEATURES:

- Remington 700 action
- Hard coat anodized, forged aluminum, Remington Precision Chassis
- Light contour carbon steel, 223 Win. 300 AAC Blackout (10 1/2"), 308 Win (12 1/2") and 6.5 Creedmoor
- X-Mark Pro externally adjustable trigger 
- 10-round magazine
- QD sling plate adapter
- One-piece cantilever optics rail
- M-LOK adaptable free-float tube
- Threaded barrel with thread protector
- SBA3 adjustable arm brace



QD SLING PLATE

LEGENDARY MODEL 700 ACTION

SPECS AT A GLANCE.

For a complete list of all model specifications, see page 202.

| MODEL | ORDER NO. | CAPACITY* | CALIBER | BARREL LENGTH | FRAME MATERIAL |
|---------------------------------------|-----------|-----------|------------------|---------------|----------------|
| Model 700-CP | 96814 | 10+1 | 300 AAC Blackout | 10 1/2" | Aluminum |
| | 96815 | 10+1 | 308 Win | 12 1/2" | Aluminum |
| | 96816 | 10+1 | 223 Remington | 10 1/2" | Aluminum |
| Model 700-CP Chassis Pistol Arm Brace | 96818 | 10+1 | 6.5 Creedmoor | 12 1/2" | Aluminum |
| | 96810 | 10+1 | 300 AAC Blackout | 12 1/2" | Aluminum |
| | 96811 | 10+1 | 223 Remington | 12 1/2" | Aluminum |

*Magazine and chamber

HISTORY'S MOST ENDURING PISTOL DESIGN FOR MORE THAN 100 YEARS, SUPER-TUNED FOR HIGHER PERFORMANCE.

Proven on countless fields of battle and the home front alike, one pistol design has staked its claim as America's favorite for more than a century. Today, Remington's engineers have enhanced the iconic Model 1911 R1 to serve an even broader range of applications. Models for competition, tactical use and hunting lead our 2020 lineup of history's most popular, and most reliable pistol.

1911 R1

MODEL 1911 R1 ULTRALIGHT

When ounces equal pounds, go ultralight with the Model 1911 R1 Ultralight Commander. Featuring a lightweight, yet extremely durable aluminum frame that weighs 30% less than a standard steel frame, with a high performance adjustable trigger, fiber optic front sight and a PVD finished slide.



MODEL 1911 R1
ULTRALIGHT
COMMANDER

MODEL 1911 R1 HUNTER

Now hunters can bring championship accuracy and 10mm-punch to bear on big game. With its match-grade, stainless steel barrel and host of precision-enhanced features, the new Model 1911 R1 Hunter is more than ready for the hunt.



MODEL 1911 R1
HUNTER FDE

MODEL 1911 R1 LIMITED

Born of the same competitive spirit that set the Model 1911 apart from all others more than a century ago, the Model 1911 R1 Limited Double-Stack is built for performance, match after match. With a capacity up to 19 + 1, it provides you with max firepower between reloads.



MODEL 1911 R1
LIMITED
DOUBLE-STACK

MODEL 1911 R1

It's America's favorite pistol, engineered with a host of advancements to deliver new levels of accuracy and reliability. A crisp trigger, and ultra-tight slide/frame lockup are just a few of its standout features.



MODEL 1911
R1 STAINLESS

MODEL 1911 R1 ENHANCED

Take your competitive spirit to the next level. Every aspect of the Model 1911 R1 has been precision-tuned with tighter tolerances that result in tighter groups on the range.



MODEL 1911 R1
ENHANCED
DOUBLE-STACK

MODEL 1911 R1 TACTICAL

Engineered to perform and built to adapt, the Model 1911 R1 Tactical's host of enhancements deliver sure handling in any scenario. Its tactical rail makes adding accessories fast and easy. And with Trijicon® front and rear night sights, it's ready to serve in any light.



MODEL 1911 R1
TACTICAL
DOUBLE-STACK

TOMASIE'S TIPS

WORLD-CHAMPION SHOOTING STANCE

Learn the shooting stance used by Travis Tomasié in his world-championship win.

- Place your firing-side foot back (for most, this is your right foot).
- Weight should be evenly distributed on both feet with 75% of your weight toward the ball of each foot to counter recoil.
- Knees are bent for even weight distribution on both feet.
- Upper torso slightly bent forward at the waist, again to counter recoil, and squared toward target.
- Both elbows bent slightly to act as shock absorbers.
- Head squared to target. Don't duck head or roll up shoulders.



1911 R1 LIMITED

HIGH CAPACITY AND PERFORMANCE DOUBLE-STACKED IN YOUR FAVOR.

The **Model 1911 R1 Limited Double-Stack** has been engineered end-to-end for elevated firepower and precision. With its tough PVD DLC finish, the 5-inch match-grade stainless steel barrel, slide and frame deliver silky smooth operation, even in heavy-use scenarios. Its machined VZ G10 grips and extended beavertail grip safety guarantee sure handling, and the oversized magwell promotes lightning-fast reloads. Equipped with fiber optic front sight and fully adjustable LPA target rear sight, it's purpose-built for rapid target acquisition, and spectacular, on-target results. Test fired and personally inspected by World and National IPSC/USPSA shooting champion, Travis Tomasié, the **Model 1911 R1 Limited Tomasié Custom** comes with a signed letter from the Captain of Team Remington, and a level of quality assurance unmatched in the industry. Built to deliver higher capacity in a hard-hitting carry caliber.



DOUBLE-STACK MAGAZINE



MODEL 1911 R1 TOMASIE CUSTOM

MODEL 1911 R1 LIMITED DOUBLE-STACK FEATURES:

- 19+1 round capacity in 9mm Luger
- Match grade trigger – adjustable
- Full-length, 1-piece guide rods
- Fiber optic front sight
- Fully adjustable LPA target rear sight
- Wide front and rear cocking serrations
- Oversized mag well for lightning-fast reloads
- 5" ramped, match-grade barrel
- Stainless steel frame, slide, and barrel
- PVD coating delivers the smoothest operation and unparalleled durability
- Ambidextrous extended thumb safety for easy operation in either hand
- Machined G10 VZ operator grips
- Checkered front strap and mainspring housing
- Two double-stack magazines

SPECS AT A GLANCE.

For a complete list of all model specifications, see page 202.

| MODEL | ORDER NO. | CAPACITY | CALIBER | BARREL LENGTH | FRAME MATERIAL |
|------------------------------|-----------|----------|-----------|---------------|-----------------|
| 1911 R1 Limited Double-Stack | 96713 | 19+1 | 9mm Luger | 5" | Stainless Steel |
| | 96715 | 16+1 | 45 Auto | 5" | Stainless Steel |
| | 96714 | 18+1 | 40 S&W | 5" | Stainless Steel |
| 1911 R1 Tomasié | 96725 | 18+1 | 40 S&W | 5" | Stainless Steel |

DOUBLE-STACK MAGAZINE



1911 R1 DOUBLE-STACK MAGAZINES

| ORDER NO. | CALIBER | CAPACITY | MATERIALS |
|-----------|-----------|----------|---------------|
| 17794 | 9mm Luger | 19 | Aluminum Base |
| 17802 | 40 S&W | 18 | Aluminum Base |
| 17828 | 45 Auto | 16 | Aluminum Base |

SINGLE-STACK MAGAZINE



1911 R1 SINGLE-STACK MAGAZINES

| ORDER NO. | CALIBER | CAPACITY | MATERIALS |
|-----------|-----------|--------------|-----------------|
| 17793 | 9mm Luger | 9 | Stainless Steel |
| 17803 | 40 S&W | 8 | Stainless Steel |
| 19623 | 45 Auto | 7 (flush) | Blued |
| 19624 | 45 Auto | 8 (extended) | Blued |
| 19660 | 45 Auto | 7 (flush) | Stainless Steel |
| 19661 | 45 Auto | 8 (extended) | Stainless Steel |



1911 R1 ULTRALIGHT

LEGENDARY 1911 PERFORMANCE. LIGHTWEIGHT NEW DESIGN.

America's all-time favorite .45-caliber pistol, re-engineered with significantly less weight than ever before. Originally manufactured by Remington during World War I and re-launched in 2012, this year's breakthrough **1911 R1 Ultralight Commander** delivers the high reliability and performance you expect from a 1911, while shedding a difference-making 7.5 oz. from a standard steel frame. Chambered in 45 Auto, the Ultralight Commander weighs just 31 ounces when empty, a remarkable 30% weight-reduction. It features a match-grade 4¼-inch stainless steel barrel and a powerful 8+1 magazine capacity, an adjustable trigger system, a checkered laminate grip and PVD slide, adjustable rear sights and fiber optic front sight. For maximum 1911 performance and minimum ounces – plus the added advantage of greater visibility in low light conditions – the **Model 1911 R1 Ultralight Executive** is optimized for performance with night sights, a 3½-inch bull barrel and G10 laminate grips.



MODEL 1911 R1 ULTRALIGHT COMMANDER

MODEL 1911 R1 ULTRALIGHT EXECUTIVE FEATURES:

- Aluminum frame offers 30% weight reduction from standard steel
- 3½" stainless match barrel for superb accuracy
- XS® 3-dot Tritium night sights
- G10 grips
- Adjustable trigger for a smooth, clean and crisp break
- Extended beavertail grip safety for enhanced shooter control
- Wide rear cocking serrations for increased control regardless of field conditions
- Tough PVD DLC finish for durability in all conditions
- Skeletonized hammer
- Rounded frame and mainspring housing

SPECS AT A GLANCE.

For a complete list of all model specifications, see page 202.

| MODEL | ORDER NO. | CAPACITY | CALIBER | BARREL LENGTH | FRAME MATERIAL |
|------------------------------|-----------|----------|---------|---------------|----------------|
| 1911 R1 Ultralight Executive | 96493 | 8+1 | 45 Auto | 3½" | Aluminum |
| 1911 R1 Ultralight Commander | 96492 | 8+1 | 45 Auto | 4¼" | Aluminum |



ADJUSTABLE TRIGGER



ROUNDED FRAME ON EXECUTIVE

30% WEIGHT REDUCTION FROM STANDARD FRAME



TOMASIE'S TIPS

DRAWING FROM CONCEALMENT

Understanding proper sequence and grip used by world champion pistol competitor, Travis Tomasi.

Keys to understanding the sequence:

- Keep both eyes focused on target.
- Both hands move in unison; Support hand grabs garment while firing hand grabs gun. Keep your finger off the trigger.
- Gripping the gun here is key, look for two indexes:
 - 1) Top of middle finger touching underside of trigger guard.
 - 2) Web between thumb and index finger (up as high as possible), that will be indexing the top of beaver tail.
- Release garment and support hand goes toward gun while support hand meets gun same place as when you clap.
- Point muzzle down range, keep finger off trigger.
- Support hand meets gun with a good grip.
- Both hands move out and up toward target.
- Place finger on trigger once muzzle is pointed safely down range at target.



REMINGTON'S — ULTRALIGHT — EXECUTIVE R1

EDC PERFECTION

by Richard Mann | *Featured in Gun Digest*

Does the world really need another 1911? After all, the 1911 is the most prolific handgun design of all time. It's the most customizable, and it's manufactured by more companies and in more configurations than any other pistol. So, the answer to that question is probably, "No"... unless, of course, it's a really, really good 1911.

For the past 10 years, Remington has offered a variety of 1911 pistols (such as the R1 Enhanced, R1 Centennial, R1 Carry and R1 Commander). The company even offers an R1 Limited Single Stack model for competition and a long-slide version of the R1 chambered in 10mm for hunting. The R1 Ultralight Executive is the best 1911 that Remington offers for concealed carry, and it just might be the best R1 1911 it's ever turned out.

THE FRAME

The Ultralight Executive is built on an anodized Commander-sized aluminum frame. The aluminum frame reduces weight by 4 ounces (12 per-cent). This might not seem like much, but when you carry a pistol all day, that's substantial. The front strap of the frame has been checkered at 20 lines per inch. But the neatest features are the bobbed grip and smooth main-spring housing.

THE BARREL

For this platform, Remington paired a Commander-sized frame with an Officer's model-sized barrel. Combined with the radiused grip, the result is a very-concealable, easy-to-hold-onto pistol that's chambered for the .45 ACP. What you have is a pistol that's, well, perfectly sized: It has just as much grip as it does barrel. It fits well in your hand, points well on target and moves comfortably under recoil.

THE SLIDE

But there's more goodness to this pistol than just its size. The steel slide has a rugged and element-resistant PVD coating. It also has six deep, grasping grooves at the rear. All the sharp edges have been knocked off, and the front of the slide is drastically radiused to allow for smooth holstering. The Remington logo is proudly cut into the left side of the slide, and the "R1" and "EXECUTIVE" are tastefully engraved onto the right.


Most importantly, the slide is fitted with a proprietary set of 3-dot tritium sights from XS Sights. The rear sight is tall and ledged to help with one-handed operation on a belt or boot heel, and it has a wide U-notch to mate with a

substantial white-dot surrounding a tritium vial on the front sight. These sights are bold and fast on target.

AT THE RANGE

After about 50 rounds – just to get used to the pistol – I chronographed five different loads with bullets ranging in weight from 135 to 230 grains. After that exercise, I fired five five-shot groups from the off-hand standing position at 10 yards with each of the five loads I'd chronographed. The average group size for all 25 groups fired was 1.76 inches. I wouldn't expect to win a bullseye match with this 1911, but it shoots very well, considering its barrel length and sight radius. If you miss at defensive handgun ranges with this pistol, you should probably schedule your immediate attendance at the 250 Pistol Course at Gunsite Academy.

I think the UltraLight Executive is the best R1 Remington has created to date, and I consider it one of the top 1911s you can buy at any price. You can do a lot worse for a lot more money, and you're cheating yourself if you don't give one a try. With street prices of less than a grand, this gun is a steal and one I'd bet my life on ... which is why it's been on my side for several months now.





1911 R1 10MM HUNTER

MATCH-GRADE PRECISION, ADAPTED FOR THE HUNT.

The same reliability that made it America's favorite pistol has now been enhanced for hunting. Match-grade accuracy and game-dropping power are yours with the all-new, Model 1911 Hunter. Guided by LPA fully adjustable match sights, its 6-inch stainless match-grade barrel delivers 10mm-punch with breath-taking precision. Its nail-tough PVD DLC finish provides all-weather durability. And VZ® Operator II G10 grips, wide rear and front cocking serrations and extended beavertail grip safety assure a positive hold regardless of field conditions.

SPECS AT A GLANCE. For a complete list of all model specifications, see page 202.

| MODEL | ORDER NO. | CAPACITY | CALIBER | BARREL LENGTH | FRAME MATERIAL |
|----------------|-----------|----------|-----------|---------------|----------------|
| 1911 R1 Hunter | 96679 | 8+1 | 10mm Auto | 6" | Carbon Steel |

MODEL 1911 R1 HUNTER FEATURES:

- 10mm Auto
- 6" stainless match-grade barrel – for superb accuracy
- Accessory rail – MIL-STC-1913 for light or laser attachments
- Wide rear and front cocking serrations – for positive grip regardless of field conditions
- LPA fully adjustable match sights – for precision shooting
- Extended beavertail grip safety – for sure grip in the field
- Adjustable skeletonized trigger – for a clean crisp break
- Tough PVD DLC finish – for durability in all conditions
- Operator II VZ G10 grips – for solid hold while firing
- Two 8-round stainless steel magazines
- Stainless steel frame and slide



MODEL 1911 R1 HUNTER FDE



HOG HAMMER HANDGUN

It's one-piece copper performance, total domination. Delivering unmatched Barnes on-game performance powered by Remington. See page 155.



1911 R1 TACTICAL

EQUIPPED TO COMMAND AND CONTROL THE SITUATION.

Available in both 9mm Luger and 45 Auto, the **Model 1911 R1 Recon Commander Double-Stack** is the pinnacle of hard-use precision and performance. It features a high capacity double-stack magazine, an adjustable match-grade trigger, and its 4 1/4-inch match-grade stainless steel barrel, frame and slide tuned for consistent accuracy and performance. PVD coating delivers reliably smooth operation and unparalleled durability. The ambidextrous extended thumb safety allows easy operation in either hand, while its machined VZ® Operator G10 grips, wide front and rear cocking serrations and checkered mainspring housing provide sure handling. And with Tritium front and rear night sights, it's ready to serve in any light.



MODEL 1911 R1 TACTICAL DOUBLE-STACK THREADED



MODEL 1911 R1 TACTICAL DOUBLE-STACK



REMINGTON SUBSONIC HANDGUN

Combines consistent velocity control and enclosed-based bullet technology for cleaner, quieter shooting with suppressed pistols. See page 158.

MODEL 1911 R1 RECON FEATURES:

- 18+1 round capacity in 9mm Luger, 15+1 round capacity in 45 Auto
- Match grade trigger – adjustable
- 4 1/4" ramped, match-grade barrel
- Wide, front and rear cocking serrations
- Stainless steel frame, slide and barrel
- Accessory rail
- PVD coating delivers the smoothest operation and unparalleled durability
- Ambidextrous extended thumb safety for easy operation in either hand
- Machined G10 VZ operator grips
- Checkered mainspring housing



ACCESSORY RAIL

TACTICAL MAGAZINES

45 Auto – 15+1 – Order No. (17827)

9mm Luger – 18+1 – Order No. (17795)



SPECS AT A GLANCE.

For a complete list of all model specifications, see page 201.

| MODEL | ORDER NO. | CAPACITY* | CALIBER | BARREL LENGTH | FRAME MATERIAL |
|-------------------------------|-----------|-----------|-----------|---------------|-----------------|
| 1911 R1 Recon | 96490 | 18+1 | 9mm Luger | 4 1/4" | Stainless Steel |
| | 96489 | 15+1 | 45 Auto | 4 1/4" | Stainless Steel |
| 1911 R1 Double Stack | 96486 | 15+1 | 45 Auto | 5" | Stainless Steel |
| 1911 R1 Double Stack Threaded | 96488 | 15+1 | 45 Auto | 5" | Stainless Steel |

*Magazine and chamber



1911 R1 ENHANCED

BATTLE-PROVEN CONQUEROR. TURNED COMPETITION STANDOUT.

A time-proven design without equal, America's favorite pistol has been precision-machined for match-winning performance. Its engineering advancements and tight tolerances provide unrivaled shot-to-shot consistency that continues to win over a growing following of serious competitors. The **Model 1911 R1 Enhanced** is a clear competitive standout. Its long list of accuracy-enhancing features includes adjustable rear sight with red fiber-optic front sight and trigger. Front and rear slide serrations, flat-checked mainspring housing and custom grips promote sure handling. Optimized to provide maximum firepower, the **Model 1911 R1 Enhanced Double-Stack** gives shooters a double-stack capacity advantage, plus ultimate precision and control for personal protection. The **Model 1911 R1 Enhanced Stainless** delivers the same advanced performance features with the durability and stately looks of a stainless steel finish. Our **Model 1911 R1 Enhanced 9mm Luger** offers all of the Model 1911 R1 Enhanced features, chambered in popular 9mm Luger. Two 9-round magazines with bumper pads are included. And the **Model 1911 R1 Enhanced Threaded Barrel** ups the ante of the R1 Enhanced's features with an extended barrel and tall, two-dot rear sight for use with a suppressor.



MODEL 1911 R1 ENHANCED 9MM



MODEL 1911 R1 ENHANCED STAINLESS



MODEL 1911 R1 ENHANCED THREADED BARREL



MODEL 1911 R1 ENHANCED COMMANDER STAINLESS


MODEL 1911 R1 ENHANCED DOUBLE STACK FEATURES:

- Match-grade stainless steel 5" barrel and bushing
- Double stack magazines with 15+1 round capacity in 45 Auto
- Satin black oxide finish
- Combat Adjustable rear sight with fiber optic front sight
- Machined G10 VZ operator grips
- Flat checked mainspring housing (20 LPI)
- Beveled magazine well
- Aluminum trigger
- Enhanced hammer and wide thumb safety
- Flared and lowered ejection port
- Front and rear slide serrations

SPECS AT A GLANCE.

For a complete list of all model specifications, see page 201.

| MODEL | ORDER NO. | CAPACITY | CALIBER | BARREL LENGTH | FRAME MATERIAL |
|--------------------------------------|-----------|----------|-----------|---------------|-----------------|
| 1911 R1 Enhanced Double Stack | 96491 | 15+1 | 45 Auto | 5" | Carbon Steel |
| 1911 R1 Enhanced | 96364 | 9+1 | 9mm Luger | 5" | Carbon Steel |
| 1911 R1 Enhanced Commander | 96359 | 8+1 | 45 Auto | 4 1/2" | Carbon Steel |
| 1911 R1 Enhanced Stainless Commander | 96360 | 8+1 | 45 Auto | 4 1/2" | Stainless Steel |
| 1911 R1 Enhanced Stainless | 96329 | 8+1 | 45 Auto | 5" | Stainless Steel |
| 1911 R1 Enhanced Threaded | 96339 | 8+1 | 45 Auto | 5 3/4" | Carbon Steel |



1911 R1

AMERICA'S FAVORITE PISTOL DESIGN, BUILT BY AMERICA'S MOST TRUSTED GUNMAKER.

For more than 100 years it has served justice, protected families and defended freedom. Now it's once again a Remington. The finest blend of exacting craftsmanship and out-of-box performance available today, the **Model 1911 R1** is a sweet-shooting advancement of America's most reliable, accurate and enduring handgun. Produced to ultra-tight tolerances using state-of-the-art technology, it features a crisp trigger, dovetailed rear and front sights, precision-machined slide and frame, and fine-checked American walnut grips. Get the high-speed and concealability advantage of a 4.25-inch barrel with the **Model 1911 R1 Commander**.



MODEL 1911 R1



MODEL 1911 R1 COMMANDER



HANDGUN ACCESSORIES

For the complete line of handgun accessories, see page 176.

MAGAZINES

MODEL 1911 R1 STAINLESS FEATURES:

- Match-grade stainless steel 5" barrel and bushing
- Stainless steel finish
- Two-dot dovetailed rear sight with single dot dovetailed front sight
- Checkered double diamond walnut grips
- Flat mainspring housing
- Beveled magazine well
- Solid aluminum trigger
- G.I. thumb safety, grip safety and hammer
- 7+1 round capacity (includes two 7-round magazines)



HIGH TERMINAL PERFORMANCE (HTP)

For hunting or personal defense, the shear stopping power of Remington High Terminal Performance delivers like nothing else. See page 153.

SPECS AT A GLANCE.

For a complete list of all model specifications, see page 201.

| MODEL | ORDER NO. | CAPACITY | CALIBER | BARREL LENGTH | FRAME MATERIAL |
|-------------------|-----------|----------|---------|---------------|-----------------|
| 1911 R1 Stainless | 96324 | 7+1 | 45 Auto | 5" | Stainless Steel |
| 1911 R1 | 96323 | 7+1 | 45 Auto | 5" | Carbon Steel |
| 1911 R1 Commander | 96336 | 7+1 | 45 Auto | 4 1/4" | Carbon Steel |

TOMASIE'S TIPS

THE RIGHT GRIP FOR A 1911

Tips on the proper Model 1911 pistol grip by world-champion, Travis Tomasi.

Some common mistakes made by shooters:

1. Firing hand isn't high enough on the gun
2. Bad geometry of the support hand

Five pointers on proper grip for maximum control:

- Proper geometry of the support hand is key. Make sure all fingers are together, wrapped around firing hand and making contact with the trigger guard.
- Maximum contact with the palm of support hand and grip. The more skin on gun, the better recoil management you will have.
- Rotate support hand wrist forward, so that left thumb points at target. This locks all tendons in place.
- Make sure your hands are as high as you can get them.
- The goal is to get hands as close to the barrel as you can. The higher your hand, the less muzzle flip.





Remington® RM380

THE MICRO-PISTOL WITH A MASSIVE CONTROL ADVANTAGE.

The Remington RM380 sets a bold new standard for concealed carry performance. Built to deliver superior shootability when you need it most, with optimized grip angles for more intuitive pointing, the longest barrel in its class for maximum precision and muzzle velocity, and smooth, crisp trigger pull to aid in safety and shot placement. The **Model RM380 Executive** adds to The RM380's long list of enhanced features with a light, smooth DAO trigger for improved accuracy; low profile slide stop and ambidextrous magazine release; and replaceable laminate grip options. The **Model RM380 Light Blue** upgrades the aluminum frame, replaceable grips and magazine finger extension with a stylish light-blue accent color. The RM380 models are designed for everyday carry. Built for life.

REMINGTON RM380 MICRO EXECUTIVE FEATURES:

- 6+1 round capacity in 380 Auto
- 2.9" ramped, match-grade barrel; the longest in its class
- Wide front and rear cocking serrations
- Stainless steel frame, slide and barrel
- Low-profile slide stop and ambidextrous mag release
- Replaceable laminate grip panels
- Macassar laminate grips - 2 tone stainless black finish

STAINLESS STEEL FRAME



MACASSAR LAMINATE GRIP



SPECS AT A GLANCE.

For a complete list of all model specifications, see page 201.

| MODEL | ORDER NO. | CAPACITY | CALIBER | BARREL LENGTH | FRAME FINISH |
|---|-----------|----------|----------|---------------|--------------|
| RM380 Micro Executive | 96246 | 6+1 | 380 Auto | 2.9" | Anodized |
| RM380 Micro Light Blue Stainless Cerakote | 96457 | 6+1 | 380 Auto | 2.9" | Anodized |
| RM380 Micro Light Blue / Black | 96453 | 6+1 | 380 Auto | 2.9" | Anodized |

COMPATIBLE HOLSTERS AVAILABLE

www.remington.com/shop





DESIGNED FOR EVERYDAY CARRY. BUILT FOR LIFE.

Never before has a handgun so compact been built to such high standards for performance and reliability. From its easy, tool-less takedown; to the grip angle optimized for comfort, and shootability; to its fully ambidextrous, low profile magazine release; every feature of the RM380 has been fine-tuned to deliver unflinching function with unrivaled accuracy and control in the most extreme conditions on earth - the fight of your life. It's simply the most complete fusion of confidence and concealment to ever hit the everyday-carry category.



Remington® RM380

RUGGED, FIXED, NO-SNAG SIGHTS

WIDE POSITIVE COCKING SERRATIONS

EXTENDED BEAVERTAIL

To protect shooter's hand, and promote correct grip when drawing from less than optimal conditions

OPTIMIZED GRIP ANGLE

For comfort, recoil management and shootability

REPLACEABLE GRIP PANELS

For comfort, and style upgrades

6 + 1 CAPACITY

Includes flush magazine and magazine with finger extension

REMINGTON RM380 MAGAZINE

Order No. (17679) 6 round - with flush and extended base plates



REMINGTON RM380 GRIPS



G10
Order No. 17369



MACASSAR LAMINATE
Order No. 16149

ROSEWOOD LAMINATE (not shown)
Order No. 17368



EASY, TOOL-LESS TAKEDOWN

ALUMINUM FRAME
For enhanced durability and product life

LONG, SMOOTH, LIGHT DOUBLE ACTION ONLY TRIGGER
For safety and shootability

FULLY AMBIDEXTROUS, LOW PROFILE MAGAZINE RELEASE

CHECKERED FRONT STRAP



REMINGTON RM380



REMINGTON RM380 CRIMSON TRACE®

SPECS AT A GLANCE. For a complete list of all model specifications, see page 201.

| MODEL | ORDER NO. | CAPACITY | CALIBER | BARREL LENGTH | FRAME MATERIAL |
|---------------------|-----------|----------|----------|---------------|----------------|
| RM380 | 96454 | 6+1 | 380 Auto | 2.9" | Anodized |
| RM380 Crimson Trace | 96462 | 6+1 | 380 Auto | 2.9" | Anodized |



Remington® RP

MAXIMUM CAPACITY. COMPLETE CONTROL. THIS IS SHOOTABILITY.

Much more than a high, double-stack magazine capacity, the new **Remington RP9** and **RP45** embody our engineers' commitment to shootability – designed end-to-end to deliver a level of shooter control and accuracy superior to every full-sized polymer framed handgun on the market. So much so, it'd be a design marvel with a fraction of the capacity, but with 18+1 (9mm Luger) and 15+1 (45 Auto) rounds at your absolute command, it equips you for the most demanding personal defense scenarios. The **Remington RP45 with Night Sights** comes optimized with Tritium 3 Dot night sights for high visibility in low light, and a whole new level of personal protection preparedness.



REMINGTON RP FULL SIZE (TRITIUM NIGHT SIGHTS)



REMINGTON RP9



ULTIMATE DEFENSE FULL SIZE HANDGUN

Specially designed for controlled expansion and optimal energy transfer. Engineered to deliver massive knockdown power in all full-sized handguns. See page 152.

REMINGTON RP SIGHTS



FIBER OPTIC
Order No. (17834)



TRITIUM NIGHT
Order No. (17835)

REMINGTON RP FEATURES:

- Smooth, light and crisp single-action trigger – consistent and smooth, with short tactile reset
- Ergonomic polymer frame fits 95% of all shooters
- Ambidextrous slide control
- “Fighting surface” on rear sight – for one-hand slide operation
- Optimized grip angle – reduces felt recoil and increases shootability
- Trigger guard undercut – allows higher hand hold for increased control
- Drift adjustable sights – easily adjusts sights to user preference
- Easy loading, double-stack magazines
- PVD finish on slide and barrel for maximum durability
- Small, medium and large replaceable backstrap



ERGONOMIC POLYMER FRAME

SPECS AT A GLANCE.

For a complete list of all model specifications, see page 201.

| MODEL | ORDER NO. | CAPACITY | CALIBER | BARREL LENGTH | FRAME MATERIAL |
|------------------------|-----------|----------|--------------|---------------|----------------|
| RP45 | 96464 | 15+1 | 45 Auto +P | 4½" | Polymer |
| RP45 Restricted | 96474 | 10+1 | 45 Auto +P | 4½" | Polymer |
| RP 45 RP9 Night Sights | 96257 | 15+1 | 45 Auto +P | 4½" | Polymer |
| | 96256 | 15+1 | 9mm Luger +P | 4½" | Polymer |
| RP9 | 96466 | 18+1 | 9mm Luger +P | 4½" | Polymer |
| RP9 Restricted | 96476 | 10+1 | 9mm Luger +P | 4½" | Polymer |


AMMUNITION



PREMIER TSS TURKEY LOADS



REMINGTON SUBSONIC



HYPERSONIC BONDED



HOG HAMMER



PREMIER SCIROCCO

| | |
|----------------------------|-----|
| Rifle | 106 |
| Muzzleloading | 124 |
| Shotshell | 126 |
| Reloading Components | 146 |
| Handgun | 148 |
| Rimfire | 162 |



PREMIER FAMILY

THE TOUGHEST POLYMER-TIPPED BULLET PERIOD.

PREMIER SCIROCCO BONDED. The remarkable Premier Scirocco® Bonded bullet by Swift® maintains its status as the industry leader in bonded, tipped bullets by delivering the highest ballistic coefficient of any bullet of its kind for the flattest trajectory and maximum retained energy. Combine that with unsurpassed accuracy and superior weight retention, Premier Scirocco is unquestionably the most effective bonded, tipped bullet to sit atop a factory load. When ultimate accuracy and performance is needed, turn to Scirocco.

Expands reliably over a wide range of terminal velocities



| PREMIER SCIROCCO BONDED | | | |
|----------------------------|-----------|------------------|-----------------------|
| CARTRIDGE | ORDER NO. | BULLET WT. (GR.) | BULLET TYPE |
| 243 Win | 29320 | 90 | Swift Scirocco Bonded |
| 270 Win | 29322 | 130 | Swift Scirocco Bonded |
| 7mm Remington Magnum | 29316 | 150 | Swift Scirocco Bonded |
| 7mm Remington Ultra Magnum | 29335 | 150 | Swift Scirocco Bonded |
| 30-06 Sprg | 29318 | 150 | Swift Scirocco Bonded |
| 30-06 Sprg | 29328 | 180 | Swift Scirocco Bonded |
| 300 WSM | 29345 | 180 | Swift Scirocco Bonded |
| 300 Win Mag | 29330 | 180 | Swift Scirocco Bonded |
| 300 Remington Ultra Magnum | 27950 | 150 | Swift Scirocco Bonded |
| 300 Remington Ultra Magnum | 27936 | 180 | Swift Scirocco Bonded |
| 308 Win | 29332 | 165 | Swift Scirocco Bonded |
| 6.5 Creedmoor | 29344 | 130 | Scirocco |

For more information on ballistics, see pages 206-210.



5 SHOTS, .8" @ 100 YDS.
30-06, 180-gr.
Premier Scirocco Bonded

A TIPPED BULLET THAT POWERS THROUGH.

- 1 PRECISION-SHAPED POLYMER TIP**
Initiates expansion
- 2 JACKET AND CORE LOCKED TOGETHER**
With proven Swift bonding technology
- 3 SLEEK PROFILE**
For optimum ballistic coefficient
- 4 BOAT TAIL BASE DESIGN**
For improved downrange performance



PRECISELY THE HUNTING BULLET OF YOUR DREAMS.

PREMIER ACCUTIP. It's the perfect advancement of match-grade accuracy and deer-stopping terminal results. Optimized to deliver superior match-grade accuracy and maximum downrange energy whenever, and wherever you need it, every time. AccuTip bullets expand quickly - producing an awesome level of transferred energy - to dispatch game with lightning authority. And specially engineered for varmint hunting, AccuTip-V bullets are optimized for match-grade accuracy and explosive on-game results. At impact, its gold polymer tip is driven rearward causing the thin jacket and soft lead core to fragment violently.

ONE SERIOUSLY LETHAL HUNTING TIP.

- 1 POLYMER TIP**
Eliminates nose deformation, improves long range ballistics, initiates rapid expansion
- 2 SLEEK PROFILE**
Optimizes ballistic coefficient for flat trajectory
- 3 JACKET THICKNESS**
Tuned for violent terminal performance on medium-sized game
- 4 MATCH-GRADE ACCURACY**
Center of gravity adjusted rearward to maximize accuracy



PREMIER MATCH.

Ever hear the phrase, "You could drive tacks with 'em?" Well, they're probably talking about Remington Premier Match ammunition. Using only match-grade bullets, Premier Match ammunition employs special loading practices to ensure world-class performance and accuracy with every shot. Maybe some day there will be a stronger word than accurate to describe Premier Match. Until then, we'll continue to prove it on paper.



5 SHOTS, .6" @ 100 YDS.
308 Win, 168-gr.
Premier Match

| PREMIER ACCUTIP | | | |
|------------------------|-----------|------------------|----------------------|
| CARTRIDGE | ORDER NO. | BULLET WT. (GR.) | BULLET TYPE |
| 17 Remington | 29162 | 20 | AccuTip-V |
| 17 Remington Fireball | 29165 | 20 | AccuTip-V |
| 204 Ruger | 29218 | 32 | AccuTip-V |
| | 29220 | 40 | AccuTip-V, Boat Tail |
| 22 Hornet | 29154 | 35 | AccuTip-V |
| 221 Remington Fireball | 29172 | 50 | AccuTip-V, Boat Tail |
| 222 Remington | 29174 | 50 | AccuTip-V, Boat Tail |
| | 29184 | 50 | AccuTip-V, Boat Tail |
| | 29192 | 55 | AccuTip |
| 22-250 Remington | 29186 | 50 | AccuTip-V, Boat Tail |
| 243 Win | 29194 | 75 | AccuTip-V, Boat Tail |
| | 29196 | 95 | AccuTip |
| 270 Win | 29200 | 130 | AccuTip, Boat Tail |
| 280 Remington | 29202 | 140 | AccuTip, Boat Tail |
| 7mm Remington Magnum | 29204 | 140 | AccuTip, Boat Tail |
| | 29206 | 150 | AccuTip, Boat Tail |
| 30-06 Sprg | 29208 | 150 | AccuTip, Boat Tail |
| | 29210 | 165 | AccuTip, Boat Tail |
| | 29226 | 180 | AccuTip, Boat Tail |
| 300 Win Mag | 29212 | 180 | AccuTip, Boat Tail |
| 308 Win | 29214 | 165 | AccuTip, Boat Tail |
| 450 Bushmaster | 27943 | 260 | AccuTip |

| PREMIER MATCH | | | |
|---------------------|-----------|------------------|----------------------------------|
| CARTRIDGE | ORDER NO. | BULLET WT. (GR.) | BULLET TYPE |
| 6mm Creedmoor | 27651 | 112 | Barnes Open Tip Match Boat Tail |
| 223 Remington | 22106 | 62 | HP, Match |
| 223 Remington | 27680 | 69 | MatchKing Boat Tail Hollow Point |
| 223 Remington | 27686 | 77 | MatchKing Boat Tail Hollow Point |
| 260 Remington | 27665 | 140 | Barnes Open Tip Match Boat Tail |
| 6.5 Creedmoor | 27661 | 140 | Barnes Open Tip Match Boat Tail |
| 6.8mm Remington SPC | 27676 | 115 | MatchKing Boat Tail Hollow Point |
| 300 AAC Blackout | 21503 | 125 | MatchKing Open Tip Match |
| 308 Win | 21485 | 168 | MatchKing Boat Tail Hollow Point |
| 308 Win | 21486 | 175 | MatchKing Boat Tail Hollow Point |
| NEW 6.5 Grendel | 27647 | 120 | Barnes Open Tip Match Boat Tail |

For more information on ballistics, see pages 206-210.

BACK TO BASICS

FIELD TESTING REMINGTON'S HTP COPPER AMMUNITION

By Alfredo Rico | *Featured in Guns & Ammo*

I returned to Texas and found myself in the middle of roughly 10,500 acres near San Angelo, Texas, that provided the backdrop for my field evaluation of Remington High Terminal Performance (HTP) Copper ammunition loaded with Barnes' famous TSX projectiles. The last time I was in these parts, I chased aoudad up its mountainous landscape. This time, free-range whitetail were my quarry.

I carried a Remington Model 700 American Wilderness Rifle (AWR) that's based on a rifle first manufactured in 1962. I selected one chambered for the century-old .30-'06 Springfield. Of course, Remington has been making firearms for over 200 years.

Besides harvesting some venison, I used this hunt to further evaluate Remington's High Terminal Performance (HTP) ammunition, which is loaded with Barnes' 168-grain Triple-Shock X bullet (TSX). Barnes' TSX is a projectile that's sometimes overshadowed by the recent trend toward hunting with long-range, ballistic-tipped expanders.

As time has proven, there are several benefits of using a monolithic bullet over a jacketed bullet with a lead core. Monolithic bullets are lighter than their jacketed-lead counterparts and achieve higher velocities when similar loads are compared. They also retain almost 100 percent of their weight and don't require bonding technology to stay together.

Jacketed lead-core bullets are known to lose an average of one-third of their weight while penetrating due to core-jacket separation and other contributing factors. As a result, many of us have found that monolithic copper bullets will have greater terminal performance than their jacketed-core counterparts.

The series of grooves found on the TSX bullet provide a space for the displaced copper to flow as the bullet travels down the bore rather than accumulating on the bearing surface. This feature reduces friction and fouling, while improving accuracy.

Day one started in the late afternoon as my guide, Ruben Cantu of Wildlife Systems, put me in a box blind nestled in a small valley. With my

camera placed on a chair next to me, I watched the sky turn deeper shades of blue before the golden hour. I saw a silver fox chasing moths through the dry grass before deer slowly emerged seemingly out of nowhere. The scene begged the photographer in me to grab my camera. Before I realized it, the field was brimming with deer.

During the next couple of days, we alternated hunting from a blind to heading out safari-style, which meant that we'd explore the expansive landscape on an ATV and walk into areas where Cantu thought we'd find deer. We hid under thickets of Manzanita trees and rattled deer using plastic antlers. Cantu's strategy worked; at one point we had three deer within 20 yards inspecting the noise, leaving us in awe as we silently observed the trio.

As we kept rattling, a beautiful eight-pointer entered my field of view and presented his broad side in my scope as he scrounged the ground. I traced the back of his front leg with the center of the duplex crosshair until I was above the crease. I locked in on

him and pulled the trigger. The busy field quickly emptied.


The Barnes TSX performed beautifully. The bullet dumped most of its energy inside the animal causing the exit wound to be as small as the entrance wound. There was some blood at the impact area, but not a drop for another 20 yards. Following the trail,

we found him a short 10 yards later. Unfortunately, I was unable to locate the projectile.

Collecting the buck, we headed back to the lodge to inspect the internal effectiveness of the TSX. On the inside of the rib cage where the bullet entered, we found that it had rapidly expanded and shattered two

ribs. The bullet continued through the chest cavity traumatizing both lungs before exiting. "This was a classic two-lung hit," Cantu said. "This deer wasn't going anywhere."





HIGH TERMINAL PERFORMANCE (HTP) COPPER

UNMATCHED BARNES PERFORMANCE, POWERED BY REMINGTON.

HTP COPPER. Engineered for maximum terminal performance in the field, HTP Copper is built to the highest industry standards with premium components to provide hunters with the fullest measure of copper-powered confidence. Its Barnes TSX bullet is precision engineered with four cutting petals that deliver massive expansion, deep penetration and near 100% weight retention, every time. It's tremendous terminal performance and integrity only a one-piece bullet can provide.



MODEL 700 AWR

The most accurate production rifle in history, built to endure anything. See page 57.

| HTP COPPER (HIGH TERMINAL PERFORMANCE) | | | |
|--|-----------|------------------|----------------|
| CARTRIDGE | ORDER NO. | BULLET WT. (GR.) | BULLET TYPE |
| 223 Remington | 27699 | 62 | Barnes TSX BT |
| 22-250 Remington | 27726 | 50 | Barnes TSX BT |
| 6.5 Creedmoor | 27716 | 120 | Barnes TSX BT |
| 270 Win | 27717 | 130 | Barnes TSX BT |
| 270 WSM | 27715 | 140 | Barnes TSX BT |
| 7mm Remington Magnum | 27718 | 140 | Barnes TSX BT |
| 7mm Remington Ultra Magnum | 27719 | 150 | Barnes TSX BT |
| 300 AAC Blackout | 27710 | 130 | Barnes TSX FB |
| 30-30 Win | 27711 | 150 | Barnes TSX FN |
| 30-06 Sprg | 27707 | 168 | Barnes TSX BT |
| 308 Win | 27708 | 168 | Barnes TSX BT |
| 300 Win Mag | 27720 | 180 | Barnes TSX BT |
| 300 Remington Ultra Magnum | 27722 | 180 | Barnes TSX BT |
| 45-70 Govt | 27736 | 300 | Barnes TSX FN |
| NEW 450 Bushmaster | 27739 | 250 | Barnes TTSX FN |

For more information on ballistics, see pages 206-210.

ALL COPPER. PURE DEVASTATION.


- 1 HOLLOW POINT CAVITY**
Reliable and predictable expansion
- 2 SLEEK BULLET PROFILE**
Laser-flat trajectory
- 3 ACCU-GROOVE™**
Decreased fouling and excellent accuracy
- 4 PRECISION HEEL RADIUS**
Extreme accuracy

Four "cutting petals" expand to double the bullet's original diameter for long, wide wound channels.




THE CUTTING EDGE OF MASSIVE WOUND CHANNELS.

It's the most devastatingly powerful performance in big game hunting. Constructed with an all-copper Barnes TSX Bullet, HTP Copper generates deeper penetration than standard lead-core bullets while delivering rapid, 2X+ expansion – on even the thickest-skinned animals. Hands down, the toughest and deadliest expansion bullet in the industry.



Massive expansion initiated



Uniform wound channel with bullet exiting intact



Full pass-through with devastating trauma





HYPERSONIC BONDED



THE MOST LETHAL BIG-GAME AMMUNITION EVER DEvised.

With hyper-charged velocities up to 200fps faster than standard loads, HyperSonic Bonded delivers more than just laser-flat trajectories and higher downrange energies. It plows through hide, meat and bone with unrivaled devastation thanks to the ingenuity of Remington engineers who took today's most advanced bonded bullet design – Core-Lokt Ultra Bonded – and paired it with a proprietary blend of propellants to find the perfect, lethal match. No other high-velocity load on the market can measure up.

| HYPERSONIC BONDED | | | |
|-------------------|-----------|------------------|-----------------------------|
| CARTRIDGE | ORDER NO. | BULLET WT. (GR.) | BULLET TYPE |
| 223 Remington | 28919 | 62 | Core-Lokt Ultra Bonded, PSP |
| 243 Win | 28923 | 100 | Core-Lokt Ultra Bonded, PSP |
| 270 Win | 28955 | 140 | Core-Lokt Ultra Bonded, PSP |
| 30-06 Sprg | 29007 | 150 | Core-Lokt Ultra Bonded, PSP |
| 30-06 Sprg | 29009 | 180 | Core-Lokt Ultra Bonded, PSP |
| 300 Win Mag | 29033 | 180 | Core-Lokt Ultra Bonded, PSP |
| 308 Win | 29119 | 150 | Core-Lokt Ultra Bonded, PSP |

For more information on ballistics, see pages 206-210.

HOG HAMMER



WAGE WAR ON FERAL SWINE WITH DEEPER PENETRATION AND RAPID ON-HOG EXPANSION.

For whacking and stacking swine, nothing delivers a bigger pig-pulverizing punch than Hog Hammer. It penetrates even the thickest-skinned pigs with a Barnes TSX Bullet. With all-copper construction for deeper penetration than standard lead-core bullets, this is the toughest expanding bullet in the industry, offering near 100% weight-retention on-hog. Expands rapidly to 2X the diameter to carve massive wound channels.




MODEL 700-CP ARM BRACE

Hyper accurate and super compact, the ultimate bolt-action trail gun engineered for drilling big game, varmints and targets from the next zip code. See page 80.


GAME-CHANGING VELOCITY MEETS GAME-LEVELING BULLET DESIGN.

THE FLATTEST TRAJECTORIES.



OUR DEADLY FORMULA.

- BONDED CORE DESIGN** carries boosted velocities and energies through heavy bone with absolute lethal command.
- PROPRIETARY PROPELLANT BLEND** delivers velocities up to 200 fps faster than standard loads.



| HOG HAMMER | | | |
|---------------------------|-----------|------------------|-----------------------|
| CARTRIDGE | ORDER NO. | BULLET WT. (GR.) | BULLET TYPE |
| 223 Remington | 27700 | 62 | Barnes TSX Boat Tail |
| 6.5 Creedmoor | 27797 | 120 | Barnes TSX Boat Tail |
| 270 Win | 27798 | 130 | Barnes TSX Boat Tail |
| 300 AAC Blackout | 27701 | 130 | Barnes TSX Flat Base |
| 30-30 Win | 27702 | 150 | Barnes TSX Flat Nose |
| 30-06 Sprg | 27703 | 168 | Barnes TSX Boat Tail |
| 308 Win | 27705 | 168 | Barnes TSX Boat Tail |
| 45-70 Govt | 27807 | 300 | Barnes TSX Flat Nose |
| NEW 450 Bushmaster | 27809 | 250 | Barnes TTSS Boat Tail |


For more information on ballistics, see pages 206-210.



CORE-LOKT


THE WORLD'S BEST-SELLING CENTERFIRE HUNTING AMMUNITION.

Since 1939, more hunters have relied on Remington Core-Lokt than any other big-game ammunition, and rightfully so. It's filled more tags on more continents than any other load. Core-Lokt is the original controlled-expansion bullet. Its time-proven performance has made it hunting's first choice for over 79 years. The tapered copper jacket is locked to a solid lead core delivering massive 2X expansion, high weight retention and consistent on-game results. It's available in soft point, hollow point and pointed soft point versions, and in a range of bullet weights for virtually every centerfire hunting caliber made. Trust your next hunt to the best-selling centerfire hunting ammunition of all time.



THE DEADLIEST MUSHROOM IN THE WOODS

- 1 CONSISTENT 2X EXPANSION**
For large terminal wound channels
- 2 DEEP PENETRATION**
And high weight retention
- 3 PROVEN LETHAL**
The original controlled-expansion bullet



- 1 SOFT POINT SHAPE**
Provides broad frontal area for high-energy impact and rapid expansion
- 2 SPITZER PROFILE**
For improved velocity and flatter trajectory
- 3 BULLET CORE "LOKT" IN PLACE**
To provide deep penetration
- 4 JACKET DESIGNED FOR PROGRESSIVE, RELIABLE EXPANSION**
To almost twice the original diameter

CORE-LOKT

WE'VE PUSHED ITS TECHNOLOGY THROUGH MILLIONS OF DEER.

Amid the comings and goings of countless imitators and emulators, Remington Core-Lokt has remained the best-selling centerfire hunting ammunition the world has ever seen for eight decades.

The most trusted among generations of American big game hunters. The most common thread, and end, to more hunting stories throughout the modern sporting era. It's the product of constant innovations and improvements to materials and manufacturing processes.

Since 1939, the original controlled-expansion bullet, and deadliest mushroom in the woods, has only grown stronger. And it's not about to let up.



MODEL 783

This no-frills bolt-action workhorse is all hunt. Its host of best-in-class features deliver tack-driving precision and unequalled performance. See page 71.

TESTED. PROVEN FOR TERMINAL DEVASTATION.

Creating explosive cavities in ballistic gelatin, Remington engineers have devised the ultimate performer for devastating wound channels.



| CORE-LOKT POINTED SOFT POINT | | | |
|-------------------------------|-----------|------------------|----------------------------------|
| CARTRIDGE | ORDER NO. | BULLET WT. (GR.) | BULLET TYPE |
| 6mm Creedmoor | 29049 | 100 | Pointed Soft Point |
| 6mm Remington | 29051 | 100 | Pointed Soft Point |
| 223 Remington | 22111 | 62 | Pointed Soft Point, Ultra Bonded |
| 243 Win | 27802 | 100 | Pointed Soft Point |
| 25-06 Remington | 21507 | 100 | Pointed Soft Point |
| | 21515 | 120 | Pointed Soft Point |
| 25-20 Win | 28364 | 86 | Pointed Soft Point |
| 250 Sav | 29077 | 100 | Pointed Soft Point |
| 6.5 x 55 Swedish | 29140 | 140 | Pointed Soft Point |
| 260 Remington | 21292 | 140 | Pointed Soft Point |
| 264 Win Mag | 29493 | 140 | Pointed Soft Point |
| 270 Win | 21325 | 100 | Pointed Soft Point |
| | 27808 | 130 | Pointed Soft Point |
| 270 WSM | 28940 | 130 | Pointed Soft Point |
| 280 Remington | 28313 | 140 | Pointed Soft Point |
| | 29069 | 150 | Pointed Soft Point |
| 7mm-08 Remington | 21337 | 140 | Pointed Soft Point |
| 6.5 Creedmoor | 27657 | 140 | Pointed Soft Point |
| 7mm Remington Magnum | 28821 | 140 | Pointed Soft Point |
| | 29487 | 150 | Pointed Soft Point |
| | 27814 | 175 | Pointed Soft Point |
| 7mm Mauser (7x57) | 29031 | 140 | Pointed Soft Point |
| 7mm Remington SA Ultra Magnum | 27874 | 150 | Pointed Soft Point |
| 7mm Remington Ultra Magnum | 27759 | 150 | Pointed Soft Point |
| 7 x 64 Brenneke | 29130 | 140 | Pointed Soft Point |
| 30-40 Krag | 28345 | 180 | Pointed Soft Point |
| 30-06 Sprg | 21401 | 125 | Pointed Soft Point |
| | 27826 | 150 | Pointed Soft Point |
| | 21415 | 165 | Pointed Soft Point |
| | 27828 | 180 | Pointed Soft Point |
| 300 Savage | 21465 | 150 | Pointed Soft Point |
| 300 Win Mag | 29495 | 150 | Pointed Soft Point |
| | 29497 | 180 | Pointed Soft Point |
| NEW 450 Bushmaster | 27941 | 300 | Pointed Soft Point |

| CORE-LOKT POINTED SOFT POINT | | | |
|-------------------------------------|-----------|------------------|--------------------|
| CARTRIDGE | ORDER NO. | BULLET WT. (GR.) | BULLET TYPE |
| 300 WSM | 29489 | 150 | Pointed Soft Point |
| 308 Win | 27842 | 150 | Pointed Soft Point |
| | 21479 | 180 | Pointed Soft Point |
| 300 Wby Mag | 29279 | 180 | Pointed Soft Point |
| 7.62 x 39mm | 29125 | 125 | Pointed Soft Point |
| 300 Remington SA Ultra Magnum | 27954 | 165 | Pointed Soft Point |
| 300 Remington Ultra Magnum | 27641 | 180 | Pointed Soft Point |
| 30 Remington AR | 29485 | 150 | Pointed Soft Point |
| 338 Remington Ultra Magnum | 27942 | 250 | Pointed Soft Point |
| 338 Win Mag | 22189 | 225 | Pointed Soft Point |
| | 22191 | 250 | Pointed Soft Point |
| 35 Whelen | 21495 | 200 | Pointed Soft Point |
| CORE-LOKT SOFT POINT | | | |
| CARTRIDGE | ORDER NO. | BULLET WT. (GR.) | BULLET TYPE |
| 257 Roberts | 28335 | 117 | Soft Point |
| 270 Win | 27810 | 150 | Soft Point |
| 280 Remington | 28417 | 165 | Soft Point |
| 30 Carbine | 28322 | 110 | Soft Point |
| 30-30 Win | 27818 | 150 | Soft Point |
| | 27820 | 170 | Soft Point |
| 30-06 Sprg | 21407 | 180 | Soft Point |
| | 27830 | 220 | Soft Point |
| 308 Marlin Express | 27848 | 150 | Soft Point |
| 308 Win | 27844 | 180 | Soft Point |
| 303 British | 21471 | 180 | Soft Point |
| 32 Win Special | 21489 | 170 | Soft Point |
| 35 Remington | 27852 | 200 | Soft Point |
| 444 Marlin | 29475 | 240 | Soft Point |
| 45-70 Government (Full Pressure) | 21459 | 405 | Soft Point |
| 45-70 Government (Reduced Pressure) | 29473 | 405 | Soft Point |
| CORE-LOKT HOLLOW POINT | | | |
| CARTRIDGE | ORDER NO. | BULLET WT. (GR.) | BULLET TYPE |
| 30-30 Win | 21395 | 170 | Hollow Point |

For more information on ballistics, see pages 206-210.



REMINGTON SUBSONIC

BREAKTHROUGH ACCURACY THAT NEVER BREAKS THE SOUND BARRIER.

The result of a joint collaboration between AAC and Remington, these new SubSonic loads are engineered for optimal performance when paired with a suppressor. Loaded with premium components under stringent quality controls, these loads deliver consistent, subsonic velocity to prevent supersonic cracks. Bullets in full profile jacketed and open-tip flat base eliminate lead buildup in silencer ports. Choose from 9mm Luger, 45 Auto, 300 AAC Blackout, and 22 LR.



MODEL 700 SPS TACTICAL

The most maneuverable, tack-driving member of the SPS family features a heavy, 20" free-floating barrel, adjustable trigger and Hogue® over-mold stock for the ultimate in compact handling and precision. See page 54.


| REMINGTON SUBSONIC | | | |
|--------------------|-----------|------------------|---------------------|
| CARTRIDGE | ORDER NO. | BULLET WT. (GR.) | BULLET TYPE |
| 300 AAC Blackout | 28430 | 220 | Open Tip, Flat Base |

For more information on ballistics, see pages 206-210.

ULTIMATE DEFENSE RIFLE BONDED

MAXIMIZE YOUR AR'S POWER TO DEFEND.

It's the world-class accuracy and controlled expansion reliability you've come to expect in a bonded bullet, engineered to elevate your personal defense preparedness to a new level. Ultimate Defense Rifle Bonded centerfire bullets are manufactured for ultimate bonded bullet performance, offering absolute reliability from point blank to 500 yards – and absolute peace of mind everywhere it matters most.



| ULTIMATE DEFENSE RIFLE BONDED | | | |
|-------------------------------|-----------|------------------|------------------------|
| CARTRIDGE | ORDER NO. | BULLET WT. (GR.) | BULLET TYPE |
| 223 Remington | 22107 | 62 | Core-Lokt Ultra Bonded |

For more information on ballistics, see pages 206-210.

MODERN SPORTING RIFLE



223 REMINGTON

One of the most popular rounds among American shooters today, 223 Remington rifle cartridges offer fast velocity with relatively low recoil. Perfect for recreational shooting, varmint and small predator hunting, even personal defense and big game hunting. Available in Premier Match, High Performance Rifle, UMC, Core-Lokt, HTP Copper, HyperSonic Bonded and Ultimate Defense loads.



300 AAC BLACKOUT

The ultimate 30-cal solution for the MSR platform. It matches the ballistic power of the 7.62x39mm, but at 300 meters has 16.7% more energy. Optimal for sound and flash-suppressed fire, all in a low-recoiling package. Featuring waterproofed primers, crimped and cannelured open-tip match bullets, and a low-drag design.



PREMIER ACCUTIP 450 BUSHMASTER


The "Big Thumper" gets a big dose of aerodynamics and devastating expansion from your 450 Bushmaster and we load it with perhaps the most accurate 45-caliber bullet ever devised. Featuring our Power Port tip, this 260-grain AccuTip projectile delivers exceptional flight characteristics for ultimate downrange precision and sustained energy. Its high-strength cartridge-brass jacket and spiral nose cuts combine to drive huge, uniform mushrooms through the toughest game with ease.



30 REMINGTON AR

With big game dropping ballistics like the vaunted 308 Win. This blend of devastating power and speed is a major advancement in big-game hunting technology. Available in Core-Lokt.

THE MODERN HUNTING RIFLE HAS EVOLVED. USE THE AMMUNITION TO MATCH.



| MODERN SPORTING RIFLE | | | | |
|---------------------------|-------------------------------|-----------|------------------|---------------------------------|
| CARTRIDGE | DESCRIPTION | ORDER NO. | BULLET WT. (GR.) | BULLET TYPE |
| 223 Remington | UMC | 23711 | 55 | Full Metal Jacket |
| | UMC | 23748 | 45 | Jacketed Hollow Point |
| | UMC | 23812 | 50 | Jacketed Hollow Point |
| | Core-Lokt | 22111 | 62 | Core-Lokt® Ultra Bonded, PSPCLU |
| | High Performance Rifle | 21303 | 55 | Pointed Soft Point |
| | Premier AccuTip | 29184 | 50 | AccuTip-V, Boat Tail |
| | Premier AccuTip | 29192 | 55 | AccuTip |
| | Premier Match | 22106 | 62 | Hollow Point Match |
| | Premier Match | 27680 | 69 | MatchKing BTHB |
| | Premier Match | 27686 | 77 | MatchKing BTHB |
| | HTP Copper | 27699 | 62 | Barnes TSX BT |
| | Ultimate Defense Rifle Bonded | 22107 | 62 | Core-Lokt Ultra Bonded |
| | Hog Hammer | 27700 | 62 | Barnes TSX BT |
| NEW 6.5 Grendel | Premier Match | 27647 | 140 | Match Burner OTM BT |
| 6.8mm Remington SPC | UMC | 24035 | 115 | Full Metal Jacket |
| | Premier Match | 27676 | 115 | MatchKing BTHB |
| 300 AAC Blackout | UMC | 21421 | 120 | Open-Tip Flat Base |
| | UMC | 24026 | 220 | Open-Tip Flat Base |
| | Premier Match | 21503 | 125 | MatchKing Flat Base |
| | HTP Copper | 27710 | 130 | Barnes TSX BT |
| | Hog Hammer | 27701 | 130 | Barnes TSX BT |
| | Remington SubSonic | 28430 | 220 | OTFB |
| | UMC | 21422 | 220 | OTFB |
| 30 Remington AR | Core-Lokt | 29485 | 150 | Core-Lokt PSP |
| 308 Win | UMC | 23715 | 150 | Full Metal Jacket |
| | HyperSonic Rifle | 29119 | 150 | Core-Lokt® Ultra Bonded, PSP |
| | Core-Lokt | 27842 | 150 | Pointed Soft Point |
| | Core-Lokt | 21479 | 180 | Pointed Soft Point |
| | Core-Lokt | 27844 | 180 | Soft Point |
| | Hog Hammer | 27705 | 168 | Barnes TSX BT |
| | Premier Match | 21485 | 168 | MatchKing BTHB |
| | Premier Match | 21486 | 175 | MatchKing BTHB |
| | Premier AccuTip | 29214 | 165 | AccuTip Boat Tail |
| | Premier Scirocco Bonded | 29332 | 165 | Swift Scirocco Bonded |
| | HTP Copper | 27708 | 168 | Barnes TSX BT |
| NEW 450 Bushmaster | Premier AccuTip | 27943 | 260 | Core-Lokt Ultra Bonded |
| | UMC | 27941 | 300 | Core-Lokt PSP |

For more information on ballistics, see pages 206-210.



HIGH PERFORMANCE RIFLE


LOADS FOR EVERY PURSUIT CRAFTED TO ONE SUPERIOR STANDARD.

As America's oldest rifle maker, Remington also has a proud heritage of innovating rifle ammunition. Assembled with premium components honed to ultra-tight tolerances, our High Performance Rifle series more than lives up to its name. And it's available in a wide range of calibers, bullet weights and styles. In the field, forest or at the range, there's a Remington High Performance Rifle round tailor-made to match any pursuit.

| HIGH PERFORMANCE RIFLE | | | |
|----------------------------|-----------|------------------|----------------------------|
| CARTRIDGE | ORDER NO. | BULLET WT. (GR.) | BULLET TYPE |
| 17 Remington | 28460 | 25 | Hollow Point |
| 22 Hornet | 28376 | 45 | Pointed Soft Point |
| 220 Swift | 21297 | 50 | Pointed Soft Point |
| 223 Remington | 21303 | 50 | Pointed Soft Point |
| | 28399 | 55 | Pointed Soft Point |
| 22-250 Remington | 21311 | 55 | Pointed Soft Point |
| 243 Win | 27800 | 80 | Pointed Soft Point |
| 6.5 Creedmoor | 27671 | 140 | Boat-Tail Hollow Point |
| 32-20 Win | 28410 | 100 | Lead |
| 338 Marlin Express | 22184 | 250 | Pointed Soft Point |
| 35 Whelen | 21499 | 250 | Pointed Soft Point |
| 375 H&H Magnum | 29097 | 270 | Soft Point |
| 375 Remington Ultra Magnum | 29340 | 270 | Soft Point |
| 45-70 Govt | 21463 | 300 | Semi-Jacketed Hollow Point |
| NEW 6.5 Grendel | 27649 | 120 | Boat-Tail Hollow Point |

For more information on ballistics, see pages 206-210.

A BULLET FOR EVERY PASSION.



HOLLOW POINT

POINTED SOFT POINT

BOAT TAIL HOLLOW POINT

SOFT POINT

UMC RIFLE

LOADED WITH AMERICAN PRIDE IN CRAFT.

Loaded in the USA, value-priced and ideal for high-volume shooting, our UMC centerfire rifle ammunition is loaded in eight popular calibers, including the 308 Win, 7.62x39mm and 30 Carbine. The 45- and 50-grain jacketed hollow point loads in 223 Remington and 22-250 Remington are perfect for varmint hunters. Also available in 6.8mm Remington SPC.



| UMC RIFLE CARTRIDGES (20 & 50* ROUND PACK) | | | |
|--|-----------|------------------|-----------------------|
| CARTRIDGE | ORDER NO. | BULLET WT. (GR.) | BULLET TYPE |
| 223 Remington | 23711 | 55 | Full Metal Jacket |
| | 23748 | 45 | Jacketed Hollow Point |
| | 23812 | 50 | Jacketed Hollow Point |
| 22-250 Remington | 23750 | 45 | Jacketed Hollow Point |
| | 23813 | 50 | Open Tip Flat Base |
| 300 AAC Blackout | 21422 | 220 | Open Tip Flat Base |
| | 21421 | 120 | Open Tip Flat Base |
| 30 Carbine* | 23712 | 110 | Full Metal Jacket |
| 6.8mm Remington SPC | 24035 | 115 | Full Metal Jacket |
| 308 Win | 23715 | 150 | Full Metal Jacket |
| 30-06 Sprg | 23699 | 150 | Full Metal Jacket |
| 303 British | 23701 | 174 | Full Metal Jacket |
| NEW 450 Bushmaster | 23661 | 260 | Full Metal Jacket |

| UMC RIFLE CARTRIDGES (40 & 50* ROUND VALUE PACK) | | | |
|--|-----------|------------------|-----------------------|
| CARTRIDGE | ORDER NO. | BULLET WT. (GR.) | BULLET TYPE |
| 223 Remington | 23906 | 45 | Jacketed Hollow Point |
| | 23908 | 50 | Jacketed Hollow Point |
| | 23966 | 55 | Full Metal Jacket |
| 22-250 Remington | 23769 | 45 | Jacketed Hollow Point |
| | 23783 | 50 | Jacketed Hollow Point |
| 300 AAC Blackout | 24024 | 120 | Open Tip Flat Base |
| | 24026 | 220 | Open Tip Flat Base |
| 308 Win* | 23971 | 150 | Full Metal Jacket |

| UMC RIFLE CARTRIDGES (FREEDOM BUCKETS) | | | |
|--|-----------|------------------|--------------------|
| CARTRIDGE | ORDER NO. | BULLET WT. (GR.) | BULLET TYPE |
| 223 Remington | 23897 | 55 | Full Metal Jacket |
| 300 AAC Blackout | 24052 | 120 | Open Tip Flat Base |

For more information on ballistics, see pages 206-210.



MUZZLELOADER

BOLT-ACTION CENTERFIRE SIMPLICITY.

PRE-PRIMED CASES. Engineered exclusively for the Ultimate Muzzleloader, pre-primed cases load with the ease of any centerfire. And super-hot magnum primers ignite up to 200-grain loads with near smokeless efficiency. The flash channel stays clean and ready for the next load and there's no need to remove the breech plug for cleanup.



OUR BEST TIP FOR MUZZLELOADER ACCURACY.

PREMIER ACCUTIP. Take muzzleloader accuracy to the next level with 100% copper, Premier AccuTip bullets by Barnes. Riding in an EZ load sabot, the polymer tipped, 50 caliber, 250-grain bullet delivers rapid expansion with 100% weight retention. Designed for use in any 50-caliber muzzleloader.



MODEL 700 ULTIMATE MUZZLELOADER

Legendary Model 700 bolt-action reliability coupled with our innovative UML Ignition System delivers 300-yard lethal range and precision rivaling most centerfires. See page 64.

MUZZLELOADER ACCESSORIES

Purpose-built for muzzleloaders, these sturdy, solid-brass tools are designed for hard use in the 50-caliber muzzleloading rifle of your choice. See page 174.



YOUR MUZZLELOADER'S ULTIMATE PERFORMANCE ADVANTAGE.




UNLEASH ULTRA MAGNUM LOADS

With a dependable and durable design made of primed centerfire brass, the UML Ignition System handles 200-grain magnum charge - resulting in lethal 300-yard performance. For maximum burn and efficiency, use up to four (4) Hodgdon® Triple Seven® 50/50 pellets to safely achieve 2,400 fps (muzzle) in the Remington Ultimate Muzzleloader.

Do not load your muzzleloader in a way that is not prescribed by its owner's manual.



PETERS PREMIER BLUE AMMUNITION. 1887 LEGACY MEETS 2019 TECHNOLOGY.



CLASSIC RELIABILITY. MODERN ACCURACY & TERMINAL PERFORMANCE.

CENTERFIRE RIFLE.

The dependable big-game cartridges in the familiar blue box are back—now led by a modern, blue-polymer tip bullet, delivering match-grade accuracy and a new level of lethal game-flattening results. Or in classic Core-Lokt SP or SJHP style bullets in popular lever-action cartridges with proven Core-Lokt terminal performance. Either way, they're competitively priced and destined to become the cartridge of choice for generations to come. Available in popular hunting calibers from 243 Win to 45-70 Govt.

| PETERS PREMIER BLUE RIFLE CARTRIDGES | | | |
|--------------------------------------|-----------|------------------|----------------|
| CARTRIDGE | ORDER NO. | BULLET WT. (GR.) | BULLET TYPE |
| 243 Win | 27631 | 95 | Blue-Tipped FB |
| 270 Win | 27974 | 130 | Blue-Tipped BT |
| 6.5 Creedmoor | 28213 | 140 | Core-Lokt PSP |
| 7mm Remington Magnum | 28102 | 150 | Blue-Tipped BT |
| 30-06 Sprg | 27774 | 165 | Blue-Tipped BT |
| 300 Win Mag | 27989 | 180 | Blue-Tipped BT |
| 308 Win | 27991 | 165 | Blue-Tipped BT |
| 30-30 Win | 27767 | 150 | Core-Lokt SP |
| 444 Marlin | 28000 | 240 | Core-Lokt SP |
| 45-70 Govt | 28340 | 300 | SJHP |
| 45-70 Govt | 28341 | 405 | Core-Lokt SP |

For more information on ballistics, see pages 206-210.

DISTINCT BLUE SHELL. DEPENDABLE RESULTS.

WATERFOWL LOADS.

Back by popular demand, it's the high-brass shell renowned for high velocity steel and high performance. Its sealed, six-segment Peters crimp and Kleanbore® priming promotes fast, reliable ignition every time. Launching round steel shot with tight, uniform patterns.

FIELD AND TARGET LOADS.

Superior components and tight manufacturing tolerances make it the perfect choice for both upland and target. Proudly keeping the tradition of good value and consistent patterning alive and well in the field and on targets.

| PETERS PREMIER BLUE STEEL | | | | | |
|---------------------------|-------|--------------|-----------------------|----------------|-----------|
| ORDER NO. | GAUGE | LENGTH (IN.) | MUZZLE VELOCITY (FPS) | OUNCES OF SHOT | SHOT SIZE |
| 28799 | 12 | 3 | 1400 | 1 1/4 | BB |
| 28801 | 12 | 3 | 1400 | 1 1/4 | 2 |
| 28805 | 12 | 3 | 1400 | 1 1/4 | 3 |
| 28803 | 12 | 3 | 1400 | 1 1/4 | 4 |

| PETERS PREMIER BLUE FIELD & TARGET | | | | | |
|------------------------------------|-------|--------------|-----------------------|----------------|-----------|
| ORDER NO. | GAUGE | LENGTH (IN.) | MUZZLE VELOCITY (FPS) | OUNCES OF SHOT | SHOT SIZE |
| 28724 | 12 | 2 3/4 | 1145 | 1 1/8 | 7 1/2 |
| 28726 | 12 | 2 3/4 | 1145 | 1 1/8 | 8 |
| 28740 | 12 | 2 3/4 | 1200 | 1 1/8 | 7 1/2 |
| 28742 | 12 | 2 3/4 | 1200 | 1 1/8 | 8 |



WATERFOWL

HYPERSONIC STEEL

Most ducks are missed from behind, but the unprecedented velocity of Remington HyperSonic Steel compensates for this by reducing required lead by 8" at 40 yards (about a full body length) on a duck flying at average speed. It puts more pellets in the head and neck for quicker kills and fewer misses - without changing the way you shoot. With unprecedented velocity and the highest downrange pattern energies ever achieved, HyperSonic Steel takes lethality to new heights, to a level of terminal performance where more birds drop with fewer shots at the farthest reaches of your abilities. And only Remington harnessed the wad technology to do it.



THE WORLD'S FASTEST, HARDEST-HITTING STEEL.

- HIGH VELOCITY STEEL
(1450 fps, 1¼ oz.) @ 40 yds
- HYPERSONIC STEEL
(1700 fps, 1¼ oz.) @ 40 yds



AT 1,700 FPS,
HYPERSONIC STEEL GIVES YOU AN 8"
LEAD ADVANTAGE AT 40 YARDS.

QUICKER KILLS. FEWER MISSES.
11% SHORTER LEADS.
MORE HEAD & NECK HITS.



PATENTED XELERATOR WAD TECHNOLOGY

Our proprietary wad technology is the key to HyperSonic Steel's unprecedented velocity.

- 1 NEW HOTTER PRIMER**
Ignites small powder charge in chamber, moving entire payload forward slightly to control pressure.
- 2 IGNITION CHAMBER**
Produces higher velocities with safe pressures and full payloads.
- 3 XELERATOR WAD STRESS CONCENTRATOR**
Initiates petal splitting, which holds patterns tighter downrange.
- 4 PRIMARY POWDER CHARGE**
Ignites, accelerating the payload to speeds up to 1700 FPS.

| HYPERSONIC STEEL | | | | | |
|------------------|-------|--------------|-----------------------|----------------|-----------|
| INDEX/EDI NO. | GAUGE | LENGTH (IN.) | MUZZLE VELOCITY (FPS) | OUNCES OF SHOT | SHOT SIZE |
| HSS10C | 10 | 3½ | 1500 | 1½ | BBB |
| HSS10B | 10 | 3½ | 1500 | 1½ | BB |
| HSS102 | 10 | 3½ | 1500 | 1½ | 2 |
| HSS12B | 12 | 3 | 1700 | 1¾ | BB |
| HSS122 | 12 | 3 | 1700 | 1¾ | 2 |
| HSS124 | 12 | 3 | 1700 | 1¾ | 4 |
| HSS12MB | 12 | 3 | 1700 | 1¾ | BB |
| HSS12M1 | 12 | 3 | 1700 | 1¾ | 1 |
| HSS12M2 | 12 | 3 | 1700 | 1¾ | 2 |
| HSS12M3 | 12 | 3 | 1700 | 1¾ | 3 |
| HSS12M4 | 12 | 3 | 1700 | 1¾ | 4 |
| HSS1235B | 12 | 3½ | 1700 | 1¾ | BB |
| HSS12352 | 12 | 3½ | 1700 | 1¾ | 2 |
| HSS12354 | 12 | 3½ | 1700 | 1¾ | 4 |
| HSS20M2 | 20 | 3 | 1600 | 7/8 | 2 |
| HSS20M4 | 20 | 3 | 1600 | 7/8 | 4 |




NITRO-STEEL

MORE STEEL TO THE BIRDS. MORE BIRDS TO THE GROUND.

The steel serious waterfowlers depend on has been driven to new heights of performance. Remington NITRO-STEEL. Now with additional hard-hitting, higher velocity offerings. Premium, zinc-plated, 100% round pellets fly straight, delivering true close to long-range pattern performance. And NITRO-STEEL is fully compatible with aftermarket ported and wad-stripping chokes. It's a proprietary blend of components that produces more dead birds than any other load, year after year.




Premium, zinc-plated steel pellets, engineered for higher velocity, greater uniformity, straighter flight and tighter patterns.



V3 WATERFOWL

Any bird. Any load. Anywhere. Driven by the revolutionary VersaPort gas operating system, the V3 autoloader dependably cycles loads from 2 3/4" - 3" magnums with ease. It's decked butt-to-bore in Mossy Oak® Shadow Grass Blades Camo. See page 16.

FULL PAYLOADS. FULL PATTERNS. FULL LIMITS.




REMINGTON NITRO-STEEL

25 YARDS



LEADING COMPETITOR

Pattern from 20 gauge shotshell



REMINGTON NITRO-STEEL

40 YARDS



LEADING COMPETITOR



SPORTSMAN HI-SPEED STEEL LOADS

HIGH VELOCITY, HIGH VALUE.

- Economical, Hi-Speed steel loads
- Waterfowl loads for every hunting situation
- Upland loads for use in lead-free zones and for pre-season practice
- Shot size selection to match your game

| NITRO-STEEL | | | | |
|-------------|--------------|-----------------------|----------------|----------------|
| GAUGE | LENGTH (IN.) | MUZZLE VELOCITY (FPS) | OUNCES OF SHOT | SHOT SIZE |
| 10 | 3 1/2 | 1450 | 1 1/2 | 2 |
| 12 | 2 3/4 | 1390 | 1 1/8 | 4 |
| 12 | 2 3/4 | 1275 | 1 1/4 | BB, 2, 4 |
| 12 | 3 | 1450 | 1 1/4 | BB, 1, 2, 3, 4 |
| 12 | 3 | 1300 | 1 3/8 | T, BB, 2, 4 |
| 12 | 3 1/2 | 1500 | 1 1/2 | BB, 2 |
| 16 | 2 3/4 | 1300 | 1 5/16 | 2, 4 |
| 20 | 3 | 1400 | 1 | 4 |

| SPORTSMAN HI-SPEED STEEL | | | | |
|--------------------------|--------------|-----------------------|----------------|----------------|
| GAUGE | LENGTH (IN.) | MUZZLE VELOCITY (FPS) | OUNCES OF SHOT | SHOT SIZE |
| 10 | 3 1/2 | 1500 | 1 3/8 | BB, 2 |
| 12 | 2 3/4 | 1365 | 1 | 6, 7 |
| 12 | 2 3/4 | 1375 | 1 1/8 | 2, 4 |
| 12 | 3 | 1550 | 1 1/8 | BB, 2, 4 |
| 12 | 3 | 1400 | 1 1/4 | BB, 1, 2, 3, 4 |
| 12 | 3 | 1300 | 1 3/8 | BB, 2 |
| 12 | 3 1/2 | 1550 | 1 3/8 | BB, 2 |
| 20 | 2 3/4 | 1425 | 3/4 | 7 |
| 20 | 3 | 1300 | 1 | 2, 4 |



TURKEY

PREMIER TSS

New ultra-dense Tungsten Super Shot payloads deliver increased lethal range, denser patterns, massive new levels of knockdown power and, of course, more big ol' Toms to the ground. A density of 18 g/cc makes a smaller shot size viable over what you'd choose in lead, with an energy and velocity increase to boot, so you can put more pellets downrange with greater force, and put more of them in the head and neck. Every load is tuned for the tightest, most consistent patterns possible. And the most deadly spring turkey season of your life.



V3 TURKEY PRO

Comes covered butt-to-bore with Realtree® Edge camo and advanced Turkey-hunting features, including TruGlo® optic. See page 16.

| PREMIER TSS TURKEY LOADS | | | | | |
|--------------------------|-------|--------------|-----------------------|----------------|-----------|
| INDEX/EDI NO. | GAUGE | LENGTH (IN.) | MUZZLE VELOCITY (FPS) | OUNCES OF SHOT | SHOT SIZE |
| TSS1237 | 12 | 3 | 1200 | 1¼ | 7 |
| TSS1238 | 12 | 3 | 1200 | 1¼ | 8 |
| TSS1239 | 12 | 3 | 1200 | 1¼ | 9 |
| TSS2037 | 20 | 3 | 1100 | 1½ | 7 |
| TSS2039 | 20 | 3 | 1100 | 1½ | 9 |
| TSS41039 | 410 | 3 | 1050 | 7/8 | 9 |



PREMIER MAGNUM TURKEY HIGH VELOCITY

The high-performance lead load for avid turkey hunters. Three-inch and 3½" 12-gauge payload leaves the muzzle at 1300 fps. Delivers hard-hitting knockdown power. Loaded with our Power Piston one-piece wad and magnum-grade Copper-Lokt lead shot for dense patterns and deep penetration.



NITRO TURKEY

NITRO TURKEY EXTENDED RANGE BUFFERED MAGNUMS

- Nitro Mag extra-hard lead shot
- Patterns over 80% with super full choke
- Value priced

| PREMIER MAGNUM COPPER PLATED | | | | | |
|------------------------------|-------|--------------|-----------------------|----------------|-----------|
| INDEX/EDI NO. | GAUGE | LENGTH (IN.) | MUZZLE VELOCITY (FPS) | OUNCES OF SHOT | SHOT SIZE |
| P10HM | 10 | 3½ | 1210 | 2¼ | 4 |
| P12XHM | 12 | 3 | 1175 | 2 | 4, 5, 6 |
| P1235M | 12 | 3½ | 1150 | 2¼ | 4 |
| P20XHM | 20 | 3 | 1185 | 1¼ | 6 |

| PREMIER MAGNUM TURKEY HIGH VELOCITY COPPER PLATED | | | | | |
|---|-------|--------------|-----------------------|----------------|-----------|
| INDEX/EDI NO. | GAUGE | LENGTH (IN.) | MUZZLE VELOCITY (FPS) | OUNCES OF SHOT | SHOT SIZE |
| PHV12M | 12 | 3 | 1300 | 1¾ | 4, 5 |
| PHV1235M | 12 | 3½ | 1300 | 2 | 4, 5 |

| NITRO TURKEY | | | | | |
|---------------|-------|--------------|-----------------------|----------------|-----------|
| INDEX/EDI NO. | GAUGE | LENGTH (IN.) | MUZZLE VELOCITY (FPS) | OUNCES OF SHOT | SHOT SIZE |
| NT12 | 12 | 2¾ | 1260 | 1½ | 4, 5 |
| NT12H | 12 | 3 | 1210 | 1¾ | 4, 5, 6 |
| NT1235 | 12 | 3½ | 1300 | 2 | 4, 5, 6 |
| NT20M | 20 | 3 | 1185 | 1¼ | 5 |



UPLAND

NITRO PHEASANT LOADS

For pattern, energy and performance, nobody beats Nitro Pheasant. It uses the Remington Copper-Lokt copper-plated lead shot with high antimony content - the hardest lead we make for hunting. Hard shot stays rounder for truer flight, tighter patterns and greater penetration. So when it comes to bringing down tough birds like pheasant, you need a load that delivers maximum pattern density and lethal energy - you need Nitro Pheasant. Available in both high velocity and magnum loads in 20-gauge.

PHEASANT LOADS

For the broadest selection in game-specific upland lead shotshells, Remington Pheasant Loads are the perfect choice. Their high velocity and long-range performance are just right for any pheasant hunting situation. Standard high-brass payloads include 12-, 16-, and 20-gauge.

NITRO MAG BUFFERED MAGNUM LOADS

Excellent for dropping birds. Heavy payloads of magnum-grade shot are packed with polymer buffering and enclosed in our Power Piston one-piece wad to provide dense, even patterns and uniform shot strings.



GAME LOADS

Budget-stretching shotshells for a wide variety of hunting. Available in 12-, 16-, 20-gauge and 410 bore.



HEAVY DOVE LOADS

The hunter's choice for doves and a wide variety of game-bird applications, available in 12-gauge with shot sizes of 7 1/2 and 8.



EXPRESS XLR EXTRA LONG RANGE LOADS

Simply, the best-balanced, tightest-patterning upland field loads available. With a bold new look, and the same premium performance decades of shooters have come to know and trust. The time-proven excellence of the Express XLR (Extra Long Range) line with eight loadings - 12-gauge to 410 bore - and shot sizes ranging from #2 all the way down to #7 1/2, for everything from pheasant and quail to rabbits and squirrels.

| NITRO PHEASANT LOADS | | | | | |
|----------------------|-------|--------------|-----------------------|----------------|-----------|
| INDEX/EDI NO. | GAUGE | LENGTH (IN.) | MUZZLE VELOCITY (FPS) | OUNCES OF SHOT | SHOT SIZE |
| NP12 | 12 | 2 3/4 | 1400 | 1 1/4 | 4, 5, 6 |
| NP12M | 12 | 2 3/4 | 1300 | 1 3/8 | 4, 5, 6 |
| NP20 | 20 | 2 3/4 | 1300 | 1 | 5, 6 |
| NP20M | 20 | 3 | 1185 | 1 1/4 | 5, 6 |

| PHEASANT LOADS | | | | | |
|----------------|-------|--------------|-----------------------|----------------|----------------|
| INDEX/EDI NO. | GAUGE | LENGTH (IN.) | MUZZLE VELOCITY (FPS) | OUNCES OF SHOT | SHOT SIZE |
| PL12 | 12 | 2 3/4 | 1330 | 1 1/4 | 4, 5, 6, 7 1/2 |
| PL16 | 16 | 2 3/4 | 1295 | 1 1/8 | 6 |
| PL20 | 20 | 2 3/4 | 1220 | 1 | 4, 5, 6 |

| NITRO MAG LOADS - BUFFERED | | | | | |
|----------------------------|-------|--------------|-----------------------|----------------|-----------|
| INDEX/EDI NO. | GAUGE | LENGTH (IN.) | MUZZLE VELOCITY (FPS) | OUNCES OF SHOT | SHOT SIZE |
| NM12S | 12 | 2 3/4 | 1260 | 1 1/2 | 2, 4 |
| NM12 | 12 | 3 | 1280 | 1 5/8 | 4, 6 |
| NM12H | 12 | 3 | 1210 | 1 7/8 | 2, 4, 6 |
| NM20S | 20 | 2 3/4 | 1175 | 1 1/8 | 4, 6 |
| NM20H | 20 | 3 | 1185 | 1 1/4 | 4, 6 |

| EXPRESS XLR EXTRA LONG RANGE LOADS | | | | | |
|------------------------------------|--------------|--------------|-----------------------|----------------|-------------------|
| INDEX/EDI NO. | GAUGE / BORE | LENGTH (IN.) | MUZZLE VELOCITY (FPS) | OUNCES OF SHOT | SHOT SIZE |
| SP12 | 12 | 2 3/4 | 1330 | 1 1/4 | 2, 4, 5, 6, 7 1/2 |
| NEHV12 | 12 | 2 3/4 | 1450 | 1 1/8 | 5, 6, 7 1/2 |
| SP16 | 16 | 2 3/4 | 1295 | 1 1/8 | 4, 6, 7 1/2 |
| SP20 | 20 | 2 3/4 | 1220 | 1 | 4, 5, 6, 7 1/2 |
| NEHV20 | 20 | 2 3/4 | 1350 | 7/8 | 6, 7 1/2 |
| SP28 | 28 | 2 3/4 | 1295 | 3/4 | 6, 7 1/2 |
| SP410 | 410 | 2 1/2 | 1250 | 1/2 | 4, 6, 7 1/2 |
| SP413 | 410 | 3 | 1135 | 1 1/16 | 4, 6, 7 1/2 |

| GAME LOADS | | | | | |
|---------------|--------------|--------------|-----------------------|----------------|-------------|
| INDEX/EDI NO. | GAUGE / BORE | LENGTH (IN.) | MUZZLE VELOCITY (FPS) | OUNCES OF SHOT | SHOT SIZE |
| GL12 | 12 | 2 3/4 | 1290 | 1 | 6, 7 1/2, 8 |
| GL16 | 16 | 2 3/4 | 1200 | 1 | 6, 7 1/2, 8 |
| GL20 | 20 | 2 3/4 | 1225 | 7/8 | 6, 7 1/2, 8 |
| GL410* | 410 | 2 1/2 | 1200 | 1/2 | 6 |

| HEAVY DOVE LOADS | | | | | |
|------------------|-------|--------------|-----------------------|----------------|-----------|
| INDEX/EDI NO. | GAUGE | LENGTH (IN.) | MUZZLE VELOCITY (FPS) | OUNCES OF SHOT | SHOT SIZE |
| RHD12 | 12 | 2 3/4 | 1255 | 1 1/8 | 7 1/2, 8 |
| RHD20 | 20 | 2 3/4 | 1165 | 1 | 7 1/2, 8 |

*20-round box



BUCKSHOT

ULTIMATE DEFENSE BUCKSHOT

These rounds deliver dense, devastating patterns and massive knockdown power when the stakes are at their highest. Short-range patterns in smoothbore barrels are tight and effective for one-shot confidence. New full power 12-gauge, and Managed-Recoil 12- and 20-gauge loads complete this line by offering buckshot products well suited to anyone's desire for maximizing their shotgun's effectiveness against an imminent threat. Our .410 load packs four lead 000 buckshot pellets to maximize effectiveness of the .45/.410 revolvers.



| ULTIMATE DEFENSE BUCKSHOT | | | | | |
|---------------------------|--------------|--------------|--------------------------|---------------|--------------|
| INDEX/EDI NO. | GAUGE / BORE | LENGTH (IN.) | VELOCITY (FT/SEC @ 3 FT) | BUCKSHOT SIZE | PELLET COUNT |
| 12B009HD | 12 | 2 3/4 | 1325 | 00 | 9 |
| 12B008RRHD | 12 | 2 3/4 | 1200 | 00 | 8 |
| 12HB00HD | 12 | 3 | 1225 | 00 | 15 |
| 12HB4HD | 12 | 3 | 1225 | 4 | 41 |
| 12BRR4HD | 12 | 2 3/4 | 1200 | 4 | 21 |
| 20BRR3HD | 20 | 2 3/4 | 1140 | 3 | 17 |
| 410B000HD | 410 | 2 1/2 | 1225 | 000 | 4 |
| 413B000HD | 410 | 3 | 1125 | 000 | 5 |

EXPRESS MAGNUM AND EXPRESS BUCKSHOT

One of the great values in shotgun deer loads. A combination of heavy cushioning behind the shot column and a granulated polymer buffering helps maintain pellet roundness for tight, even patterns.



| EXPRESS MAGNUM BUCKSHOT | | | | | |
|-------------------------|-------|--------------|-----------------------|---------------|--------------|
| INDEX/EDI NO. | GAUGE | LENGTH (IN.) | MUZZLE VELOCITY (FPS) | BUCKSHOT SIZE | PELLET COUNT |
| 12SB00 | 12 | 2 3/4 | 1290 | 00 | 12 |
| 12HB000 | 12 | 3 | 1225 | 000 | 10 |
| 12HB00 | 12 | 3 | 1225 | 00 | 15 |
| 12HB4 | 12 | 3 | 1225 | 4 | 41 |
| 1235B00* | 12 | 3 1/2 | 1125 | 00 | 18 |

| EXPRESS BUCKSHOT | | | | | |
|------------------|-------|--------------|-----------------------|---------------|--------------|
| INDEX/EDI NO. | GAUGE | LENGTH (IN.) | MUZZLE VELOCITY (FPS) | BUCKSHOT SIZE | PELLET COUNT |
| 12B000 | 12 | 2 3/4 | 1325 | 000 | 8 |
| 12B00* | 12 | 2 3/4 | 1325 | 00 | 9 |
| 12B0 | 12 | 2 3/4 | 1275 | 0 | 12 |
| 12B1 | 12 | 2 3/4 | 1250 | 1 | 16 |
| 12B4 | 12 | 2 3/4 | 1325 | 4 | 27 |
| 20B3 | 20 | 2 3/4 | 1220 | 3 | 20 |

| MANAGED-RECOIL BUCKSHOT LOADS | | | | | |
|-------------------------------|-------|--------------|-----------------------|---------------|--------------|
| INDEX/EDI NO. | GAUGE | LENGTH (IN.) | MUZZLE VELOCITY (FPS) | BUCKSHOT SIZE | PELLET COUNT |
| RL12BK00 | 12 | 2 3/4 | 1200 | 000 | 8 |

| BUCKSHOT VALUE PACKS | | | | | | |
|----------------------|---------------|-------|--------------|-----------------------|---------------|--------------|
| DESCRIPTION | INDEX/EDI NO. | GAUGE | LENGTH (IN.) | MUZZLE VELOCITY (FPS) | BUCKSHOT SIZE | PELLET COUNT |
| 25 Round Box | 12B00A | 12 | 2 3/4 | 1325 | 00 | 9 |
| 100 Round Box | 12B00B | 12 | 2 3/4 | 1325 | 00 | 9 |

* Utilizes Remington Power Piston one-piece wad.

BUCKSHOT VALUE PACKS

Available in a 25-round box or 100-round sleeve (4 individual boxes), it's simply the best value in buckshot for home defense, tactical shooting or predator hunting. High value pack is loaded with Remington Express 00 Buckshot, chosen time and again for its tight, consistent patterns. For more confidence per box, choose Remington.



PREMIER SLUG

PREMIER EXPANDER SABOT SLUGS

ULTIMATE TROPHY-TAKING TECHNOLOGY POWERED BY BARNES. Delivering 2¾" or 3" magnum-caliber terminal performance in 12- and 20-gauge, tack-driving precision and devastating Barnes copper petal expansion, new Remington Premier Expander is hands down, the hardest-hitting, most deadly-accurate slug ever to hit the whitetail woods.



MODEL 870 EXPRESS DEER

One of the most accurate slug guns on the market today, and one of the best values you'll find. See page 40.

| PREMIER EXPANDER SABOT SLUGS | | | | | | | | | | | | |
|------------------------------|-------|--------------|------------|----------------|--------|---------|----------------|--------|---------|------------------|---------|---------|
| INDEX/EDI NO. | GAUGE | LENGTH (IN.) | SLUG (GR.) | VELOCITY (FPS) | | | ENERGY (FT-LB) | | | TRAJECTORY (IN.) | | |
| | | | | MUZ. | 50 YD. | 100 YD. | MUZ. | 50 YD. | 100 YD. | 50 YD. | 100 YD. | 150 YD. |
| PRX12 | 12 | 2¾" | 437 | 1450 | 1313 | 1198 | 2042 | 1676 | 1395 | 0 | -3.6 | -13.20 |
| PRX20 | 20 | 2¾" | 250 | 1825 | 1631 | 1457 | 1849 | 1477 | 1178 | 0 | -1.8 | -7.7 |
| PRX12M | 12 | 3" | 437 | 1550 | 1397 | 1264 | 2334 | 1895 | 1551 | 0 | -3 | -11.40 |
| PRX20M | 20 | 3" | 250 | 1900 | 1700 | 1519 | 2004 | 1605 | 1280 | 0 | -1.5 | -6.8 |

| PREMIER ACCUTIP SABOT SLUGS | | | | | | | | | | | | |
|-----------------------------|-------|--------------|------------|----------------|--------|---------|----------------|--------|---------|------------------|---------|---------|
| INDEX/EDI NO. | GAUGE | LENGTH (IN.) | SLUG (GR.) | VELOCITY (FPS) | | | ENERGY (FT-LB) | | | TRAJECTORY (IN.) | | |
| | | | | MUZ. | 50 YD. | 100 YD. | MUZ. | 50 YD. | 100 YD. | 50 YD. | 100 YD. | 150 YD. |
| PRA12 | 12 | 2¾" | 385 | 1850 | 1611 | 1401 | 2925 | 2218 | 1677 | 2.7 | 3.6 | 0.0* |
| PRA12M | 12 | 3" | 385 | 1900 | 1656 | 1439 | 3086 | 2344 | 1771 | 2.5 | 3.4 | 0.0* |
| PRA20 | 20 | 2¾" | 260 | 1850 | 1610 | 1399 | 1976 | 1496 | 1130 | 2.7 | 3.6 | 0.0* |
| PRA20M | 20 | 3" | 260 | 1900 | 1655 | 1438 | 2084 | 1581 | 1193 | 2.5 | 3.4 | 0.0* |


* 0.0 indicates yardage at which shotgun was sighted in.

PREMIER ACCUTIP SABOT SLUGS

PUNCHES HUGE HOLES WITH PINPOINT ACCURACY. It's flattening whitetails and competitors in the tipped-slug market with devastating ferocity. Guided by our Power Port Tip, AccuTip sabot slugs hit with a degree of accuracy and terminal performance unmatched by any other. A true masterpiece of aerodynamics delivering tremendous knockdown force to the farthest reaches of shotgun range. Spiral nose cuts and high-strength cartridge-brass jacket come together to create large, perfect mushrooms with over 95 percent weight retention from 5 to 200 yards. Available in 2¾" or 3" 12-gauge and 20-gauge versions.




| FEATURES | 12-GAUGE | 20-GAUGE |
|--|-----------------|-----------------|
| Power Port Tip delivers dramatically superior ACCURACY | Yes | Yes |
| Spiral nose cuts CONTROL EXPANSION at all ranges | 5-200 yards | 5-150 yards |
| High WEIGHT RETENTION at all distances | 98% @ 100 yards | 98% @ 100 yards |
| Slug jacket made from HIGH-STRENGTH cartridge brass | Yes | Yes |
| Designed for use in FULLY RIFLED barrels only | Yes | Yes |



SLUGS

SLUGGER HIGH VELOCITY RIFLED SLUGS

This higher velocity slug exits the barrel at 1800 fps, 13% faster than standard 1-oz. slugs. The 7/8-oz. Slugger High Velocity delivers more energy at 50 yards with flatter trajectory on deer than standard 1 oz. slugs. Produced in most popular slug loadings - 2¾" and 3" 12-gauge and 2¾" 20-gauge. Designed for the avid deer hunter using smooth bore guns.



MANAGED-RECOIL SLUGGER RIFLED SLUGS

Devastating performance, but with 45% less felt recoil than full velocity Sluggers. Less recoil makes sighting-in more comfortable, while the accuracy and speed of second shots is greatly improved. And with effective energy out to 80 yards, it handles the majority of shotgun deer hunting ranges.



SLUGGER RIFLED SLUGS

Our most popular, accurate, hard-hitting slug. Slightly oversized for great smooth-bore shotgun performance, resulting in better sealing against the barrel wall for greater accuracy.



| SLUGGER HIGH VELOCITY RIFLED SLUGS | | | | | | | | | | | | |
|------------------------------------|-------|--------------|------------|----------------|---------|----------|----------------|---------|----------|------------------|----------|----------|
| INDEX/EDI NO. | GAUGE | LENGTH (IN.) | SLUG (OZ.) | VELOCITY (FPS) | | | ENERGY (FT-LB) | | | TRAJECTORY (IN.) | | |
| | | | | MUZ. | 50 YDS. | 100 YDS. | MUZ. | 50 YDS. | 100 YDS. | 50 YDS. | 100 YDS. | 150 YDS. |
| SPHV12RS | 12 | 2¾" | 7/8 | 1800 | 1252 | 978 | 2751 | 1517 | 813 | 0.0* | -4.1 | - |
| SPHV12MRS | 12 | 3 | 7/8 | 1875 | 1302 | 998 | 2989 | 1442 | 847 | 0.0* | -3.7 | - |
| SPHV20RS | 20 | 2¾" | 1/2 | 1800 | 1321 | 1037 | 1575 | 848 | 523 | 0.0* | -3.6 | - |

| SLUGGER RIFLED SLUGS | | | | | | | | | | | | |
|----------------------|------------|--------------|------------|----------------|---------|----------|----------------|---------|----------|------------------|----------|----------|
| INDEX/EDI NO. | GAUGE/BORE | LENGTH (IN.) | SLUG (OZ.) | VELOCITY (FPS) | | | ENERGY (FT-LB) | | | TRAJECTORY (IN.) | | |
| | | | | MUZ. | 50 YDS. | 100 YDS. | MUZ. | 50 YDS. | 100 YDS. | 50 YDS. | 100 YDS. | 150 YDS. |
| SP12RS | 12 | 2¾" | 1 | 1560 | 1175 | 977 | 2361 | 1340 | 926 | 0.0* | -4.8 | - |
| S12SRS | 12 | 2¾" | 1 | 1680 | 1285 | 1045 | 2738 | 1605 | 1059 | 0.0* | -3.8 | - |
| S12MRS | 12 | 3 | 1 | 1760 | 1345 | 1075 | 3005 | 1753 | 1121 | 0.0* | -3.4 | - |
| SP16RS | 16 | 2¾" | 4/5 | 1600 | 1175 | 965 | 1989 | 1072 | 724 | 0.0* | -4.8 | - |
| SP20RS | 20 | 2¾" | 7/8 | 1580 | 1240 | 1034 | 1513 | 931 | 648 | 0.0* | -4.2 | - |
| SP41RS | 410 | 2½" | 1½ | 1830 | 1335 | 1040 | 654 | 348 | 211 | 0.0* | -3.5 | - |

| MANAGED-RECOIL SLUGGER RIFLED SLUGS | | | | | | | | | | | | |
|-------------------------------------|-------|--------------|------------|----------------|---------|----------|----------------|---------|----------|------------------|----------|----------|
| INDEX/EDI NO. | GAUGE | LENGTH (IN.) | SLUG (OZ.) | VELOCITY (FPS) | | | ENERGY (FT-LB) | | | TRAJECTORY (IN.) | | |
| | | | | MUZ. | 50 YDS. | 100 YDS. | MUZ. | 50 YDS. | 100 YDS. | 50 YDS. | 100 YDS. | 150 YDS. |
| RL12RS | 12 | 2¾" | 1 | 1200 | 988 | 873 | 1397 | 948 | 739 | 0.0* | -7.4 | - |

* 0.0 indicates yardage at which shotgun was sighted in.



DELIVER YOUR SLUGS WITH EXPERT PRECISION.

Pair our advanced slug loads with any of our quality selection of rifled barrels and specialized slug shotguns. See page 168.



PREMIER NITRO



PREMIER NITRO SPORTING CLAYS

Smoke targets and all competitors with the finest sporting clays load in the world today. The Premier Nitro performance that has dominated trap and skeet competitions for years is now available in high-velocity, 1-oz. and 1 1/8-oz. loads specially formulated for the sporting clays enthusiast.

REMINGTON PREMIER. THE MOST DOMINANT FAMILY OF COMPETITORS IN SHOTGUN SPORTS HISTORY.



PREMIER NITRO 27 HANDICAP TRAP LOADS

Designed for long-yardage trapshooting and long-range sporting clays, our custom powder blend, Power Piston wad and Premier STS primer mix have improved the Nitro 27 performance allowing more consistent velocities, 15% better pattern performance and softer recoil.



PREMIER STS TARGET

The standard in target shooting reliability. Absolutely consistent from shot to shot. Bar none, the most reliable, most reloadable shells you can shoot. Available in 12-, 20- and 28-gauge and .410 bore.



| PREMIER TARGET | | | | | | |
|----------------|----------------------------|--------------|------------|-----------------------|----------------|--------------------|
| GAUGE/BORE | LOAD TYPE | LENGTH (IN.) | DRAM EQUIV | MUZZLE VELOCITY (FPS) | OUNCES OF SHOT | SHOT SIZE |
| 12 | Premier STS Target | 2 3/4 | 2 3/4 | 1185 | 1 | 8 |
| 12 | Premier STS Light Target | 2 3/4 | 2 3/4 | 1145 | 1 1/8 | 7 1/2, 8, 8 1/2, 9 |
| 12 | Premier STS Light Handicap | 2 3/4 | 3 | 1200 | 1 1/8 | 7 1/2, 8 |
| 12 | Premier Nitro 27 Handicap | 2 3/4 | HDCP | 1290 | 1 | 7 1/2 |
| 12 | Premier Nitro 27 Handicap | 2 3/4 | HDCP | 1235 | 1 1/8 | 7 1/2, 8 |
| 20 | Premier STS Target | 2 3/4 | 2 1/2 | 1200 | 7/8 | 8 |
| 20 | Premier STS Target | 2 3/4 | 2 1/2 | 1200 | 7/8 | 9 |
| 28 | Premier STS Target | 2 3/4 | 2 | 1250 | 3/4 | 8 |
| 28 | Premier STS Target | 2 3/4 | 2 | 1250 | 3/4 | 9 |
| .410 | Premier STS Target | 2 1/2 | Max | 1275 | 1/2 | 9 |



GUN CLUB TARGET LOADS

An excellent choice for economical shooting, these high-quality shells are loaded with the same care as our top-of-the-line STS loads and feature a Power Piston wad. Many shooters are discovering that they can get acceptable reloading life while stretching their shooting dollar.



TARGET / COMPETITION


THE CUTTING EDGE OF BIRD & CLAY-CRUSHING CONSISTENCY.

Nothing that flies stands a chance against these dual-purpose rounds. Featuring a premium STS primer, reloadable hull, our Power Piston wad and high-hardness lead shot, they deliver flawless performance and consistent patterning, whether your target is winged or clay.



MODEL 1100 COMPETITION

It's the soft-shooting competitive edge trusted by millions of serious competitors to win more championships than any other autoloader. See page 24.



URNS CLAYS INTO DUST AND BIRDS INTO DINNER.

- 1 HIGH-HARDNESS LEAD SHOT**
For consistent, tight patterns at all ranges
- 2 POWER PISTON WAD**
Cushion the shot charge for less deformation and more consistent velocities even in overbore barrels
- 3 PREMIUM STS PRIMER**
Suitable for use in all shotguns, including high grade fixed-breech firearms
- 4 RELOADABLE UNIBODY HULL**
Premium brass-plated steel caps and high strength plastic hulls for superior functional quality and reloadability

| AMERICAN CLAY & FIELD | | | | | |
|-----------------------|--------------|-----------------------|----------------|-----------|--|
| GAUGE/BORE | LENGTH (IN.) | MUZZLE VELOCITY (FPS) | OUNCES OF SHOT | SHOT SIZE | |
| 12 | 2 3/4 | 1200 | 1 1/8 | 7 1/2 | |
| 12 | 2 3/4 | 1200 | 1 1/8 | 8 | |
| 12 | 2 3/4 | 1200 | 1 1/8 | 9 | |
| 12 | 2 3/4 | 1200 | 1 | 8 | |
| 12 | 2 3/4 | 1200 | 1 | 9 | |
| 20 | 2 3/4 | 1200 | 7/8 | 7 1/2 | |
| 20 | 2 3/4 | 1200 | 7/8 | 8 | |
| 20 | 2 3/4 | 1200 | 7/8 | 9 | |
| 28 | 2 3/4 | 1250 | 3/4 | 8 | |
| 28 | 2 3/4 | 1250 | 3/4 | 9 | |
| 410 | 2 1/2 | 1275 | 1/2 | 8 | |
| 410 | 2 1/2 | 1275 | 1/2 | 9 | |

| GUN CLUB TARGET LOADS | | | | | | |
|-----------------------|-----------|--------------|------------|-----------------------|----------------|-------------|
| GAUGE | LOAD TYPE | LENGTH (IN.) | DRAM EQUIV | MUZZLE VELOCITY (FPS) | OUNCES OF SHOT | SHOT SIZE |
| 12 | Gun Club | 2 3/4 | 2 3/4 | 1185 | 1 | 8 |
| 12 | Gun Club | 2 3/4 | 2 3/4 | 1145 | 1 1/8 | 7 1/2, 8, 9 |
| 12 | Gun Club | 2 3/4 | 3 | 1200 | 1 1/8 | 7 1/2, 8 |
| 20 | Gun Club | 2 3/4 | 2 1/2 | 1200 | 7/8 | 7 1/2, 8, 9 |



RELOADING COMPONENTS

SUPERIORITY DOWNRANGE BEGINS WITH REMINGTON AT YOUR BENCH.

From first-quality brass, to bullets and wads precision-engineered to the highest standards, to the industry's most advanced primers and percussion caps - Remington components give you the edge to develop your best loads for your favorite pursuit. So whether you're at the range, on the sporting clays course or in the field, they just might turn your good day into a perfect one.



BULLETS

Delivering unmatched precision in the most popular bullet styles and weights, ready to be tailored for your favorite pursuits. Remington Bullets. For the hunt, for the range and wherever shot-to-shot consistency matters most.

| GOLDEN SABER BLACK BELT PISTOL AND REVOLVER | |
|---|-----------|
| ORDER NO. | CARTRIDGE |
| 23555 | 9mm |
| 23583 | 40/10mm |
| 23603 | 45 |

| CONSUMER PACK PISTOL & REVOLVER BULLETS | | | | |
|---|---------|-------------------------|------------------------|--------------|
| ORDER NO. | CALIBER | NOMINAL BULLET DIAMETER | BULLET WEIGHT (GRAINS) | BULLET STYLE |
| 23547 | 9mm | .355 | 115 | MC |
| 23545 | 9mm | .355 | 115 | JHP |
| 23549 | 9mm | .355 | 124 | MC |
| 23551 | 9mm | .355 | 147 | JHP |
| 23566 | 380 | .356 | 95 | MC |
| 23568 | 357/38 | .357 | 130 | MC |
| 23570 | 357/38 | .357 | 110 | SJHP |
| 23572 | 357/38 | .357 | 125 | SJHP |
| 23574 | 357/38 | .357 | 158 | SJHP |
| 23580 | 40/10mm | .400 | 155 | JHP |
| 23584 | 40/10mm | .400 | 180 | MC |
| 23586 | 40/10mm | .400 | 180 | FNEB |
| 23582 | 40/10mm | .400 | 180 | JHP |
| 23663 | 41 | .410 | 200 | SJHP |
| 23665 | 44 | .429 | 210 | SJHP |
| 23667 | 44 | .429 | 240 | SJHP |
| 23605 | 45 | .451 | 230 | MC |
| 23609 | 45 | .451 | 230 | JHP |

| CONSUMER PACK RIFLE BULLETS | | | | |
|-----------------------------|---------|-------------------------|------------------------|--------------|
| ORDER NO. | CALIBER | NOMINAL BULLET DIAMETER | BULLET WEIGHT (GRAINS) | BULLET STYLE |
| 22920 | 24/6mm | .243 | 100 | PSPCL |
| 22733 | 25 | .257 | 100 | PSPCL |
| 22756 | 28 | .284 | 150 | PSPCL |
| 22788 | 30 | .308 | 180 | PSPCL |
| 22772 | 30 | .308 | 150 | SPCL |
| 22958 | 22 | .224 | 50 | PSP |
| 22962 | 22 | .224 | 55 | MC |
| 22960 | 22 | .224 | 55 | PSP |
| 22968 | 22 | .224 | 62 | HP Match |
| 22930 | 24/6mm | .243 | 80 | PSP |
| 22742 | 27/6.8 | .277 | 115 | MC |
| 22778 | 30 | .308 | 150 | MC |
| 22814 | 30 | .303 | 180 | SPCL |
| 22992 | 45 | .457 | 300 | SJHP |

BRASS

Its consistency in every dimension translates directly to every target downrange. Choose Remington brass, available in most popular chamberings.



| CONSUMER PACK HANDGUN BRASS | |
|-----------------------------|------------------------------|
| ORDER NO. | CARTRIDGE |
| 22503 | 357 Magnum |
| 23202 | 357 Remington Maximum |
| 22522 | 9mm Luger |
| 22509 | 38 Super Auto Colt Pistol +P |
| 22511 | 38 Special |
| 22524 | 40 S&W |
| 22528 | 41 Remington Magnum |
| 22517 | 44 Remington Magnum |
| 22519 | 44 S&W |
| 22495 | 45 Colt |
| 22527 | 45 Auto |

| ULTIMATE MUZZLELOADER IGNITION SOURCE - BAGGED | |
|--|---------------------------------------|
| ORDER NO. | DESCRIPTION |
| 24153 | Ultimate Muzzleloader Ignition Source |

| PREMIER ACCUTIP BULLETS FOR ULTIMATE MUZZLELOADER - CLAMPACK | |
|--|-----------------|
| ORDER NO. | DESCRIPTION |
| 30610 | Premier Accutip |

| CONSUMER PACK RIFLE BRASS | |
|---------------------------|-----------------------|
| ORDER NO. | CARTRIDGE |
| 22422 | 17 Remington Fireball |
| 22398 | 17 Remington |
| 22414 | 204 Ruger |
| 22400 | 22 Hornet |
| 22404 | 221 Fireball |
| 22406 | 222 Remington |
| 22408 | 223 Remington |

SHOTSHELL RELOADING

Primer to payload, you won't find more reliable, more consistent, more widely available components in the quantities and offerings you need.



| SHOTSHELL WADS - TARGET - POWER PISTON ONE-PIECE | | |
|--|--------------|----------------|
| ORDER NO. | GAUGE / BORE | OUNCES OF SHOT |
| 24342 | 12 Gauge | 1-1/8 oz |
| 24346 | 12 Gauge | 1 oz, 1-1/8 oz |
| 24338 | 12 Gauge | 1-1/8 oz |
| 24344 | 20 Gauge | 7/8 oz |
| 24362 | 28 Gauge | 3/4 oz |
| 24352 | 410 Bore | 1/2 oz |


| SHOTSHELL WADS - HUNTING - POWER PISTON ONE-PIECE | | |
|---|----------|-------------------|
| ORDER NO. | GAUGE | OUNCES OF SHOT |
| 26656 | 10 Gauge | 1-5/8 to 2-1/4 oz |
| 29922 | 12 Gauge | 1 oz |
| 29924 | 12 Gauge | 1-1/8 oz |
| 29926 | 12 Gauge | 1-1/4 oz |
| 29928 | 12 Gauge | 1-1/4 oz |
| 29934 | 16 Gauge | 1-1/8 oz |
| 24378 | 20 Gauge | 1 oz |

| CENTERFIRE PRIMERS - BULK PACK | |
|--------------------------------|-------------------------------------|
| ORDER NO. | CARTRIDGE |
| 22610 | 9-1/2 Large Rifle Primer (Electric) |
| 22600 | 1-1/2 Small Pistol Primer |
| 22604 | 2-1/2 Large Pistol Primer |
| 22626 | 5-1/2 Small Pistol Primer |
| 22606 | 6-1/2 Small Rifle Primer |
| 22628 | 7-1/2 Small Rifle Primer BR |
| 22608 | 9-1/2 Large Rifle Primer |
| 22622 | 9-1/2M Magnum Rifle Primer |

| SHOTSHELL PRIMERS - TARGET / HUNTING | |
|--------------------------------------|-----------------|
| ORDER NO. | DESCRIPTION |
| 22661 | 209 Premier STS |

| SHOTSHELL PRIMERS - CLAMPACK | |
|------------------------------|--------------------------|
| ORDER NO. | DESCRIPTION |
| 23996 | 209 Premier STS Clampack |
| 23990 | Muzzleloading 209 Primer |

For the complete line of components, please visit www.remington.com/ammunition/components





GOLDEN SABER BONDED

All the revolutionary features that make Golden Saber rounds the leading edge in tactical handgun rounds, along with the unmatched barrier-penetration performance of our special bonded-bullet design. Through exclusive Remington process, the lead core is hot-bonded to brass jacket. Exceptional weight retention - up to 97% through auto glass. Reduced bullet nose diameter for precise bore alignment and match-grade accuracy. Requires less energy to initiate expansion. Jacket stiffness and wall thickness optimized to eliminate over-expansion, thus maximizing penetration. Available in 357 Sig, 9mm Luger, 40 S&W and 45 Auto. Loaded in the USA.



PUNCHES THROUGH BARRIERS AND DELIVERS SUPERIOR TERMINAL PERFORMANCE BEYOND.






Sequence of high-speed photography showing the superior performance of Golden Saber Bonded through auto glass. Shot was set up to mimic one taken from the left front quarter of a vehicle. FRAME 1: 230-gr., 45 caliber Golden Saber Bonded bullet impacts typical windshield glass. FRAMES 2-4: Bullet passes through windshield. FRAME 5: Emerges from the glass intact. Jacket and core held together through ASI ¼-inch laminated safety glass.



A block of gelatin placed 10" beyond the auto-glass set up to catch the bullet. Even after smashing through safety glass, the 45-cal. Golden Saber Bonded still delivers a large-volume stretch cavity with over 12" of penetration.

HANDGUN BARRIER TEST RESULTS

HEAVY CLOTHING @ 10 FEET

| | | |
|---|---|--|
|  |  | 9MM LUGER • Weight: 147-gr. • Penetration: 16.9" • Expansion: .58" (1.6x) • Weight Retention: 100% |
|  |  | 40 S&W • Weight: 180-gr. • Penetration: 14.4" • Expansion: .67" (1.7x) • Weight Retention: 100% |
|  |  | 45 AUTO • Weight: 230-gr. • Penetration: 16.1" • Expansion: .71" (1.6x) • Weight Retention: 100% |

AUTO GLASS @ 10 FEET

| | | |
|---|---|---|
|  |  | 9MM LUGER • Weight: 147-gr. • Penetration: 12.1" • Expansion: .55" (1.6x) • Weight Retention: 92% |
|  |  | 40 S&W • Weight: 180-gr. • Penetration: 11.2" • Expansion: .62" (1.6x) • Weight Retention: 97% |
|  |  | 45 AUTO • Weight: 230-gr. • Penetration: 12.5" • Expansion: .63" (1.4x) • Weight Retention: 96% |

WALLBOARD @ 10 FEET

| | | |
|---|---|---|
|  |  | 9MM LUGER • Weight: 147-gr. • Penetration: 13.8" • Expansion: .60" (1.7x) • Weight Retention: 100% |
|---|---|---|

STEEL @ 10 FEET

| | | |
|---|---|---|
|  |  | 9MM LUGER • Weight: 147-gr. • Penetration: 21.4" • Expansion: .42" (1.2x) • Weight Retention: 100% |
|---|---|---|



| GOLDEN SABER BONDED HANDGUN | | | |
|-----------------------------|-----------|------------------|------------------------------------|
| CARTRIDGE | ORDER NO. | BULLET WT. (GR.) | BULLET TYPE |
| NEW 9mm Luger +P | 29341 | 124 | Brass Jacketed Hollow Point Bonded |
| | 29343 | 147 | Brass Jacketed Hollow Point Bonded |
| NEW 357 Sig | 29407 | 125 | Brass Jacketed Hollow Point Bonded |
| NEW 40 S&W | 29363 | 165 | Brass Jacketed Hollow Point Bonded |
| | 29365 | 180 | Brass Jacketed Hollow Point Bonded |
| NEW 45 Auto | 29325 | 185 | Brass Jacketed Hollow Point Bonded |
| | 29327 | 230 | Brass Jacketed Hollow Point Bonded |

For more information on ballistics, see pages 206-210.



GOLDEN SABER BLACK BELT

A PERSONAL DEFENSE LOAD OF THE HIGHEST RANK.

Engineered in conjunction with law enforcement professionals, for law-enforcement professionals, and now available to anyone seeking the pinnacle of stopping power. Extensively proven in FBI barrier testing to deliver massive, reliable expansion and deep penetration through every barrier. All thanks to the bullet's proprietary black Mechani-Lokt belt that firmly locks the jacket to the core for unfailing integrity in the most extreme personal defense scenarios. It's available in 9mm, 9mm +P, 40 S&W and 45 Auto, and always ready to defend when called upon.




Hollow point bullet demonstrates controlled expansion with maximum weight retention for massive knock-down power.



A BREAKTHROUGH IN THREAT-STOPPING PERFORMANCE.

- 1 HOLLOW POINT**
Cavity optimized for devastating expansion and terminal performance
- 2 MECHANI-LOKT BELT**
Locks jacket and core together for supreme terminal performance
- 3 HOURGLASS SHAPE**
Mechanically locks the lead in the rear portion of bullet to ensure jacket retention even when encountering the toughest of barriers

- 4 PROVEN DESIGN**
Bullet designed, tested and proven against the exhausting FBI ballistics barrier test
- 5 DRIVING BAND**
Located at the bullet's rear, the Driving Band is the larger base diameter behind the bore diameter



- 6 SPIRAL NOSE CUTS**
Ensures reliable controlled expansion through clogging barriers such as wall board and heavy clothing
- 7 HIGH-PERFORMANCE BRASS JACKET**
Provides consistent, predictable expansion, penetration and weight retention



REMINGTON RP9

It's 18+1 rounds of double-stacked capacity, in the most shootable full-sized polymer-framed handgun on the market. See page 102.

| GOLDEN SABER BLACK BELT | | | |
|-------------------------|-----------|------------------|------------------------------------|
| CARTRIDGE | ORDER NO. | BULLET WT. (GR.) | BULLET TYPE |
| 9mm Luger | 29423 | 124 | Belted Brass Jacketed Hollow Point |
| 9mm Luger +P ‡ | 29427 | 124 | Belted Brass Jacketed Hollow Point |
| 40 S&W | 29447 | 180 | Belted Brass Jacketed Hollow Point |
| 45 Auto | 29418 | 230 | Belted Brass Jacketed Hollow Point |

‡Ammunition with "+P" on the case headstamp is loaded to higher pressure. Use only in firearms designed for this cartridge and so recommended by the manufacturer. For more information on ballistics, see pages 206-210.

ULTIMATE DEFENSE



FULL SIZE HANDGUN. Based on the same platform trusted by law enforcement professionals to protect the American way of life, now available for personal defense. Loaded with our high-performance Golden Saber Brass Jacketed Hollow Point (BJHP), these rounds deliver massive expansion and deep penetration for ultimate stopping power. Premium nickel-plated cases resist corrosion and cycle dependably after extended storage. Available in the most popular pistol and revolver calibers.



COMPACT HANDGUN. Designed with the concealed carry permit holder in mind to deliver big gun terminal performance out of shorter-barreled pistols and revolvers. This round has been engineered to provide optimal penetration and expansion even through heavy clothing at lower velocities for maximum stopping power. It's all of our premium features now finely tuned for your most important handgun.

| ULTIMATE DEFENSE FULL SIZE HANDGUN | | | |
|------------------------------------|-----------|------------------|-----------------------------|
| CARTRIDGE | ORDER NO. | BULLET WT. (GR.) | BULLET TYPE |
| 380 Auto | 28937 | 102 | Brass Jacketed Hollow Point |
| 38 Special +P ‡ | 28938 | 125 | Brass Jacketed Hollow Point |
| 9mm Luger | 28935 | 124 | Brass Jacketed Hollow Point |
| | 28946 | 147 | Brass Jacketed Hollow Point |
| 9mm Luger +P | 28948 | 124 | Brass Jacketed Hollow Point |
| 357 Magnum | 28920 | 125 | Brass Jacketed Hollow Point |
| 40 S&W | 28957 | 165 | Brass Jacketed Hollow Point |
| | 28939 | 180 | Brass Jacketed Hollow Point |
| 45 Auto | 28971 | 185 | Brass Jacketed Hollow Point |
| | 28942 | 230 | Brass Jacketed Hollow Point |
| 45 Auto +P | 28973 | 185 | Brass Jacketed Hollow Point |

| ULTIMATE DEFENSE COMPACT HANDGUN | | | |
|----------------------------------|-----------|------------------|-----------------------------|
| CARTRIDGE | ORDER NO. | BULLET WT. (GR.) | BULLET TYPE |
| 380 Auto | 28964 | 102 | Brass Jacketed Hollow Point |
| 38 Special+P ‡ | 28965 | 125 | Brass Jacketed Hollow Point |
| 9mm Luger | 28963 | 124 | Brass Jacketed Hollow Point |
| 40 S&W | 28966 | 180 | Brass Jacketed Hollow Point |
| 45 Auto | 28967 | 230 | Brass Jacketed Hollow Point |

‡Ammunition with "+P" on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the manufacturer. For more information on ballistics, see pages 206-210.



HIGH TERMINAL PERFORMANCE (HTP)

MEET THREATENING SITUATIONS WITH TOTAL PREPAREDNESS.

When sheer instant stopping power makes all the difference, Remington High Terminal Performance delivers in a powerful way. Manufactured with premium primers, brass cases and propellants, HTP packs ample punch to drop big game or end threats when it matters most. Available in all major defense calibers, in standard and many +P loadings. For the hunt or personal defense, you've got a job to do. We've got the load to get it done.

| HIGH TERMINAL PERFORMANCE (HTP) | | | |
|---------------------------------|-----------|------------------|----------------------------|
| CARTRIDGE | ORDER NO. | BULLET WT. (GR.) | BULLET TYPE |
| 357 Mag | 22217 | 125 | Semi-Jacketed Hollow Point |
| | 22219 | 158 | Semi-Jacketed Hollow Point |
| | 22221 | 158 | Jacketed Hollow Point |
| 357 Mag | 22229 | 110 | Semi-Jacketed Hollow Point |
| 357 Mag | 22235 | 180 | Semi-Jacketed Hollow Point |
| 9mm Luger | 28286 | 115 | Jacketed Hollow Point |
| 9mm Luger | 28300 | 147 | Jacketed Hollow Point |
| 9mm Luger +P | 28297 | 115 | Jacketed Hollow Point |
| 380 Auto | 22247 | 88 | Jacketed Hollow Point |
| 38 Spl | 22311 | 110 | Semi-Jacketed Hollow Point |
| 38 Spl +P | 22299 | 110 | Semi-Jacketed Hollow Point |
| 38 Spl +P | 22283 | 125 | Semi-Jacketed Hollow Point |
| 38 Spl +P | 22301 | 158 | Lead HP |
| 40 S&W | 28348 | 155 | Jacketed Hollow Point |
| | 22332 | 180 | Jacketed Hollow Point |
| 41 Remington Magnum | 22317 | 210 | Jacketed Hollow Point |
| 44 Remington Magnum | 22321 | 240 | Soft Point |
| | 22325 | 240 | Semi-Jacketed Hollow Point |
| 45 Auto | 21457 | 185 | Jacketed Hollow Point |
| | 21468 | 230 | Jacketed Hollow Point |
| 45 Colt | 28562 | 230 | Jacketed Hollow Point |


‡Ammunition with "+P" on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the manufacturer. For more information on ballistics, see pages 206-210.

BUILT TO DEFEND WHEN IT MATTERS MOST.

- 1 EXCLUSIVE BRASS JACKET**
Its precision nose cuts controls expansion and optimizes energy transfer
- 2 CASE MOUTH AND PRIMER WATERPROOFING**
For maximum reliability

- 3 NICKEL-PLATED CASES**
To reduce oxidation and improve feeding and extraction
- 4 SPECIALLY TREATED POWDERS**
To suppress muzzle flash

PRECISION STOPPING POWER
The bullet diameter directly ahead of the Driving Band is reduced from groove to bore diameter, so the bullet is precisely aligned before the Driving Band engages the rifling. The result: match-grade accuracy and reduced barrel friction at maximum velocities.





HTP COPPER

ONE-PIECE COPPER PERFORMANCE. TOTAL DOMINATION.

Featuring Barnes' patented XPB™ Bullet, with its well-earned reputation for supreme knock down power from a handgun, HTP Copper Handgun offers dramatically improved performance over conventional jacketed lead-core bullets. Upon impact, the Bullet expands into six razor-sharp cutting petals. It's the all-copper hunting load that leaves massive wound channels and standard hunting bullet performance far behind. Ideal for medium to large game. Available in the most popular handgun hunting chamberings.



MODEL 1911 R1 HUNTER

Its host of accuracy enhanced features deliver consistent 10mm knockdowns with match-grade precision. Ideal for medium and large game. See page 88.

| HTP COPPER | | | |
|------------|-----------|------------------|-------------|
| CARTRIDGE | ORDER NO. | BULLET WT. (GR.) | BULLET TYPE |
| 357 Mag | 27724 | 140 | Barnes XPB |
| 10mm Auto | 27697 | 155 | Barnes XPB |
| 41 Rem Mag | 27729 | 180 | Barnes XPB |
| 44 Rem Mag | 27730 | 225 | Barnes XPB |
| 45 Colt | 27732 | 200 | Barnes XPB |
| 454 Casull | 27734 | 250 | Barnes XPB |

For more information on ballistics, see pages 206-210.



HOG HAMMER

OPTIMIZED VELOCITY AND WICKED EXPANSION FOR THE HOG HUNTING HANDGUNNER.

Hog Hammer Handgun features the venerable Barnes XPB Pistol Bullets with a time-proven reputation for game-stopping knockdown power. Designed for superior performance at handgun velocities and maximum bullet expansion, the Barnes XPB opens to 2x diameter with six razor-sharp copper petals that carve huge wound channels and drop hogs where they stand. Available in popular handgun hunting cartridges, from 357 Mag and 10mm Auto to 45 Colt and 454 Casull.

| HOG HAMMER | | | |
|------------|-----------|------------------|-------------|
| CARTRIDGE | ORDER NO. | BULLET WT. (GR.) | BULLET TYPE |
| 357 Mag | 27799 | 140 | Barnes XPB |
| 10mm Auto | 27695 | 155 | Barnes XPB |
| 41 Rem Mag | 27803 | 180 | Barnes XPB |
| 44 Rem Mag | 27804 | 225 | Barnes XPB |
| 45 Colt | 27805 | 200 | Barnes XPB |
| 454 Casull | 27806 | 250 | Barnes XPB |

For more information on ballistics, see pages 206-210.



REMINGTON SUBSONIC HANDGUN

CLEANER AMMUNITION FOR THE SILENT REVOLUTION.

REMINGTON SUBSONIC. The result of a joint collaboration with AAC, Remington SubSonic Handgun ammunition is specifically designed for shooting with suppressed pistols. Engineered for maximum performance at subsonic velocities and – after a long session at the range – easier cleaning thanks to enclosed base bullets that virtually eliminates leading in silencer ports.



MODEL 1911 R1 ENHANCED THREADED BARREL

America's favorite pistol design of all time, with a host of advanced features and suppressor-ready threaded barrel. See page 94.

| REMINGTON SUBSONIC HANDGUN | | | |
|----------------------------|-----------|------------------|-------------------------|
| CARTRIDGE | ORDER NO. | BULLET WT. (GR.) | BULLET TYPE |
| 9mm Luger | 28435 | 147 | Flat Nose Enclosed Base |
| 45 Auto | 28428 | 230 | Flat Nose Enclosed Base |

For more information on ballistics, see pages 206-210.


PERFORMANCE WHEELGUN

REVOLVER & LEVERGUN FAVORITES LOADED WITH EVERY MODERN BALLISTIC ADVANTAGE.

Introducing ultimate consistency, accuracy and ironclad reliability, engineered to take your revolver and lever-action rifle skills to new heights. Performance WheelGun ammunition is precision crafted using premium components and Remington Kleanbore® primers, and is available in traditional revolver and lever-action bullet styles.

| PERFORMANCE WHEELGUN | | | |
|----------------------|-----------|------------------|--------------------------|
| CARTRIDGE | ORDER NO. | BULLET WT. (GR.) | BULLET TYPE |
| 32 S&W | 22206 | 88 | Lead Round Nose |
| 32 S&W Long | 22210 | 98 | Lead Round Nose |
| 357 Magnum | 22223 | 158 | Lead Semi Wad Cutter |
| 38 S&W | 22278 | 146 | Lead Round Nose |
| 38 Special | 22267 | 148 | Target-Master Wad Cutter |
| | 22271 | 158 | Lead Semi Wad Cutter |
| | 22281 | 158 | Lead Round Nose |
| 38 Short Colt | 22273 | 125 | Lead Round Nose |
| 44 S&W Special | 22333 | 246 | Lead Round Nose |
| 45 Colt | 22338 | 225 | Lead Semi Wad Cutter |
| | 22340 | 250 | Lead Round Nose |

For more information on ballistics, see pages 206-210.



UMC HANDGUN

REMINGTON UMC. THE NAME AMERICA TRUSTS.

For over 150 years, the Union Metallic Cartridge Company name has been synonymous with innovative, high-quality ammunition. UMC has become a fixture in the shooting ranges and hunting grounds of America by delivering the best in shot-to-shot consistency and the latest technology at the right price. Simply put, no one delivers a better product more efficiently, and the results are proof - from point of purchase to point of impact.

UMC LEADLESS HANDGUN CARTRIDGES

From lead-free primers, to specially designed bullets, economical UMC LeadLess cartridges virtually eliminate lead exposure at the firing line. A must-have for shooters who frequent indoor ranges, its jacketed bullet actually prevents the vaporization of lead from the bullet's base upon firing. Standard bullet weights duplicate the ballistics of conventional loads.

UMC HANDGUN CARTRIDGES

All UMC ammunition is loaded in Lonoke, Arkansas, using first-quality, factory-fresh brass and clean-shooting Kleanbore® primers to provide the best value for high volume shooters.



| UMC LEADLESS HANDGUN CARTRIDGES | | | |
|---------------------------------|-----------|------------------|-------------------------|
| CARTRIDGE | ORDER NO. | BULLET WT. (GR.) | BULLET TYPE |
| 380 Auto | 23805 | 95 | Flat Nose Enclosed Base |
| 9mm Luger | 23785 | 115 | Flat Nose Enclosed Base |
| 40 S & W | 23791 | 180 | Flat Nose Enclosed Base |
| 45 Auto | 23793 | 230 | Flat Nose Enclosed Base |

| UMC HANDGUN CARTRIDGES | | | |
|------------------------|-----------|------------------|----------------------------|
| CARTRIDGE | ORDER NO. | BULLET WT. (GR.) | BULLET TYPE |
| 25 Auto (6.35mm) | 23716 | 50 | Full Metal Jacket |
| 32 Auto | 23704 | 71 | Full Metal Jacket |
| 357 Magnum | 23738 | 125 | Jacketed Soft Point |
| | 23970 | 125 | Semi-Jacketed Hollow Point |
| 357 Sig. | 23734 | 125 | Full Metal Jacket |
| 38 Super Auto +P | 23722 | 130 | Full Metal Jacket |
| 38 Special +P | 23754 | 125 | Semi-Jacketed Hollow Point |
| 38 Special | 23724 | 158 | Lead Round Nose |
| | 23730 | 130 | Full Metal Jacket |
| 380 Auto | 23720 | 95 | Full Metal Jacket |
| 9mm Luger | 23752 | 115 | Jacketed Hollow Point |
| | 23718 | 124 | Full Metal Jacket |
| | 23728 | 115 | Full Metal Jacket |
| | 23732 | 147 | Full Metal Jacket |
| 10mm Auto | 23706 | 180 | Full Metal Jacket |
| 40 S&W | 23694 | 180 | Jacketed Hollow Point |
| | 23742 | 180 | Full Metal Jacket |
| | 23746 | 165 | Full Metal Jacket |
| 44 Remington Magnum | 23744 | 180 | Jacketed Soft Point |
| 45 Auto | 23818 | 185 | Full Metal Jacket |
| | 23726 | 230 | Full Metal Jacket |
| | 23696 | 230 | Jacketed Hollow Point |

| UMC HANDGUN CARTRIDGES (RANGE BUCKETS) | | | |
|--|-----------|------------------|-------------------|
| CARTRIDGE | ORDER NO. | BULLET WT. (GR.) | BULLET TYPE |
| 380 Auto | 23978 | 95 | Full Metal Jacket |
| 38 Special | 23669 | 130 | Full Metal Jacket |
| 9mm Luger | 23635 | 115 | Full Metal Jacket |
| 40 S & W | 23976 | 180 | Full Metal Jacket |
| 45 Auto | 23817 | 230 | Full Metal Jacket |

‡Ammunition with "+P" on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the manufacturer. For more information on ballistics, see pages 206-210.



UMC HANDGUN AMMUNITION ALSO AVAILABLE IN BUCKETS

INNOVATIVE REMINGTON LOADS

THIRTY-SEVEN DIFFERENT RIMFIRE AND CENTERFIRE RIFLE CARTRIDGES CARRY THE REMINGTON NAME.

THEIR BACKSTORIES ARE AS DIVERSE AS THE APPLICATIONS FOR WHICH THEY WERE DEVELOPED.

FAMILY TIES

THE .260 AND 7MM-08 ARE DERIVED FROM THE .308. THE .25-06 AND .280 ARE BASED ON THE .30-06.

WILDCATS MANY ICONIC REMINGTON CARTRIDGES BEGAN AS WILDCATS, INCLUDING:
 .22-250 REM • .25-06 REM • .260 REM • 7MM-08 REM

ELMER KEITH

THE .44 REM MAG. WAS DEVELOPED BY THE LEGENDARY GUN WRITER.

ULTRA MAG

ALL REMINGTON ULTRA MAGNUM CARTRIDGES ARE BASED ON THE .404 JEFFERY.

PERFECT PAIR

THE 7MM REM MAG. WAS INTRODUCED IN 1962 ALONGSIDE THE MODEL 700 BOLT-ACTION RIFLE.

VERSATILE

.223 REM AMMO CAN BE SHOT FROM RIFLES CHAMBERED FOR 5.56 NATO, BUT NOT VICE VERSA.

THE 6.8MM SPC WAS DEVELOPED WITH U.S. SPECIAL FORCES AS A MORE LETHAL ALTERNATIVE TO THE 5.56 NATO.

HOT & FLAT

THE .22-250'S BLAZING SPEED MAKES IT POPULAR WITH OPEN-COUNTRY PREDATOR HUNTERS.

ONE-GUN LOAD

★★ THE .25-06 ★★ CAN BE LOADED FOR EVERYTHING FROM PRAIRIE DOGS TO ELK.

RIMFIRE

PEAK PERFORMANCE IN EVERY BOX.

We're proud to offer one of the broadest selections of high-performance rimfire ammunition available today, and even prouder of the fact we continue to set the standard for accuracy and dependability industry-wide. To achieve this, every round is produced with the same tight tolerances and high level of care we apply to our centerfire ammo. From tin cans to small game to serious competitive pursuits, count on Remington to keep your rimfire dead-center.

SUBSONIC

New Remington Subsonic delivers superior stealth and consistency below the sound barrier. Its tack-driving rimfire performance was developed through a joint effort of Remington and AAC team experts, manufactured with tight velocity control to eliminate supersonic cracks. Driving a copper-plated, hollow-point bullet optimized for reduced lead buildup in silencer ports and maximum effectiveness at lower velocity.

SUBSONIC - 22 LONG RIFLE LOW VELOCITY

Lead HP:



22 GOLDEN BULLET

Legendary 22 Golden Bullet Plated RN and HP bullets are engineered for easy cycling and solid performance. High Velocity increases downrange energy, extending your effective range. Improved priming compound ensures consistent ignition at a great value.

HIGH VELOCITY - 22 SHORT & 22 LONG RIFLE

Plated RN:



Plated HP:



22 TARGET

With 40-grain round nose bullets propelled by powder and primer charges of exacting consistency, Remington 22 Target ammunition delivers match-grade precision and championship performance in every round.

STANDARD VELOCITY - 22 LONG RIFLE

Lead RN:



CBEE 22

Combines low noise with excellent shot-to-shot consistency. Its 33-grain Plated Truncated-Cone HP bullet is ideal for dispatching varmints and small game at close range as quietly as possible. Its tiny report makes it an excellent choice for new shooters as well.

LOW NOISE / LOW VELOCITY - 22 LONG RIFLE

Plated TCHP:




22 VIPER

These Plated Truncated Cone Solid Bullets are renowned for their smooth feeding in any automatic pistol or rifle. The large diameter of the flat nose imparts tremendous shock at the entry point, while the solid bullet retains all of its weight to penetrate deep. These hyper-velocity loads hold their own at the target board as well. For fast-striking, 22 performance, Viper can't be beat.

HYPHER VELOCITY - 22 LONG RIFLE

Plated TCSB:




22 YELLOW JACKET

The smooth feeding and excellent penetration of a Truncated Cone combined with the stopping power and massive wound channel of a Hollow Point. These bullets are specially designed to deliver maximum on-game energy with excellent precision. Yellow Jacket leaves a hyper-velocity sting wherever they're dispatched.

HYPHER VELOCITY - 22 LONG RIFLE

Plated TCHP:



22 CYCLONE

Tin cans. Rabbits. Or a bulls-eye. High Velocity increases downrange energy, extending your effective range with 38-grain hollow point terminal performance. No matter what you put in your sights, Remington Cyclone is the perfect 22 rimfire ammunition for just about any occasion.

HIGH VELOCITY - 22 LONG RIFLE

Lead HP:



22 THUNDERBOLT

They've become the outstanding favorite of 22 owners the world over. These round nose bullets in high-velocity loads cover the broadest range of 22-caliber excitement. No wonder 22 Thunderbolt is our best-selling, and most popular round of all time.

HIGH VELOCITY - 22 LONG RIFLE

Lead RN:



PREMIER MAGNUM

Loaded with AccuTip-V polymer-tipped bullets and manufactured to the highest industry standards, Premier Gold Box rimfire cartridges are super-tuned to deliver unmatched shot-to-shot consistency, pin-point accuracy and explosive terminal performance. It's the ultimate choice for small game, varmint hunting. Available in 17 HMR and 22 Win Mag.



| RIMFIRE - 50 PACKS | | | | |
|------------------------|-----------|------------------|-----------------------------|-------------------|
| PRODUCT LINE | ORDER NO. | BULLET WT. (GR.) | BULLET STYLE | VELOCITY |
| 17 HMR | 28464 | 17 | Accutip | High Velocity |
| 22 Win Mag | 21184 | 33 | Accutip | High Velocity |
| 22 Win Mag | 21170 | 40 | Jacketed Hollow Point | High Velocity |
| 22 Win Mag | 21172 | 40 | Pointed Soft Point | High Velocity |
| 22 Short Golden Bullet | 21000 | 29 | Plated Round Nose | High Velocity |
| 22 LR Golden Bullet | 21008 | 36 | Plated Hollow Point | High Velocity |
| | 21006 | 40 | Plated Round Nose | High Velocity |
| 22 Yellow Jacket | 21074 | 33 | Plated Truncated Cone HP | Hyper Velocity |
| 22 Viper | 21080 | 36 | Plated Truncated Cone Solid | Hyper Velocity |
| 22 Target | 21022 | 40 | Lead Round Nose | Standard Velocity |
| 22 Thunderbolt | 21238 | 40 | Lead Round Nose | High Velocity |
| 22 Cyclone | 21222 | 36 | Lead Hollow Point | High Velocity |
| Subsonic | 21135 | 40 | Copper Plated Tip | Low Velocity |

| RIMFIRE - 100 PACKS | | | | |
|------------------------|-----------|------------------|-----------------------------|-------------------|
| PRODUCT LINE | ORDER NO. | BULLET WT. (GR.) | BULLET STYLE | VELOCITY |
| 22 Short Golden Bullet | 21001 | 29 | Plated Round Nose | High Velocity |
| 22 LR Golden Bullet | 21278 | 36 | Plated Hollow Point | High Velocity |
| | 21276 | 40 | Plated Round Nose | High Velocity |
| 22 Yellow Jacket | 21280 | 33 | Plated Truncated Cone HP | Hyper Velocity |
| 22 Viper | 21288 | 36 | Plated Truncated Cone Solid | Hyper Velocity |
| 22 Target | 21284 | 40 | Lead Round Nose | Standard Velocity |
| Subsonic | 21137 | 40 | Copper Plated Tip | Low Velocity |

| RIMFIRE - 225 PACKS | | | | |
|---------------------|-----------|------------------|---------------------|---------------|
| PRODUCT LINE | ORDER NO. | BULLET WT. (GR.) | BULLET STYLE | VELOCITY |
| 22 LR Golden Bullet | 21229 | 36 | Plated Hollow Point | High Velocity |

| RIMFIRE - 500 PACKS | | | | |
|---------------------|-----------|------------------|-----------------|---------------|
| PRODUCT LINE | ORDER NO. | BULLET WT. (GR.) | BULLET STYLE | VELOCITY |
| 22 Thunderbolt | 21241 | 40 | Lead Round Nose | High Velocity |

| RIMFIRE - 525 PACKS | | | | |
|---------------------|-----------|------------------|---------------------|---------------|
| PRODUCT LINE | ORDER NO. | BULLET WT. (GR.) | BULLET STYLE | VELOCITY |
| 22 Golden Bullet | 21250 | 36 | Plated Hollow Point | High Velocity |

| RIMFIRE - 1400 PACKS | | | | |
|----------------------|-----------|------------------|---------------------|---------------|
| PRODUCT LINE | ORDER NO. | BULLET WT. (GR.) | BULLET STYLE | VELOCITY |
| 22 Golden Bullet | 21231 | 36 | Plated Hollow Point | High Velocity |

For more information on ballistics, see pages 206-210.

ACCESSORIES



REM OIL PRO³



SQUEEG-E



CLEANING ACCESSORIES



SHOTGUN PARTS

| | |
|------------------------------|-----|
| Shotgun Parts | 164 |
| Rifle Parts | 172 |
| Handgun Parts | 176 |
| Rem Oil | 180 |
| Cleaning Kits | 182 |
| Cleaning Accessories | 184 |
| Squeeg-E | 286 |
| Gun Storage & Security | 288 |

SHOTGUN PARTS

TACTICAL SHOTGUN PARTS

Upgrade shotgun to next-level performance with first-quality Remington shotgun parts. Engineered, tested, refined and manufactured to meet or exceed the highest industry standards, and to surpass your expectations.

MODEL 870 SIDE FOLDING STOCK KITS **NEW**

- Ergonomically designed right-hand folding shotgun stock
- VERSAMAX soft touch adjustable cheek piece insert
- QD cup attachment points
- Supercell+ recoil pad; Works with adjustable LOP kit
- Strength exceeded LE requirements
- Includes stock, pad, knuckle and fore-end
- MOE M-LOK® compatible forend

#18604 (12-ga.)
#18815 (20-ga.)



MAG TUBE EXTENTION KIT **NEW**

- Optimized for flush mount when used with 18 1/2" barrel
- Can be utilized for tactical or hunting
- Comes with +3 mag tube extension
- Respective models designed for use with V3 mag6 tube or any 870, 1100 & 11-87 standard mag tube
- Includes new M-LOK barrel clamp



#19542 (Model 870)
#17697 (V3 Field Sport)

MODEL 870 M-LOK BARREL CLAMP **NEW**

- M-LOK barrel clamp for unlimited accessory upgrades
- Compatible with 870, 1100 & 11-87 shotguns
- Backwards compatible with all Remington mag tube extensions
- Reduces mag tube creep and listing during extended use

#19539



M-LOK FOREND **NEW**

- Fits any 870 12-gauge shotgun
- Single piece construction for the utmost in felt and proven durability
- M-LOK compatible accessory slots for user customization and aftermarket upgrades
- Beveled edges for a smooth ergonomic feel compared to competitive models
- Same easy installation as with any standard 870 fore-end
- Perfect option for consumers to upgrade their shotguns for style and usability



V3 FIELD SPORT BARREL **NEW**

- Optimized for tactical/home protection
- Drop-in solution for upgrading or changing barrel length on any V3 shotgun
- Includes a welded rib with bead sight for rapid target acquisition

#80616



SHOTGUN PARTS

STOCKS

For the ultimate in comfort and durability for your firearm, nothing but a Remington original replacement stock will do. Get yours in a weatherproof, lightweight synthetic stock that will never bend or swell, or a handsome laminate wood upgrade that's tough as nails and easy on the eyes. Made in the USA.



V3
Mossy Oak® Shadow Grass Blades



V3
Mossy Oak Break-Up Country



M-LOK FORE-END



VERSAX MAX
Mossy Oak Shadow Grass Blades



VERSAX MAX
Mossy Oak Duck Blind



VERSAX MAX
Realtree® Hardwood AP



VERSAX MAX SPORTSMAN
Mossy Oak Duck Blind



VERSAX MAX SPORTSMAN
Mossy Oak Obsession



VERSAX MAX SPORTSMAN
Realtree AP



MODEL 870
Mossy Oak Shadow Grass Blades



MODEL 870 COMPACT
(13" LOP)
Realtree Hardwood HD



MODEL 870



MODEL 870, 1100 AND 11-87 SHURSHOT
(Camo and black versions available)



MODEL 1100/11-87
Mossy Oak Shadow Grass Blades

SHOTGUN STOCKS

| MODEL | ORDER NO. | TYPE | COLOR | MATERIALS |
|-----------------------------|-----------|---|------------------------------------|-----------|
| V3 | 17885 | 12-ga stock & fore-end set with SuperCell recoil pad | Mossy Oak Shadow Grass Blades Camo | Synthetic |
| V3 | 17886 | 12-ga stock & fore-end set with SuperCell recoil pad | Mossy Oak Break-Up Country Camo | Synthetic |
| VERSAX MAX | 17887 | 12-ga stock & fore-end set with SuperCell recoil pad | Mossy Oak Shadow Grass Blades Camo | Synthetic |
| VERSAX MAX | 17888 | 12-ga stock & fore-end set with SuperCell recoil pad | Mossy Oak Duck Blind Camo | Synthetic |
| VERSAX MAX | 17889 | 12-ga stock & fore-end set with SuperCell recoil pad | Realtree Hardwood AP Camo | Synthetic |
| VERSAX MAX Sportsman | 17977 | 12-ga stock & fore-end set with SuperCell recoil pad | Mossy Oak Duck Blind Camo | Synthetic |
| VERSAX MAX Sportsman | 17978 | 12-ga stock & fore-end set with SuperCell recoil pad | Mossy Oak Obsession Camo | Synthetic |
| VERSAX MAX Sportsman | 17979 | 12-ga stock & fore-end set with SuperCell recoil pad | Realtree Hardwood AP Camo | Synthetic |
| Model 870 | 17824 | 12-ga stock & fore-end set with SuperCell recoil pad | Mossy Oak Shadow Grass Blades Camo | Synthetic |
| Model 870 | 18614 | 12-ga stock & fore-end set with SuperCell recoil pad | Black | Synthetic |
| Model 870 | 19487 | 12-ga Monte Carlo stock & fore-end set with SuperCell recoil pad | Black | Synthetic |
| Model 870 | 18612 | 12-ga stock & fore-end set with SuperCell recoil pad | Realtree Hardwood APG Camo | Synthetic |
| Model 870 | 19488 | 20-ga Monte Carlo stock & fore-end set with SuperCell recoil pad | Black | Synthetic |
| Model 870 ShurShot | 19544 | 12-ga ShurShot stock & fore-end set with SuperCell recoil pad | Black | Synthetic |
| Model 870 ShurShot | 19545 | 12-ga ShurShot stock & fore-end set with SuperCell recoil pad | Mossy Oak Obsession Camo | Synthetic |
| Model 870 ShurShot | 19533 | 20-ga ShurShot stock & fore-end set with SuperCell recoil pad | Black | Synthetic |
| Model 870 | 19526 | 12-ga stock & fore-end set with SuperCell recoil pad | Mossy Oak Obsession Camo | Synthetic |
| Model 870 Compact | 18611 | 12-ga Compact 1" short LOP stock & fore-end set with SuperCell recoil pad (13" LOP) | Black | Synthetic |
| Model 870 Compact | 19527 | 20-ga Compact stock & fore-end set with SuperCell recoil pad (13" LOP) | Black | Synthetic |
| Model 870 Compact | 19530 | 20-ga Compact stock & fore-end set with SuperCell recoil pad (13" LOP) | Realtree Hardwood HD Camo | Synthetic |
| Model 870 Compact | 19529 | 20-ga Compact stock & fore-end set with SuperCell recoil pad (13" LOP) | Mossy Oak Pink Camo | Synthetic |
| Model 870 Compact Jr. | 19528 | 20-ga Compact Jr. stock & fore-end set with SuperCell recoil pad (12" LOP) | Black | Synthetic |
| Model 1100 / 11-87 | 17829 | 12-ga stock & fore-end set with SuperCell recoil pad | Mossy Oak Shadow Grass Blades Camo | Synthetic |
| Model 1100 / 11-87 | 18610 | 12-ga stock & fore-end set with SuperCell recoil pad | Black | Synthetic |
| Model 1100 / 11-87 | 19485 | 12-ga Monte Carlo stock & fore-end set with SuperCell recoil pad | Black | Synthetic |
| Model 1100 / 11-87 | 18608 | 12-ga stock & fore-end set with SuperCell recoil pad | Realtree Hardwood APG Camo | Synthetic |
| Model 1100 / 11-87 ShurShot | 19548 | 12-ga stock & fore-end set with SuperCell recoil pad | Black | Synthetic |
| Model 1100 / 11-87 ShurShot | 19550 | 12-ga stock & fore-end set with SuperCell recoil pad | Realtree Hardwood APG Camo | Synthetic |
| Model 1100 / 11-87 | 19549 | 20-ga Sportsman stock & fore-end set with SuperCell recoil pad | Black | Synthetic |
| Model 1100 / 11-87 Compact | 19551 | 20-ga Sportsman Compact stock & fore-end set with SuperCell recoil pad (13" LOP) | Black | Synthetic |
| Model 870 M-LOK FORE-END | 19538 | 12-ga fore-end | Black | Synthetic |
| Model 870 SIDE FOLDING | 18604 | 12-ga stock | Black | Synthetic |
| Model 870 SIDE FOLDING | 18815 | 20-ga stock | Black | Synthetic |

Note: VERSAX MAX stock sets are compatible with both VERSAX MAX and VERSAX MAX Sportsman models.

All non-serialized items available for direct shipment on www.remington.com/shop

SHOTGUN PARTS

BARRELS

Update your "old reliable" to perform as good as new, or upgrade your current shotgun into a deer, turkey or duck gun. The only fitting barrel for your shotgun is one made by Remington. Made in the USA.



SHOTGUN MAGAZINES

#19542

NEW



M LOK BARREL CLAMP

#19539

NEW



V3 FIELD SPORT

18 1/2" Home Defense
#80616

NEW



MODEL 870 EXPRESS

20" Fully Rifled
#24609



MODEL 870 EXPRESS

23" Vent Rib
#80070



MODEL 870 EXPRESS

18" Home Defense
#24620



MODEL 870 WINGMASTER

28" Vent Rib
#24580



MODEL II-87

21" Cantilever Deer
#24645



MODEL II-87

28" Premier Vent Rib
#80506



MODEL 870 EXTRA BARRELS

| LENGTH & CHOKE | 12 GAUGE | 20 GAUGE ¹ |
|---|--------------------|-----------------------|
| | 19539 | |
| Field Grade, Vent Rib, Wingmaster | | |
| 28" Rem Choke | 24580 ⁵ | - |
| Deer Barrel, Cantilever | | |
| 23" Fully Rifled | 27597 | - |
| 18 1/2" Fully Rifled | - | 27599 |
| SP Deer Barrel, Cantilever | | |
| 21" Fully Rifled Scoped | 24553 ³ | - |
| 18 1/2" Fully Rifled Scoped | - | 27595 |
| Express Bead Sights (18"), Cyl. | 24620 | - |
| Express Bead Sights (18 1/2"), Cyl. | - | 80060 |
| Express Vent Rib | | |
| 20" Full Extended Rem Choke | | 80062 |
| 21" Full Extended Rem Choke | 24615 | - |
| 30" Modified Rem Choke | 24589 | - |
| 28" Modified Rem Choke | 26314 | - |
| 26" Modified Rem Choke | 26312 | 80064 |
| 23" Modified Rem Choke | 80070 | - |
| Express Deer, Rifle Sights (20"), Imp. Cyl. | 24622 | - |
| Express Deer, Fully Rifled, Rifle Sights (20") | 24611 ⁴ | 24609 ⁴ |
| Parkerized | | |
| 14" Modified Bore w/Rifle Sights | 24509 ⁶ | - |
| 14" Modified Bore w/Bead Sights | 24513 ⁶ | - |
| 14" Modified Bore w/XS Rifle Sights | 27129 ⁶ | - |
| 18" Improved Cylinder Bore w/Bead Sights | 24517 | - |
| 18" Improved Cylinder Bore w/Rifle Sights | 26237 | - |

Model 870 extra barrels with 3" chambers used on Super Magnum and Magnum receivers will handle both 2 3/4" and 3" shells only. Use only 2 3/4" shells when these barrels are used on non-Magnum receivers. 1 20-gauge 870 Lightweight barrels will not fit 20-gauge standard 870 guns.
² Rifle-sighted Rem Choke Deer barrels supplied with Rifled and Improved Cylinder Choke tubes. ³ Sold in 5 pack quantities only. ⁴ Express 20-ga. Fully Rifled Deer barrel has 2 3/4" chamber. Model 870 extra barrels with 2 3/4" chambers will fit both Magnum and 2 3/4" receivers. Use only 2 3/4" shells in these barrels. ⁵ Supplied with Full, Mod and IC Rem chokes. ⁶ All NFA rules apply.

V3 FIELD SPORT EXTRA BARREL / 3" CHAMBERS

| LENGTH & CHOKE | 12 GAUGE |
|-------------------------------------|----------|
| XBL, Bead Sights | |
| 18 1/2" Cylinder Bore w/Bead Sights | 80616 |

VERSA MAX EXTRA BARRELS / 3" CHAMBERS

| LENGTH & CHOKE | 12 GAUGE |
|---------------------------------------|----------|
| Field Grade Deer, Rifle Sights | |
| 25" Fully Rifled | 80620 |

MODEL II-87 EXTRA BARRELS / 3" CHAMBERS

| LENGTH & CHOKE | 12 GAUGE | 20 GAUGE ¹ |
|--|----------|-----------------------|
| SP Deer Barrel, Cantilever Scope Mount² | | |
| 21" Fully Rifled | 24645 | - |
| Sportsman Deer Barrel, Cantilever Scope Mount² | | |
| 21" Fully Rifled | - | 27591 |
| SP Deer Barrel, Rifle Sights² | | |
| 21" Fully Rifled | 29609 | - |
| Premiere Vent Rib | | |
| 28" Rem Choke | 80502 | 80506 |

Model 11-87 Deer barrels are not equipped with a pressure-compensating gas system, and will not function with target or light field loads.
¹ 20-gauge 11-87 Lightweight barrels will not fit 20-gauge standard 870 guns. ² Model 11-87 Deer barrels are compatible with Model 1100 G3 shotguns. Fitting Standard Barrels on Light Contour Shotguns - The fore-ends on our Light Contour Model 11-87 shotguns are shaped to follow the curve of the slimmer-profiled LC barrel, which means that a standard Vent Rib or Deer barrel cannot be fitted to your gun unless you do one of two things: have your LC fore-end wood opened up by a competent gunsmith or stockmaker; or purchase a standard profile fore-end from our Arms Service Division by writing to: Arms Service Division, Remington Arms Co., P.O. Box 700, Madison, NC 27025-0700 or visit our website at: www.remington.com.

MODEL 1100 EXTRA BARRELS / 2 3/4" CHAMBERS

| LENGTH & CHOKE | 12 GAUGE |
|---|----------|
| Field Grade Deer, Rifle Sights | |
| 21" Fully Rifled | 26595 |
| Field Grade Deer, Cantilever Scope Mount | |
| 21" Fully Rifled | 29570 |
| Field Grade, Vent Rib | |
| 26" Rem Choke ¹ | 24466 |
| 28" Rem Choke ¹ | 24464 |
| 30" Rem Choke ¹ | 24488 |

¹ Ships with Full, Mod and IC Rem chokes

All non-serialized items available for direct shipment on www.remington.com/shop

SHOTGUN PARTS

CHOKE TUBES

Get the most out of your shotgun with our expansive selection of choke tubes. Available for an array of pursuits, each is performance-tuned to deliver optimum pattern performance in your chosen application. Made in the USA.

REM CHOKES



PRO BORE CHOKES



CHOKE TUBE CASE

- Holds six flush or extended chokes
- Pocket with zipper for wrench
- Heavy-duty zippered Cordura pouch
- Belt loop for carry convenience
- 6 choke tube vials included



#19172 - MSRP \$11.95

Choke tubes and wrench not included



AAC BRAKEOUT 2.0 REM CHOKE

- Machined from solid billet 17-4 stainless steel
- Proven to reduce recoil
- Three-prong design decreases muzzle flash
- Optimized performance with all types of shot (lead or steel) and slugs
- Treated with Black Oxide finish
- Compatible with any shotgun utilizing a Rem Choke thread pattern

#64405

CHOKE TUBE SPEED WRENCH

- Available in 12- and 20-gauge
- Made in the USA

12 ga - #19173
20 ga - #19174



| CHOKE TUBES | | | | | |
|---------------------------------------|-----------|----------------------|-----------|---------------|--|
| CHOKE TUBES | ORDER NO. | TYPE | SHOT TYPE | | |
| Bundles | | | | | |
| Rem Choke 12 ga. Extended | 19149 | IC, Modified & Full | Flush | Steel or Lead | |
| Rem Choke 12 ga. Express | 19773 | IC & Full | Flush | Steel or Lead | |
| Rem Choke 12 ga. + multi-gauge wrench | 19793 | IC & Full | Flush | Steel or Lead | |
| Rem Choke 20 ga. + multi-gauge wrench | 19794 | IC & Full | Flush | Steel or Lead | |
| Choke Tubes | | | | | |
| Rem Choke 12 ga. | 19154 | Modified | Flush | Steel or Lead | |
| Rem Choke 12 ga. | 19155 | Improved Cylinder | Flush | Steel or Lead | |
| Rem Choke 12 ga. | 19607 | Skeet | Flush | Steel or Lead | |
| Rem Choke 12 ga. | 19608 | Improved Skeet | Flush | Steel or Lead | |
| Rem Choke 12 ga. | 19153 | Full | Flush | Steel or Lead | |
| Rem Choke 12 ga. | 19612 | Rifled | Flush | Slugs | |
| Rem Choke 12 ga. | 19609 | Turkey Extra Full | Extended | Lead Only | |
| Rem Choke 12 ga. | 19156 | Turkey Super Full | Extended | Lead Only | |
| Rem Choke 12 ga. | 19616 | Rifled | Extended | Slugs | |
| Rem Choke 12 ga. | 19171 | Predator Ported Full | Extended | Lead Only | |
| Rem Choke 12 ga. | 19170 | Hog Ported Full | Extended | Lead Only | |
| Rem Choke Tactical 12 ga. | 19791 | Tactical Ported | Extended | Lead Only | |
| Rem Choke 20 ga. | 19157 | Full | Flush | Lead Only | |
| Rem Choke 20 ga. | 19158 | Modified | Flush | Steel or Lead | |
| Rem Choke 20 ga. | 19159 | Improved Cylinder | Flush | Steel or Lead | |
| Rem Choke 20 ga. | 19621 | Skeet | Flush | Steel or Lead | |
| Rem Choke 20 ga. | 19625 | Turkey Super Full | Extended | Lead Only | |
| Pro Bore Choke 12 ga. | 19160 | Full | Flush | Steel or Lead | |
| Pro Bore Choke 12 ga. | 19162 | Improved Cylinder | Flush | Steel or Lead | |
| Pro Bore Choke 12 ga. | 19161 | Modified | Flush | Steel or Lead | |
| Pro Bore Choke 12 ga. | 19165 | Light Modified | Extended | Steel or Lead | |
| Pro Bore Choke 12 ga. | 19164 | Modified | Extended | Steel or Lead | |
| Pro Bore Choke 12 ga. | 19166 | Improved Cylinder | Extended | Steel or Lead | |
| Pro Bore Choke 12 ga. | 19163 | Full | Extended | Steel or Lead | |
| Pro Bore Choke 12 ga. | 19167 | Skeet | Extended | Steel or Lead | |
| Pro Bore Choke 12 ga. | 19169 | Predator Ported Full | Extended | Lead Only | |
| Pro Bore Choke 12 ga. | 19168 | Hog Ported Full | Extended | Lead Only | |
| Pro Bore Choke Tactical 12 ga. | 19792 | Tactical Ported | Extended | Lead Only | |



MODEL 870 DM MAGAZINES

- Available in 3- and 6-round
- Made in the USA

3-round - #19717, 6-round - #19718



SUPERCELL RECOIL PAD

- The world's most effective recoil pad
- Generates up to 54% less recoil on our Model 870 against leading competitors' autoloading shotguns
- Innovative design uses millions of tiny super cells that absorb and release energy over a longer time period for a more comfortable shooting experience
- Made in the USA

Wood - #19471, Synthetic - #19472

VERSA MAX LOP SPACER KIT

- Fits all VERSA MAX synthetic stocks #19473 - MSRP \$11.95
- Made in the USA

GAS SYSTEM KIT

- Stainless steel piston/piston seal
- Teflon®-coated barrel seals (3-pack)
- Fits all Model 1100 & 11-87 12-gauge shotguns
- Made in the USA

#19258 (Kit - piston/piston seal and o-rings)
#19264 (3-pack o-rings only)

MAGAZINE CAP WITH SWIVEL STUD

- Fits all Model 870, 1100, and 11-87 12-, 20- and 16-gauge shotguns
- Swivel stud attached for sling
- Swivel stud for rear stock included
- Made in the USA

12 & 16 ga - #19462, 20 ga - #19461

VERSA MAX COMB INSERT

- Made of same tested cellular polyurethane as our SuperCell recoil pad
- Provides comfort and elevation
- Made in the USA

Raised - #19478
Extra High - #19479



SHOTGUN MOUNT

- Saddle style mount allows use for Model 870, 1100 and 11-87

- Available in 12- and 20-ga #19489



SHOTGUN PLUGS

- Standard plug fits most Remington shotguns
- Made in the USA

12 ga - #19451, 20 ga - #17677



MODEL 870 MAGAZINE EXTENSION KIT

- Add more rounds to your 870's shotgun's capacity (12-gauge only)
- Extends magazine chamber:
 - 18" Extension adds 2 extra shots
 - 20" Extension adds 3 extra shots
- Available in Blued or Parkerized finish
- Package includes tube assembly, swivel assembly with screw, magazine extension spring and coupling
- Made in the USA



| MAGAZINE EXTENSION KITS | | | | |
|-------------------------|-----------------|--------------------|------------|-----------------|
| ORDER NO. | MAGAZINES | CALIBER | CAPACITY | MATERIALS |
| 19420 | Model 870 - 18" | Adds 2 Extra shots | Parkerized | Stainless Steel |
| 19422 | Model 870 - 20" | Adds 3 Extra shots | Parkerized | Stainless Steel |

All non-serialized items available for direct shipment on www.remington.com/shop

RIFLE PARTS

MODEL 700 ACTIONS & RECEIVERS

Build your custom rifle on the industry's most trusted and popular platform. Our cylindrical receiver and 3-rings-of-steel, the foundation for our legendary Model 700, are available as aftermarket accessories. Available in right- and left-hand configurations. Made in the USA.

- Available for Remington Model 700 rifles
- X-Mark Pro Externally Adjustable Trigger System
- Available in carbon and stainless steel
- Right- and left-hand actions available



CARBON STEEL

STAINLESS STEEL

| MODEL 700 ACTIONS | | |
|-------------------|--|-----------------|
| ORDER NO. | ACTION | MATERIALS |
| 27347 | Short Action - 223 Bolt Face | Carbon Steel |
| 27553 | Short Action - 308 Bolt Face | Carbon Steel |
| 85389 | Short Action Magnum | Carbon Steel |
| 27555 | Long Action | Carbon Steel |
| 27557 | Long Action Magnum | Carbon Steel |
| 85319 | Long Action Ultra Magnum | Carbon Steel |
| 27559 | Short Action - 308 Bolt Face | Stainless Steel |
| 85322 | Short Action - 308 Bolt Face (LH) | Stainless Steel |
| 27561 | Long Action | Stainless Steel |
| 85323 | Long Action (LH) | Stainless Steel |
| 27563 | Long Action Magnum | Stainless Steel |
| 85324 | Long Action Magnum (LH) | Stainless Steel |
| 85320 | Long Action Ultra Magnum | Stainless Steel |
| 85325 | Short Action Single Shot - 308 Bolt Face | Stainless Steel |

LH - Left Hand

| MODEL 700 RECEIVERS | | |
|---------------------|--------------------------|-----------------|
| ORDER NO. | ACTION | MATERIALS |
| 85270 | Short Action | Carbon Steel |
| 85271 | Long Action | Carbon Steel |
| 85273 | Long Action Ultra Magnum | Carbon Steel |
| 85282 | Short Action | Stainless Steel |
| 85283 | Long Action | Stainless Steel |
| 85285 | Long Action Ultra Magnum | Stainless Steel |

MOUNTS

Lightweight, incredibly strong and providing the most secure attachment possible - keeping your scope and other accessories tight without excessive pressure.

INTEGRAL SCOPE MOUNTS - HIGH

- Available for Remington Model 700 and Model 783 rifles
- Fits 30mm scope tube without inserts or 1" with inserts
- Z-2 alloy construction - 50% stronger than aluminum
- Super strong design - base & lower ring all in one
- Available in black and silver
- Made in the USA

Model 700
Black - #19477
Silver - #19476

Model 783
Black - #19729



597 SCOPE RAIL

- One-piece scope mount rail
- Allows use of Weaver-type rings
- Lightweight and easy to install
- Made in the USA

#18635



INTEGRAL SCOPE MOUNTS - MEDIUM

- Available for Remington Model 700 and Model 783 rifles
- Fits 1" scope tube only
- Z-2 alloy construction - 50% stronger than aluminum
- Available in black and silver
- Made in the USA

Model 700
Black - #19425
Silver - #19424

Model 783
Black - #19731



MAGAZINES

Spend more time shooting, less time reloading. Extra mags made to factory standards of quality to work seamlessly with their matching rifle. Made in the USA.



MODEL 700



MODEL 783



MODEL 7600



MODEL 597



MODEL 770



| MAGAZINES | | | | |
|-----------|---|---|----------|---------------|
| ORDER NO. | MAGAZINES | CALIBER | CAPACITY | MATERIALS |
| 19645 | Model 700 BDL Boxes - BLUED | Short Action - 6mm Rem, 243 Win, 7mm-08 Rem, 308 Win | 4 | Steel |
| 19650 | Model 700 BDL Boxes - BLUED | Long Action - 25-06 Rem, 270 Win, 280 Rem, 30-06 Sprg | 4 | Steel |
| 19651 | Model 700 BDL Boxes - BLUED | Long Action Magnum - 7mm Rem Mag, 300 Win Mag, 338 Win Mag | 3 | Steel |
| 19635 | Model 770/ 710 | Long Action - 30-06 Sprg, 270 Win, 7mm Rem Mag, 300 Win Mag | 3 to 4 | Steel Polymer |
| 19633 | Model 770/ 710 | Short Action - 243 Win, 7mm-08 Rem, 308 Win | 4 | Steel Polymer |
| 19524 | Model 783 | Long Action Magnum - 7mm Rem Mag, 300 Win Mag | 3 | Steel Polymer |
| 19523 | Model 783 | Long Action - 30-06 Sprg, 270 Win | 4 | Steel Polymer |
| 19522 | Model 783 | Short Action - 243 Win, 6.5 Creedmoor, 308 Win | 4 | Steel Polymer |
| 19521 | Model 783 | Short Action - 22-250 Remington | 4 | Steel Polymer |
| 19520 | Model 783 | Short Action - 223 Remington | 5 | Steel Polymer |
| 19636 | Models Six, 7600, 760, 76 | Short Action - 6mm Rem, 7mm-08 Rem, 243 Win, 257 Roberts, 308 Win | 4 | Steel |
| 19637 | Models Six, 7600, 760, 76 | Long Action - 25-06 Rem, 270 Win, 280 Rem, 30-06 Sprg, 35 Whelen | 4 | Steel |
| 19638 | Models Four, 7400, 742, 740, 74, 750 Woodmaster | Short Action - 6mm Rem, 243 Win, 308 Win | 4 | Steel |
| 19642 | Models Four, 7400, 742, 740, 74, 750 Woodmaster | Long Action - 270 Win, 280 Remington, 30-06 Sprg, 35 Whelen | 4 | Steel |
| 19653 | Model 597 - Magnum | 17 HMR, 22 WMR | 8 | Metal |
| 19654 | Model 597 LR | 22 LR | 10 | Metal |
| 19667 | Model 597 LR - Clear | 22 LR | 30 | Polymer |
| 19668 | Model 597 LR - Black | 22 LR | 30 | Polymer |
| 19655 | Models 541, 581 | 22 LR | 10 | Metal |
| 19656 | Model Nylon 77 | 22 LR | 10 | Metal |

All non-serialized items available for direct shipment on www.remington.com/shop

RIFLE PARTS

PISTOL QD MOUNT

- Allows quick, easily attachment of a sling or other accessory to the rear of any firearm using mil-spec AR-15 stock configuration
- Only for use on firearms without a reciprocating bolt
- Beveled edges for enhanced shooter comfort
- Meets military requirements for pull-out force and weight-bearing capabilities
- Compatible with any standard Quick-Detach sling socket accessory

#16204



BOLT DISASSEMBLY TOOL

- Works on Models: 700, Seven, 40X, 660, 721, 722, XR100 and other military models such as the M24 and M40
- 3 easy steps allow for easy removal of firing pin for cleaning and maintenance

#19664

SUPERCCELL RECOIL PAD

- The world's most effective recoil pad
- Dissipates up to 54% less recoil on our Model 870 against leading competitors' autoloading shotguns
- Innovative design uses millions of tiny super cells that absorb and release energy over a longer time period for a more comfortable shooting experience
- Made in the USA

Wood - #19483
Synthetic - #19484



MODEL 700 CHASSIS SHORT ACTION
with SquareDrop Handguard
#19949

STOCKS

For the ultimate in comfort and durability for your firearm, nothing but a Remington replacement stock will do. Get yours in a weatherproof, lightweight synthetic stock that will never bend or swell, or handsome laminate wood upgrade that's tough as nails and easy on the eyes. Made in the USA.



MODEL 783
Mossy Oak® Break-Up Country



MODEL 700
Black Synthetic



SuperCell recoil pad not included

ADJUSTABLE LENGTH OF PULL KIT

- Full 1" of adjustment to customize fit up to standard size
- For young and smaller shooters, or to adjust for different seasons - thin clothing for spring turkeys to thick coats for fall deer
- Kit includes - Two ¼" LOP spacers, One ½" LOP spacer, corresponding screw lengths to accommodate three different lengths
- For most Remington synthetic stocks (rifle and shotgun including V3)
- Made in the USA

#19481

| RIFLE STOCKS | | | | |
|--|-----------|--------------------------------|----------------------------------|-----------|
| MODEL | ORDER NO. | TYPE | COLOR | MATERIALS |
| Model 783 | 19508 | Long Action/Long Action Magnum | Mossy Oak Break-Up Infinity | Synthetic |
| Model 783 | 19507 | Short Action | Mossy Oak Break-Up Infinity | Synthetic |
| Model 700 Chassis (with square drop handguard) | 19949 | Short Action | Black | Aluminum |
| Model 700 ADL | 18581 | Long Action | Black | Synthetic |
| Model 700 (with hinged floorplate) | 18584 | Long Action | Black with Checkering | Synthetic |
| Model 700 (with hinged floorplate) | 18586 | Long Action Magnum | Black with Checkering | Synthetic |
| Model 700 (with hinged floorplate) | 19500 | Short Action | Black with Hogue Overmolded Grip | Synthetic |
| Model 700 (with hinged floorplate) | 19501 | Long Action | Black with Hogue Overmolded Grip | Synthetic |
| Model 700 (with hinged floorplate) | 19502 | Long Action Magnum | Black with Hogue Overmolded Grip | Synthetic |
| Model Seven | 18597 | Short Action | Black | Synthetic |
| Model 7400 | 19491 | Monte Carlo Stock & Fore-end | Black | Synthetic |
| Model 7600 | 19492 | Monte Carlo Stock & Fore-end | Black | Synthetic |

All non-serialized items available for direct shipment on www.remington.com/shop

HANDGUN PARTS

MAGAZINES

Spend more time shooting, less time reloading. Extra mags made to factory standards of quality to work seamlessly with their matching handgun. Made in the USA.



REMINGTON RP9/RP45
10- to 18-Round



MODEL 1911 RI HUNTER
10mm, 8-Round



MODEL 1911 RI
7- and 8-Round




REMINGTON R51
7-Round



REMINGTON RM380
(with extended floorplate)
6-Round

| MAGAZINES | | | | |
|-----------|--|-----------|----------|-----------------|
| ORDER NO. | MAGAZINES | CALIBER | CAPACITY | MATERIALS |
| 17743 | RP | 9mm Luger | 18 | Steel/polymer |
| 17742 | RP | 9mm Luger | 10 | Steel/polymer |
| 17747 | RP | 45 Auto | 15 | Steel/polymer |
| 17746 | RP | 45 Auto | 10 | Steel/polymer |
| 17679 | RM380 | 380 Auto | 6 | Steel/polymer |
| 17696 | R51 | 9mm Luger | 7 | Steel/polymer |
| 17798 | 1911 Hunter - Flush Base - Stainless | 10mm Auto | 8 | Stainless Steel |
| 19623 | 1911 Handgun - Black - Flush Base | 45 Auto | 7 | All steel |
| 19624 | 1911 Handgun - Black - Extended Base | 45 Auto | 8 | All steel |
| 19660 | 1911 Handgun - Flush Base | 45 Auto | 7 | Nickel Plated |
| 19661 | 1911 Handgun - Extended Base | 45 Auto | 8 | Stainless Steel |
| 17803 | 1911 Handgun - Extended Base - Stainless | 40 S&W | 8 | Stainless Steel |
| 17793 | 1911 Handgun - Extended Base | 9mm Luger | 9 | Stainless Steel |
| 17828 | 1911 Double Stack - Aluminum Match Base* | 45 Auto | 16 | Steel/polymer |
| 17827 | 1911 Double Stack - Tactical Base* | 45 Auto | 15 | Steel/polymer |
| 17825 | 1911 Double Stack - Restricted Base* | 45 Auto | 10 | Steel/polymer |
| 17794 | 1911 Double Stack - Aluminum Match Base* | 9mm Luger | 19 | Steel/polymer |
| 17795 | 1911 Double Stack - Tactical Base* | 9mm Luger | 18 | Steel/polymer |
| 17802 | 1911 Double Stack - Restricted Base* | 40 S&W | 18 | Steel/polymer |

*Para Compatible



GRIPS



REMINGTON RM380 GIO
#17369



REMINGTON RM380 ROSEWOOD LAMINATE
#17368



REMINGTON RM380 MACASSAR LAMINATE
#16149



REMINGTON R51 GIO
#17367



REMINGTON R51 LAMINATE
#19996

SIGHTS



REMINGTON RP FIBER OPTIC
#17834



REMINGTON RP TRITIUM NIGHT
#17835



REMINGTON R51 FIBER OPTIC
#17832






REMINGTON R51 TRITIUM NIGHT
#17833

REM OIL PRO³

GIVE YOUR FIREARMS PROTECTION CUBED, ONLY WITH REM OIL PRO³.

Win the war against corrosion, friction and wear before it begins with Rem Oil Pro³. This specially formulated gun care lubricant lays down a protective barrier that cleans grime from exposed metal surfaces while displacing non-visible moisture from metal pores, and lasts up to three to five times longer than other products. Its higher lubricity keeps actions running smoothly, stands up to high-volume use and protects both internal and external metal parts against metal-to-metal wear. Long live your firearms with Rem Oil Pro³.



REM OIL PRO³

- 1-oz. bottle - #18915
- 2-oz. bottle - #18916
- 6-oz. pump - #18920
- 4-oz. aerosol can - #18918
- 10-oz. aerosol can - #18923
- 60-count pop-up wipes - #18922
- Individual wipes - #18921
- Pro³ Cloth - #19947

REM OIL PRO³ MSR

- 2-oz. bottle - #18917
- 10-oz. aerosol can - #18919



Gun care available for purchase at www.remington.com/shop

REM OIL

TODAY'S MOST ADVANCED GUN CARE. BY AMERICA'S MOST TRUSTED GUNMAKER.



REM OIL

Quick, easy way to keep your firearms performing to their full potential. Rem Oil cleans dirt and grime from exposed metal surfaces, while displacing non-visible moisture from metal pores. It also protects internal and external metal parts from rust and corrosion. And the exclusive formula creates a thin, long-lasting film that keeps actions working smoothly by reducing metal-to-metal wear. Available in:

- Travel Size (2.5-oz.) - #16325
- 10-oz. aerosol can - #24027
- 6-oz. spray pump (MoistureGuard) - #18378
- 4-oz. aerosol can - #26610
- 2-oz. bottle with child safe cap - #18366
- 1-oz. bottle with child safe cap - #26617



REM OIL WIPES

Rem Oil Wipes are an efficient way to protect your firearms. Each wipe is treated with Rem Oil, for a quick and easy application of one of the world's most trusted cleaners and lubricants. The individually packaged Rem Oil Wipes are convenient for travel or in your field pack, while the sixty-count canister is a perfect companion for everyone's workbench. Available in:

- Travel Size (24 count) - #16325
- 12 individually wrapped 6"x8" wipes - #18411
- 60-count pop-up canister - #18384
- Single packs in counter display - #18471



REM DRILUBE

- Formulated for superior lubricity without leaving any dust collecting residue behind and is perfect for protecting your firearm in sub-zero temperatures
- Teflon®-based lubricant provides a tough, non-congealing film without the residue of dry graphite lubes
- Keeps firearms functioning dependably to -40°F
- Available in 4-oz. aerosol can - #18396



SHOTGUN CLEANER

- Cleans trigger groups, gas ports, choke tube threading, receivers, chambers, barrels and magazine tubes
- Dissolves powder residue, fouled lubricants, burnt carbon deposits and gunk
- Blasts away gummy caked-on grime from hard-to-reach areas such as ejectors, firing pin assemblies, trigger components and bolt recesses
- Available in 18-oz. aerosol can - #18472



BRITEBORE SOLVENT

- Dissolves carbon and powder fouling, removes copper, lead and plastic deposits
- Handy size for field or range use
- Low odor - contains no CFC's
- Available in:
 - 6-oz. aerosol can - #18394
 - 2-oz. squeeze bottle with child safe cap - #18367



40-X BORE CLEANER

- Formerly Remington Bore Cleaner
- 40-X name ties into the product's origins in Precision Benchrest Shooting
- Formulated for rifles to improve cleaning, accuracy and performance
- Fast and easy to use - no soaking or foul odors
- Contains high polishing compounds to make your bore mirror-clean
- Available in 4-oz. squeeze bottle with child safe cap - #18397



REM ACTION CLEANER

- Easily cleans dirt, powder residue and caked-on lubricants from disassembled actions and fire-control mechanisms
- Dries quickly and leaves no residue
- Available in:
 - 2-oz. squeeze bottle with child safe cap - #19924
 - 4-oz. aerosol can - #19925
 - 10.5-oz. aerosol can - #18395



Gun care available for purchase at www.remington.com/shop

CLEANING KITS

FIELD ROD CLEANING KIT (RIFLE)

- Aluminum rod set and handle
- .223 black plastic patch puller
- Dropper bottle
- Bore brushes for .22/.223/5.56, .243/.25 cal, .270/7mm, .30/7.62mm
- 75 assorted cleaning patches

#17639



UNIVERSAL FAST SNAP 2.0

All you need to clean any firearm, from a .22 pistol or revolver to a 12-gauge shotgun.

- Contains 38 pieces plus 75 patches
- Version 2.0 upgrade includes BriteBore
- Flex Rod System with patented T-handle for quick adaptability
- Cleaner and lubricant included

#16364



FIELD CABLE CLEANING KIT

All cleaning kits include:

- Patch puller
- Pull cable with T-handle
- Cleaning patches
- Compact water resistant tri-fold nylon pouch with close snaps and interior storage
- Oversized pouches include additional room for customization and storage of your favorite cleaning supplies and tools
- Heavy-duty pouch zippers with oversized pull strings for easy handling
- Quick-attach pack strap for convenience & organization



SHOTGUN KIT

Bore brushes include: 12/16-gauge, 20-gauge and a shotgun adaptor

#17574



RIFLE KIT

Bore brushes include: .22/.223/5.56, .270/7mm, .30/7.62mm

#17599

PISTOL KIT

Bore brushes include: .357 / .380/9mm, .40/10mm, .44/.45

#17459



Bore light included

ALL-A-ROUND 2.0 UNIVERSAL KIT


- Cleans all your shotguns, rifles and pistols (.22 caliber to 12-gauge)
- Contains an assortment of brushes, 3-piece brass rod, patches, patch puller and waterproof/stain-resistant Rem Pad
- Bore light
- Portable cleaning station with carry sack for easy transporting wherever you need it

#19546

SPORTSMAN UNIVERSAL KIT

- 27-piece (true count) cleaning kit – includes 50 patches (22 caliber to 12-gauge)
- 3-piece aluminum rod accepts standard 8-32

#19054



CLEANING ACCESSORIES

CARBON FIBER SINGLE P. CLEANING ROD WITH HANDLE

- Each rod comes with a ball-bearing handle
- Rods and handle accept standard 8-32 threads
- Assorted lengths to fit your needs
- All brass fittings for maximum barrel protection during use
- Available in:
 - 12" #16222
 - 32" #16223 (Shown)
 - 40" #16224



CARBON FIBER SINGLE P. CLEANING ROD SET WITH HANDLE

- Set includes 1 of each:
 - Carbon rods (12", 32" and 40")
 - Ball bearing handle
 - Rods and handle accept standard 8-32 threads
 - All brass fittings for maximum barrel protection during use
- #16229



REM BRUSH

- 8-32 standard threads
- Bronze bristles resist corrosion
- Cleans without excessive abrasion
- Available for the following gauges and calibers:

| | | |
|-------------------------|-------|--------|
| 12- / 16-Gauge | | #19028 |
| 20-Gauge | | #19026 |
| 28-Gauge / .410 Bore | | #19025 |
| .17 HMR / .204 / .17 | | #18407 |
| .22 / .223 / 5.56mm | | #19017 |
| .243 / .25 | | #19018 |
| .30 / 7.62mm | | #19020 |
| .357 / .380 / .38 / 9mm | | #19014 |
| .375 | | #18409 |
| .270 / 7mm | | #19019 |
| .40 / 10mm | | #19015 |
| .44 / .45 | | #19023 |
| .50 | | #19225 |



REM MOP

- 100% cotton
- Thick nap
- 8-32 standard threads
- Available for the following gauges and calibers:

| | | |
|-------------------------|-------|--------|
| 10-Gauge | | #18463 |
| 12- / 16-Gauge | | #19035 |
| 20-Gauge | | #19034 |
| 28-Gauge / 410 Bore | | #19033 |
| .22 / .223 / 5.56mm | | #19030 |
| .30 / 7.62mm | | #18456 |
| .357 / .380 / .38 / 9mm | | #19031 |
| .40 / 10mm | | #19032 |
| .44 / .45 | | #18458 |
| .50 | | #19228 |



REM CLOTH WITH MOISTUREGUARD

- 10" x 10" non-abrasive cloth
 - Instantly protects metal surfaces
 - Safe on blued, and all metal finishes
 - Reusable - includes zip seal pouch
 - Washable and can be re-energized by retreating with Rem Oil with MoistureGuard
- #19902



REM PAD GUN CLEANING MATS

- Surface material won't scratch guns or tabletops
- Absorbent top material traps and holds up to eight times its weight in fluids
- Available in three sizes: 10" x 12" #17268
12" x 28" #18812
16" x 54" #18813




BORE LIGHT

- Ideal for inspecting used firearms, cleaning firearms and inspecting bore for obstructions
 - Features a flexible neck for hard to see and reach places
 - LED light emits an intense illuminating glow for detailed inspections
 - Batteries included
- #19495

Gun care available for purchase at www.remington.com/shop

SQUEEG-E


SUPERIOR GUN CARE IN EVERY WAY.




REM SQUEEG-E

- With no patches, saves money and eliminates waste
- Quickly cleans lands and grooves in one pass
- Save up to 15 minutes per gun
- Easy to use with cable or rod
- Available for the following calibers and gauges:

| | |
|-------------------------------------|--------------------------------|
| .22 / .223 / 5.56mm#17123 | .40 / 10 mm#17127 |
| .243 / .25#17125 | .44 / .45#17128 |
| .270 / 7mm#17122 | .50 Cal / 410 Bore#17129 |
| .30 / 7.62mm#17124 | 12 / 16 Gauge#17120 |
| .357 / .380 / .38 / 9mm#17126 | 20 / 28 Gauge#17121 |




LESS TIME CLEANING MEANS MORE TIME FOR EVERYTHING ELSE.



STEP 1

To remove carbon and all other fouling, lubricate a bore brush with REM All-In bore cleaner and pass it through the barrel.



STEP 2

Easily attach your caliber-specific Squeeg-E to your cable or rod and pull from chamber to muzzle. One pass is all it takes to remove all debris.




STEP 3

Squeeg-E cleans quickly and easily with just soap and water.

REMOVES ALL DEBRIS WITH JUST ONE PASS.

Pull your caliber-specific Squeeg-E through the barrel and see the difference. With just one pass, your barrel is completely free of debris and ready to perform to its full potential.



BEFORE



AFTER

SAVE TIME. SAVE MONEY. REDUCE WASTE.

With just one pull, Squeeg-E saves you time. And with no patches, it eliminates waste and saves money, paying for itself year after year.



REM SQUEEG-E UNIVERSAL GUN CLEANING SYSTEM WITH RANGE BAG

- Rem Squeeg-E pull through barrel cleaners (10 sizes)
 - Medium Rem-Pad Mat (12"x28")
 - 2 nylon and brass brushes, 10 multiple-caliber bronze bore brushes
 - Rem All-In Bore Cleaner (1/2 oz.), Rem Oil (1 oz.)
 - Green canvas range bag with shoulder strap
 - Patented Fast Snap T-Handle
 - Rem flex rod cables
 - Yellow gun cloth
- #17096



REM SQUEEG-E UNIVERSAL ROD CLEANING SYSTEM

- 4-pc, 38" brass rod system threaded to universal 8-32
 - Pistol grip handle with 3 attachment points
 - 1 oz. bottle of Rem Oil and .5 oz. Rem All-In Bore Cleaner
 - Modular thermoform case
- #17186



REM SQUEEG-E SHOTGUN CLEANING SYSTEM

- Oversized 5" bronze bore brush
 - 4-piece, 38" versatile brass cleaning rod set
 - 4 oz. Rem Oil, Rem Action and Rem All-In bore cleaner
 - Large Rem Pad
 - Green canvas range bag carries six shotgun boxes
- #17184

REM SQUEEG-E UNIVERSAL FIELD CLEANING SYSTEM

- Kit includes Rem Squeeg-E for every handgun caliber, matching bronze bore brushes, a 6" aluminum cleaning rod with handle and revolver brush adapter, and more
 - 1 oz. Rem Oil and .5 oz. Rem All-In bore cleaner
- #17185



REM SQUEEG-E PISTOL CLEANING SYSTEM

- Kit includes Rem Squeeg-E for every handgun caliber, matching bronze bore brushes, a 6" aluminum cleaning rod with handle and revolver brush adapter, and more
 - 1 oz. Rem Oil and .5 oz. Rem All-In Bore Cleaner
- #17183



Visit remington.com for a complete list of Squeeg-E Cleaning Systems.

GUN STORAGE & SECURITY

SAFETY ORANGE CHAMBER INDICATORS

- Safety Orange
- Nylon 6/6
- Available in:
 - SHOTGUN CHAMBER INDICATOR (Four indicators - fits all shotguns) - #17334
 - RIFLE CHAMBER INDICATOR (Four indicators - fits all rifles/MSRs) - #17335
 - HANDGUN CHAMBER INDICATOR (Four indicators - fits all pistols/handguns) - #17333
 - COMBO PACK OF ALL 3 (2 of each rifle, shotgun and handgun) - #17325



MODEL 365 DEHUMIDIFIER

- Protects up to 60 days before recharging is necessary
- Self-contained unit requires no wiring or extension cords
- Protects 333 cubic feet

#19950



MODEL 500 DEHUMIDIFIER

- Works in a 500-cubic-foot area
- No battery or cord needed
- Works up to 10 years
- Non-toxic, child and pet safe
- Eco-friendly

#19946

REM DRI 35 DESICCANT

- Removes moisture to prevent rust corrosion and eliminates odors in gun safes and cabinets
- No electricity required
- Rechargeable for multiple uses

#19952



GUN LOCKS

- Fits most shotguns, rifles and handguns



Single Trigger Lock #18491

3 Pack Trigger Locks #19439



Cable Lock (California approved) #18364



GUN SOCKS

- Thick 100% polyester fabric protects against dirt and scratches
- Drawstring closure
- Treated with silicon to help protect from rust
- Two sizes available (12" and 52" long)



12" Gun Sock #17269



52" Gun Sock #18494

Gun care available for purchase at www.remington.com/shop



PROUD PARTNERS IN OUTDOOR EXCELLENCE.



Dedicated to the betterment of the white-tailed deer and its environment by raising funds in support of educational programs, wildlife habitat enhancement and acquisition, and preservation of the hunting tradition and shooting sports for future generations.



Committed to uniting millions of union sportsmen and sportswomen into one community with a shared commitment to educate future generations of sportsmen, conserve healthy wildlife habitat and volunteer their time and skills for projects that improve access to quality places to hunt, fish and shoot.



Leading in the area of waterfowl conservation in North America by providing knowledge, leaders and science-based solutions that efficiently conserve waterfowl and secure the future for waterfowl hunting.



Dedicated to the conservation of wetland and associated upland habitats for waterfowl, other wildlife and people.



The mission of the Boone and Crockett Club to promote the conservation and management of wildlife, especially big game, and its habitat, to preserve and encourage hunting and to maintain the highest ethical standards of fair chase and sportsmanship in North America.



Ensuring the future of elk, other wildlife, their habitat and our hunting heritage.



Protecting the right to keep and bear arms, furthering the shooting sports, marksmanship and safety training and preserving our hunting traditions.



Promotes the conservation of Mule deer, Blacktail deer and their habitats.



Committed to conserving wild turkeys throughout North America and preserving our hunting heritage.



Committed to uniting millions of union sportsmen and sportswomen into one community with a shared commitment to educate future generations of sportsmen, conserve healthy wildlife habitat and volunteer their time and skills for projects that improve access to quality places to hunt, fish and shoot.



Dedicated to the conservation of pheasants, quail and other wildlife through habitat improvements, public awareness, education and land stewardship.



Promoting the protection and enhancement of wildlife habitat, providing quality wildlife management programs, educating the public about the role hunters play in wildlife conservation, and perpetuating the tradition of hunting and fishing.



Preparing young people to make ethical and moral choices over their lifetimes by instilling in them the values of the Scout Oath and Law.

SHOTGUN SPECIFICATIONS

| VERSA MAX SHOTGUN DIMENSIONS / AVERAGE WEIGHTS | | | | | | | | | | | | | |
|---|------------------|--|-----------|-------------|---------------------------|--|------------------------------------|-----------------------------|--------------------------|----------------------------------|------------------------------------|--|-------------------------------|
| MODEL | GAUGE/BBL LENGTH | MAG. CAPACITY | ORDER NO. | BARREL TYPE | SIGHTS | RECEIVER FINISH | OVERALL LENGTH | LENGTH OF PULL ¹ | DROP (COMB) ² | DROP (HEEL) ² | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
| VERSA MAX Black Synthetic ¹ | 12/28" | 3 (2¾" or 3" shells) 2 (3½" shells) | 81042 | Vent Rib | HiViz/ Interchangeable | Anodized Aluminum | 49 ¹⁵ / ₁₆ " | 14¼" | 1½" | 2 ⁷ / ₁₆ " | Synthetic, w/ Over-Molded Grips | Black Synthetic | 7 ³ / ₄ |
| VERSA MAX Black Synthetic ¹ | 12/26" | 3 (2¾" or 3" shells) 2 (3½" shells) | 81043 | Vent Rib | HiViz/ Interchangeable | Anodized Aluminum | 47 ¹⁵ / ₁₆ " | 14¼" | 1½" | 2 ⁷ / ₁₆ " | Synthetic, w/ Over-Molded Grips | Black Synthetic | 7 ³ / ₄ |
| VERSA MAX Waterfowl Pro ⁴ Mossy Oak Shadow Grass Blades Camo | 12/28" | 3 (2¾" or 3" shells) 2 (3½" shells) | 83205 | Vent Rib | HiViz/ Interchangeable | Anodized Aluminum w/Camo | 49 ¹⁵ / ₁₆ " | 14¼" | 1½" | 2 ⁷ / ₁₆ " | Synthetic, w/ Over-Molded Grips | Mossy Oak Shadow Grass Blades Camo | 7 ³ / ₄ |
| VERSA MAX Waterfowl Mossy Oak Duck Blind Camo ² | 12/28" | 3 (2¾" or 3" shells) 2 (3½" shells) | 81048 | Vent Rib | HiViz/ Interchangeable | Anodized Aluminum w/Camo | 49 ¹⁵ / ₁₆ " | 14¼" | 1½" | 2 ⁷ / ₁₆ " | Synthetic, w/ Over-Molded Grips | Mossy Oak Duck Blind Camo | 7 ³ / ₄ |
| VERSA MAX Waterfowl Realtree AP Camo ² | 12/26" | 3 (2¾" or 3" shells) 2 (3½" shells) | 81054 | Vent Rib | HiViz/ Interchangeable | Anodized Aluminum w/Camo | 47 ¹⁵ / ₁₆ " | 14¼" | 1½" | 2 ⁷ / ₁₆ " | Synthetic, w/ Over-Molded Grips | Realtree AP Camo | 7 ³ / ₄ |
| VERSA MAX Competition Tactical ¹ | 12/22" | 10 (2¾" shells) 12 w/extension | 81029 | Vent Rib | Adjustable | Anodized Aluminum w/ Green Cerakote | 43 ¹⁵ / ₁₆ " | 14¼" | 1½" | 2 ⁷ / ₁₆ " | Synthetic, w/ Over-Molded Grips | Black Synthetic | 8 |
| VERSA MAX Tactical ³ | 12/22" | 8 (2¾" shells) 7 (3" shells) | 81059 | Vent Rib | HiViz/ Interchangeable | Anodized Aluminum | 43 ¹⁵ / ₁₆ " | 14¼" | 1½" | 2 ⁷ / ₁₆ " | Synthetic, w/ Over-Molded Grips | Black Synthetic | 7 ³ / ₄ |

¹ Supplied with Flush Mount ProBore Choke Tubes – Improved Cylinder, Light Modified, Modified, Improved Modified and Full. ² Supplied with Extended ProBore Choke Tubes – Over Decoys, Flooded Timber, Pass Shooting and Turkey/Predator. ³ Supplied with Flush Mount ProBore Improved Cylinder choke tube, and ProBore Extended Tactical choke tube. ⁴ Supplied with Extended ProBore Choke Tubes – Skeet, Improved Cylinder, Light Modified, Modified and Full. ⁵ Adjustable

| VERSA MAX LEFT HAND SHOTGUN DIMENSIONS / AVERAGE WEIGHTS | | | | | | | | | | | | | |
|--|------------------|--|-----------|-------------|---------------------------|-----------------------------|------------------------------------|-----------------------------|--------------------------|----------------------------------|------------------------------------|------------------------------|-------------------------------|
| MODEL | GAUGE/BBL LENGTH | MAG. CAPACITY | ORDER NO. | BARREL TYPE | SIGHTS | RECEIVER FINISH | OVERALL LENGTH | LENGTH OF PULL ¹ | DROP (COMB) ² | DROP (HEEL) ² | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
| VERSA MAX Left-Hand Black Synthetic ¹ | 12/28" | 3 (2¾" or 3" shells) 2 (3½" shells) | 83500 | Vent Rib | HiViz/ Interchangeable | Anodized Aluminum | 47 ¹⁵ / ₁₆ " | 14¼" | 1½" | 2 ⁷ / ₁₆ " | Synthetic, w/ Over-Molded Grips | Black Synthetic | 7 ³ / ₄ |
| VERSA MAX Left-Hand Waterfowl Mossy Oak Duck Blind Camo ² | 12/28" | 3 (2¾" or 3" shells) 2 (3½" shells) | 83506 | Vent Rib | HiViz/ Interchangeable | Anodized Aluminum w/Camo | 49 ¹⁵ / ₁₆ " | 14¼" | 1½" | 2 ⁷ / ₁₆ " | Synthetic, w/ Over-Molded Grips | Mossy Oak Duck Blind Camo | 7 ³ / ₄ |

¹ Supplied with Flush Mount ProBore Choke Tubes – Improved Cylinder, Light Modified, Modified, Improved Modified and Full. ² Adjustable

| VERSA MAX SPORTSMAN SHOTGUN DIMENSIONS / AVERAGE WEIGHTS | | | | | | | | | | | | | |
|--|------------------|--|-----------|-------------------------------|---------------------------|-----------------------------|------------------------------------|----------------|-------------|----------------------------------|----------------|-----------------------------|-------------------------------|
| MODEL | GAUGE/BBL LENGTH | MAG. CAPACITY | ORDER NO. | BARREL TYPE | SIGHTS | RECEIVER FINISH | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
| VERSA MAX Sportsman Black Synthetic ¹ | 12/28" | 3 (2¾" or 3" shells) 2 (3½" shells) | 81045 | Vent Rib | HiViz/ Interchangeable | Anodized Aluminum | 49 ¹⁵ / ₁₆ " | 14¼" | 1½" | 2 ⁷ / ₁₆ " | Synthetic | Black Synthetic | 7 ³ / ₄ |
| VERSA MAX Sportsman Black Synthetic ¹ | 12/26" | 3 (2¾" or 3" shells) 2 (3½" shells) | 81046 | Vent Rib | HiViz/ Interchangeable | Anodized Aluminum | 47 ¹⁵ / ₁₆ " | 14¼" | 1½" | 2 ⁷ / ₁₆ " | Synthetic | Black Synthetic | 7 ³ / ₄ |
| NEW VERSA MAX Sportsman, Synthetic Stock (Realtree® Edge) without Overmold | 12/26" | 3 (2¾" or 3" shells) 2 (3½" shells) | 81037 | Vent Rib | HiViz/ Interchangeable | Anodized Aluminum w/Camo | 47 ¹⁵ / ₁₆ " | 14¼" | 1½" | 2 ⁷ / ₁₆ " | Synthetic | Camo | 7 ³ / ₄ |
| NEW VERSA MAX Sportsman, Synthetic Stock (Mossy Oak™ Bottomland) without Overmold | 12/28" | 3 (2¾" or 3" shells) 2 (3½" shells) | 81038 | Vent Rib | HiViz/ Interchangeable | Anodized Aluminum w/Camo | 47 ¹⁵ / ₁₆ " | 14¼" | 1½" | 2 ⁷ / ₁₆ " | Synthetic | Camo | 7 ³ / ₄ |
| VERSA MAX Sportsman Mossy Oak Obsession Camo | 12/22" | 3 (2¾" or 3" shells) 2 (3½" shells) | 81028 | Smooth Barrel Rifle Sights | HiViz/ Interchangeable | Anodized Aluminum w/Camo | 43 ¹⁵ / ₁₆ " | 14¼" | 1½" | 2 ⁷ / ₁₆ " | Synthetic | Mossy Oak Obsession Camo | 7 ³ / ₄ |

¹ Supplied with Flush Mount Pro Bore Choke Tubes – Improved Cylinder, Light Modified, Modified, Improved Modified and Full. ² Supplied with Extended Pro Bore Choke Tubes – Over Decoys, Flooded Timber, Pass Shooting and Turkey/Predator.

| V3 SHOTGUN DIMENSIONS / AVERAGE WEIGHTS | | | | | | | | | | | | | |
|--|------------------|----------------------|-----------|------------------------|--------------|----------------------------------|----------------------------------|----------------|-------------|----------------------------------|----------------|---------------------------------------|--------------------------------|
| MODEL | GAUGE/BBL LENGTH | MAG. CAPACITY | ORDER NO. | BARREL TYPE | SIGHTS | RECEIVER FINISH | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
| V3 Field Sport Black Synthetic | 12/28" | 3 (2¾" or 3" shells) | 83400 | Light Contour Vent Rib | Twin Bead | Black Oxide | 49" | 14¼" | 1½" | 2 ⁷ / ₁₆ " | Synthetic | Black Oxide | 7¼ |
| V3 Field Sport Black Synthetic | 12/26" | 3 (2¾" or 3" shells) | 83401 | Light Contour Vent Rib | Twin Bead | Black Oxide | 47" | 14¼" | 1½" | 2 ⁷ / ₁₆ " | Synthetic | Black Oxide | 7¼ |
| V3 Field Sport Waterfowl Pro | 12/28" | 3 (2¾" or 3" shells) | 83435 | Light Contour Vent Rib | Twin Bead | Realtree Maxx | 49" | 14¼" | 1½" | 2 ⁷ / ₁₆ " | Synthetic | Realtree Maxx 5 Camo | 7½ |
| V3 Field Sport Waterfowl Pro | 12/28" | 3 (2¾" or 3" shells) | 83437 | Light Contour Vent Rib | Twin Bead | Mossy Oak Shadow Glass Blades | 49" | 14¼" | 1½" | 2 ⁷ / ₁₆ " | Synthetic | Mossy Oak Shadow Grass Blades Camo | 7½ |
| NEW V3 Waterfowl Pro Realtree Timber | 12/28" | 3 (2¾" or 3" shells) | 83439 | Light Contour Vent Rib | Twin Bead | Realtree Timber Camo | 49" | 14¼" | 1½" | 2 ⁷ / ₁₆ " | Synthetic | Camo | 7½ |
| V3 Turkey Pro | 12/22" | 3 (2¾" or 3" shells) | 83445 | Light Contour Vent Rib | TruGlo Optic | Realtree Edge | 41 ³ / ₄ " | 13" | 1½" | 2 ¹ / ₄ " | Synthetic | Black Oxide | 7 ³ / ₈ |
| V3 Field Sport Camo | 12/28" | 3 (2¾" or 3" shells) | 83406 | Light Contour Vent Rib | Twin Bead | Mossy Oak Blades Camo | 49" | 14¼" | 1½" | 2 ⁷ / ₁₆ " | Synthetic | Mossy Oak Blades Camo | 7¼ |
| NEW V3 Field Sport 12/26 RC VT Mossy Oak™ Obsession NWTf | 12/26" | 3 (2¾" or 3" shells) | 83418 | Light Contour Vent Rib | Twin Bead | Mossy Oak Obsession NWTf Camo | 47" | 14¼" | 1½" | 2 ⁷ / ₁₆ " | Synthetic | Camo | 7¼ |
| V3 Field Sport Walnut | 12/28" | 3 (2¾" or 3" shells) | 83420 | Light Contour Vent Rib | Twin Bead | Black Oxide | 49" | 14¼" | 1½" | 2 ⁷ / ₁₆ " | Walnut | Satin | 7¼ |
| V3 Field Sport Walnut | 12/26" | 3 (¾" or 3" shells) | 83421 | Light Contour Vent Rib | Twin Bead | Black Oxide | 47" | 14¼" | 1½" | 2 ⁷ / ₁₆ " | Walnut | Satin | 7 ¹ / ₈ |
| V3 Field Sport Compact | 12/22" | 3 (¾" or 3" shells) | 83402 | Light Contour Vent Rib | Twin Bead | Black Oxide | 41 ³ / ₄ " | 13" | 1½" | 2 ¹ / ₄ " | Synthetic | Black Oxide | 6 ⁷ / ₁₆ |
| NEW V3 Competition Tactical | 12/22" | 3 (¾" or 3" shells) | 83440 | Light Contour Vent Rib | Twin Bead | Green Cerakote | 41 ³ / ₄ " | 14¼" | 1½" | 2 ⁷ / ₁₆ " | Oxide | Black Synthetic | 7¾ |
| NEW V3 Tactical Rifle Sights | 12/18" | 3 (¾" or 3" shells) | 83441 | Light Contour Vent Rib | Twin Bead | Black Oxide | 39¼" | 14¼" | 1½" | 2 ⁷ / ₁₆ " | Oxide | Black Synthetic | 7¼ |
| NEW V3 Tactical Bead Sight | 12/18" | 3 (¾" or 3" shells) | 83442 | Light Contour Vent Rib | Twin Bead | Black Oxide | 39¼" | 14¼" | 1½" | 2 ⁷ / ₁₆ " | Oxide | Black Synthetic | 7 ³ / ₈ |

| MODEL 11-87 SPORTSMAN MAGNUM SHOTGUN DIMENSIONS / AVERAGE WEIGHTS | | | | | | | | | | | | | |
|---|----------------------------|---------------|-------------------------|--|-------------|--------------------------------|---|----------------|-------------|---------------------------------|-----------------|--------------|---|
| MODEL | GAUGE/BBL LENGTH | MAG. CAPACITY | ORDER NO. | BARREL TYPE ¹ | SIGHTS | RECEIVER FINISH | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
| 11-87 Sportsman Field Walnut w/Fleur-De-Lis Checkering | 12/28" 20/26" | 4 | 83700 83704 | Vent Rib Rem Choke Mod ⁴ | Dual Bead | Matte Blue | 48 ³ / ₈ " 46" | 14" | 1½" | 2 ¹ / ₂ " | American Walnut | Satin | 8¼ 7¼ |
| 11-87 Sportsman Black Synthetic | 12/28" 12/26" 20/26" | 4 | 29879 29881 29827 | Vent Rib Rem Choke Mod ⁴ | Single Bead | Matte Blue | 48" 46" 46" | 14" | 1½" | 2 ¹ / ₂ " | Synthetic | Matte Black | 8¼ 8¼ 7 ¹ / ₈ |
| 11-87 Sportsman Compact Synthetic ² | 20/21" | 4 | 83626 | Vent Rib Rem Choke Mod ⁴ | Single Bead | Matte Black, Non-Reflective | 40¼" | Adj. | 1½" | 2 ¹ / ₂ " | Synthetic | Matte Black | 6½ |

¹ Model 11-87 Deer barrels are not equipped with a pressure-compensating gas system, and will not function with target or light field loads. ² Includes new adjustable LOP kit for up to 1" of extra adjustment. ³ Model 11-87 Sportsman shotguns have 3" chambers and will cycle 2 3/4" and 3" shotshells. ⁴ NOTE: All Model 11-87 Sportsman shotguns with a Rem Choke barrel come equipped with Modified Rem Choke tubes.

SHOTGUN SPECIFICATIONS

| COMPETITION SHOTGUNS DIMENSIONS / AVERAGE WEIGHTS | | | | | | | | | | | | | |
|---|-----------------------|---------------|-----------|--|-----------|------------------|----------------|-----------------------------------|----------------------------------|-------------|-------------------------|--------------|----------------|
| MODEL | GAUGE/BORE BBL LENGTH | MAG. CAPACITY | ORDER NO. | BARREL TYPE | SIGHTS | RECEIVER FINISH | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
| 1100 Classic Trap | 12/30" | 4 | 25333 | Lt. Contour Rib Rem Choke ² | Twin Bead | High Polish Blue | 50½" | 14½" | 1 ⁷ / ₁₆ " | 2" | Semi-Fancy Amer. Walnut | Hi-Gloss | 8¼ |
| 1100 Competition Synthetic | 12/30" | 4 | 82821 | Vent Rib Pro Bore | Twin Bead | Nickel | 50½" | Not Adj. | Adj. | Adj. | Synthetic | C. Graphite | 8¼ |
| 1100 Sporting 12 | 12/28" | 4 | 25315 | Lt. Contour Rib Rem Choke ³ | Twin Bead | High Polish Blue | 49" | 14 ⁷ / ₁₆ " | 1½" | 2¼" | Semi-Fancy Amer. Walnut | Hi-Gloss | 8 |
| 1100 Sporting 20 (LI) | 20/28" | 4 | 25399 | Lt. Contour Rib Rem Choke ³ | Twin Bead | High Polish Blue | 49" | 14" | 1½" | 2½" | Semi-Fancy Amer. Walnut | Hi-Gloss | 7 |
| 1100 Sporting 28 | 28/27" | 4 | 29583 | Vent Rib Rem Choke ³ | Twin Bead | High Polish Blue | 47¾" | 14" | 1½" | 2½" | Semi-Fancy Amer. Walnut | Hi-Gloss | 6½ |
| 1100 Sporting 410 | 410 bore/27" | 4 | 29549 | Vent Rib Rem Choke ¹ | Twin Bead | High Polish Blue | 47¾" | 14" | 1½" | 2½" | Semi-Fancy Amer. Walnut | Hi-Gloss | 6¼ |

¹ Model 1100 Sporting 410 shotguns have 3" chambers and will cycle 2 1/2" and 3" shotshells. ² These guns are supplied with special Rem Chokes, Mid Handicap (.034"), Singles (.027"), and Long Handicap (.041"). ³ NOTE: Model 1100 Sporting Shotguns are equipped with four extended Briley Rem Choke tubes (Skeet, Improved Cylinder, Light Modified and Modified.) ⁴ Model 1100 shotguns have 2 3/4" chambers, unless otherwise noted. ⁵ Model 1100 Competition Synthetic shotgun is supplied with Pro Bore chokes (Skeet, Improved Cylinder, Light Modified, Modified and Full). It has approximately 14 1/4" Length of Pull and is not adjustable.

| TACTICAL / HOME DEFENSE SHOTGUN DIMENSIONS / AVERAGE WEIGHTS | | | | | | | | | | | | | |
|---|--------------------|------------------------------------|----------------|-------------------------|---------------------------|----------------------|------------------------------------|----------------|---------------|----------------------------------|------------------------------------|-----------------|----------------|
| MODEL | GAUGE/BBL LENGTH | MAG. CAPACITY | ORDER NO. | BARREL TYPE | SIGHTS | RECEIVER FINISH | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
| 870 Express Synthetic Tactical | 12/18½" 20/18½" | 4 6 | 25549 81100 | Fixed Cylinder Choke | Single Bead | Matte Blue | 38½" 38¾" | 14" | 1½" | 2 ¹ / ₂ " | Synthetic | Matte Black | 7½ 6 |
| 870 Express Tactical (w/XS Ghost Ring Sights) | 12/18½" | 6 | 81198 | Rem Choke ¹ | XS Ghost Ring | Matte Blue | 38½" 40½" (choke) | 14" | 1½" | 2½" | Synthetic | Matte Black | 7½ |
| 870 Express Synthetic Tactical (7-Round Capacity) | 12/18½" | 6 | 25077 | Fixed Cylinder Choke | Single Bead | Matte Blue | 38½" | 14" | 1½" | 2½" | Synthetic | Matte Black | 7½ |
| 870 Express Synthetic 18½" | 12/18½" | 4 | 25549 | Fixed Cylinder Choke | Single Bead | Matte Blue | 38½" | 14" | 1½" | 2½" | Synthetic | Matte Black | 7¼ |
| 870 Express Hardwood Home Defense | 12/18½" | 4 | 25559 | Fixed Cylinder Choke | Single Bead | Matte Blue | 38½" | 14" | 1½" | 2½" | Hardwood | Satin | 7½ |
| 870 Express Hardwood Home Defense | 12/18½" | 6 | 81197 | Fixed Cylinder Choke | Single Bead | Matte Blue | 38½" | 14" | 1½" | 2½" | Hardwood | Satin | 7½ |
| Model 870 Express Tactical 6-Position Stock, Hogue Pistol Grip | 12/18½" | 6 | 81212 | Fixed Cylinder Choke | Single bead | Matte Blue | 36"-39" | 11"-14" | 1½" | 1½" | Synthetic | Matte Black | 7½ |
| Model 870 Express Tactical Magpul | 12/18½" | 6 | 81192 | Fixed Cylinder Choke | Single bead | Single bead | 38½" | 14" | 1½" | 2½" | Synthetic | Matte Black | 7½ |
| Model 870 Express Tactical Side Folder | 12/18½" 20/18½" | 6+1 | 81210 81223 | Fixed Cylinder Choke | Single bead | Matte Blue | 38½" | 13½" (Adj.) | 1½" (Adj.) | 2" | Synthetic | Black | 8 |
| VERSA MAX Tactical ³ | 12/22" | 8 (2¾" shells) 7 (3" shells) | 81059 | Vent Rib | HiViz/ Interchangeable | Anodized Aluminum | 43 ¹⁵ / ₁₆ " | 14¼" | 1½" | 2 ⁷ / ₁₆ " | Synthetic, w/ Over-Molded Grips | Black Synthetic | 7¾ |

¹ Note: Supplied with Extended Rem Choke Tactical Tube.

| MODEL 870 DM SHOTGUN DIMENSIONS / AVERAGE WEIGHTS | | | | | | | | | | | | | |
|--|------------------|---------------|-----------|-------------------------|-------------------------|-----------------------|----------------|----------------|-------------|-------------|----------------|--------------------|----------------|
| MODEL | GAUGE/BBL LENGTH | MAG. CAPACITY | ORDER NO. | BARREL TYPE | SIGHTS | RECEIVER FINISH | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
| Model 870 DM | 12/18½" | 6 | 81350 | Fixed Cylinder Choke | Single bead | Matte Blue | 38½" | 14" | 1½" | 2½" | Synthetic | Matte Black | 7½ |
| Model 870 DM Magpul, Magpul Stock | 12/18½" | 6 | 81352 | Rem Choke ²⁵ | XS Ghost Ring Sights | Matte Blue | 38½" | 14" | 1½" | 2½" | Synthetic | Matte Black | 7½ |
| Model 870 DM Predator, ShurShot Stock | 12/18½" | 6 / 3 | 81354 | Rem Choke ²⁹ | XS Ghost Ring Sights | Kryptek Highlander | 38½" | 14" | 1½" | 2½" | Synthetic | Kryptek Highlander | 7½ |
| Model 870 DM Hardwood, Hardwood Stock | 12/18½" | 6 | 81351 | Fixed Cylinder Choke | Single bead | Matte Blue | 38½" | 14" | 1½" | 2½" | Hardwood | Satin | 7½ |
| Model 870 DM Tactical, Pistol Grip Buttstock & Tactical Corncob Fore-end, Tactical Choke | 12/18½" | 6 | 81360 | Rem Choke ²⁵ | XS Ghost Ring Sights | Matte Blue | 38½" | 14" | 1½" | 2½" | Synthetic | Matte Black | 7½ |

| MODEL 870 WINGMASTER SHOTGUN DIMENSIONS / AVERAGE WEIGHTS | | | | | | | | | | | | | |
|---|---------------------------------------|---------------|----------------|--|-----------|-------------------|----------------|----------------|-------------|-------------|----------------|--------------|----------------|
| MODEL | GAUGE/BORE ¹ BBL LENGTH | MAG. CAPACITY | ORDER NO. | BARREL TYPE | SIGHTS | RECEIVER FINISH | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
| Wingmaster | 12/28" 12/26" | 4 | 26927 26929 | Light Contour Vent Rib Rem Choke ² | Twin Bead | High Polish Blued | 48½" 46½" | 1 | | | | | |

SHOTGUN SPECIFICATIONS

MODEL 870 SPECIAL PURPOSE SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

| MODEL | GAUGE/BBL LENGTH | MAG. CAPACITY | ORDER NO. | BARREL TYPE | SIGHTS | RECEIVER FINISH | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
|--|------------------|----------------------|-----------|-----------------------------------|------------------|---------------------------|----------------|----------------|-------------|-------------|----------------|---------------------|----------------|
| 870 SPS Super Slug | 12 (3") 25½" | 4 (2¾" & 3) | 82101 | Fully Rifled Extra Heavy (Fluted) | Drilled & Tapped | Matte Blue | 47" | 13¾" | 1½" | 2" | Synthetic | Mossy Oak Treestand | 7½ |
| 870 SPS Super Mag Turkey/Predator w/Scope w/Overmolded Grips | 12 (3½") 20" | 3 (3½"), 4 (2¾" & 3) | 81062 | Clean Barrel Bead Sight Rem Choke | TruGlo Red Dot | Mossy Oak Obsession | 40½" | 13¾" | 1½" | 2" | Synthetic | Mossy Oak Obsession | 7½ |
| 870 Marine Magnum ² | 12 (3") 18" | 6 | 25012 | Fixed Cylinder Choke | Single Bead | Electroless Nickel-Plated | 38½" | 14" | 1½" | 2½" | Synthetic | Matte Black | 7½ |

¹ All 3" and 3 ½" chambers also handle 2 ¾" shells. ² Will not accept certain law enforcement accessories.

MODEL 870 EXPRESS SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

| MODEL | GAUGE (BORE)/ BBL LENGTH | MAG. CAPACITY | ORDER NO. | BARREL TYPE | SIGHTS | RECEIVER FINISH | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
|--|--------------------------|---------------|-------------|---|------------------------|------------------------|----------------|----------------|--------------|-------------|-----------------------|---------------------------|----------------|
| 870 Express | 12/28" 12/26" | 4 | 25568 25569 | Vent Rib Rem Choke (Mod) | Single Bead | Matte Blue | 48½" 46½" | 14" | 1½" | 2½" | Hardwood | Satin | 7½ 7¼ |
| 870 Express Magnum w/ShurShot | 12/21" | 4 | 81114 | Vent Rib Rem Choke (Turkey Extra Full) | Single Bead | Mossy Oak Obsession | 42½" | 13¾" | 1½" | 2" | Synthetic | Mossy Oak Obsession | 7¾ |
| 870 Express | 20/28" 20/26" | 4 | 25583 25582 | Vent Rib Rem Choke (Mod) | Single Bead | Matte Blue | 48½" 46½" | 14" | 1½" | 2½" | Hardwood | Satin | 6½ 6¼ |
| 870 Express | 410/25" | 4 | 25601 | Fixed Full Choke | Single bead | Matte Blue | 45½" | 14" | 1½" | 2½" | Hardwood | Satin | 5¾ |
| 870 Express Lam. Compact ⁴ | 20/21" | 4 | 25561 | Vent Rib Rem Choke (Mod) | Single Bead | Matte Blue | 40½" | 13" | 1½" | 2¼" | Hardwood | Satin | 6½ |
| 870 Express Synthetic | 12/28" 12/26" | 4 | 25587 25589 | Vent Rib Rem Choke (Mod) | Single Bead | Matte Blue | 48½" 46½" | 14" | 1½" | 2½" | Synthetic | Matte Black | 7½ 7¼ |
| 870 Express Turkey Camo | 12/21" | 4 | 81115 | Vent Rib Rem Choke (Turkey Extra Full) | Single Bead w/HiViz | Mossy Oak New Break-Up | 41½" | 14" | 1½" | 2½" | Synthetic | Mossy Oak New Break-Up | 7¼ |
| 870 Express Compact ¹ | 20/21" | 4 | 81148 | Vent Rib Rem Choke (Mod) | Single Bead | Matte Blue | 40½" | 13" Adj. | 1½" | 2½" | Synthetic | Matte Black | 6 |
| 870 Express Compact Jr. ¹ | 20/18¾" | 4 | 81161 | Vent Rib Rem Choke (Mod) | Single Bead | Matte Blue | 37¼" | 12" Adj. | 1½" | 2" | Synthetic | Matte Black | 5¾ |
| NEW 870 Express TRAP | 12/30" | 4 | 81063 | Vent Rib Rem Choke (Mod) | Single Bead | Black | 50½" | 14" (14½"/6") | 1½" (1½"/6") | 2½" | Hardwood | Black | 7½ |
| 870 Express Compact Pink Blaze Camo ¹ | 20/21" | 4 | 81150 | Vent Rib Rem Choke (Mod) | Single Bead | Matte Blue | 40½" | 13" Adj. | 1½" | 2½" | Synthetic | Mossy Oak Pink Blaze Camo | 6 |
| 870 Express Synthetic Fully Rifled Deer | 12/20" | 4 | 25097 | Fully Rifled | Rifle Sight | Matte Blue | 40½" | 14" | 1½" | 1¾" | Monte Carlo Synthetic | Matte Black | 7 |
| 870 Express Deer | 12/20" | 4 | 25565 | Fixed Imp. Cyl. Choke | Rifle Sight | Matte Blue | 40½" | 14" | 1½" | 1¾" | Monte Carlo Laminate | Satin | 7¼ |
| 870 Express Fully Rifled Deer | 12/20" | 4 | 25575 | Fully Rifled | Rifle Sight | Matte Blue | 40½" | 14" | 1½" | 1¾" | Monte Carlo Laminate | Satin | 7¼ |
| 870 Express Synthetic Fully Rifled Cantilever | 12/23" | 4 | 25090 | Fully Rifled Heavy Contour Fully Rifled | Cantilever Scope Mount | Matte Blue | 43¾" | 14" | 1½" | 1¾" | Monte Carlo Synthetic | Matte Black | 8 |
| 870 Express Left Hand | 12/28" | 4 | 25577 | Vent Rib Rem Choke (Mod) | Single Bead | Matte Blue | 48½" | 14" | 1½" | 2½" | Hardwood | Satin | 7½ |

¹ Includes new adjustable LOP kit for up to 1" of extra adjustment. ² Supplied with sling swivel studs. ³ Model 870 Express shotguns have 3" chambers, unless otherwise noted, and will cycle 2 ¾" and 3" shotshells. ⁴ Wood laminate stock model does not include Length of Pull Kit.

MODEL 870 EXPRESS SUPER MAG SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

| MODEL | GAUGE/BBL LENGTH | MAG. CAPACITY | ORDER NO. | BARREL TYPE | SIGHTS | RECEIVER FINISH | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
|--|---------------------------|----------------------|-------------|--|---|-------------------------------|----------------------|----------------|-------------|-------------|----------------|-------------------------------|----------------|
| 870 Express Super Mag Turkey/Waterfowl Camo | 12/26" | 3 (3½") 4 (2¾" & 3") | 81125 | Vent Rib Rem Choke ^{3,4} | HiViz | Mossy Oak Bottomland | 46" | 14" | 1½" | 2½" | Synthetic | Mossy Oak Bottomland | 7¼ |
| 870 Express Super Mag Waterfowl Camo ² | 12 (3½")/28" | 3 (3½") 4 (2¾" & 3") | 81111 | Vent Rib Rem Choke ³ | HiViz | Mossy Oak Duck Blind | 48" | 14" | 1½" | 2½" | Synthetic | Mossy Oak Duck Blind | 7½ |
| NEW Model 870™ Express® Super Magnum™ Waterfowl | 12 (3½")/28" | 3 (3½") 4 (2¾" & 3") | 81113 | Rem® Choke 24 | HiViz | Realtree Max5 | 48" | 14" | 1½" | 2½" | Synthetic | Camo | 7½ |
| 870 Express Super Mag | 12 (3½")/28" | 3 (3½") 4 (2¾" & 3") | 25100 | Vent Rib Rem Choke (Mod) | Single Bead | Matte Black Non-Reflect | 48" | 14" | 1½" | 2½" | Hardwood | Satin | 7½ |
| 870 Express Super Mag Synthetic | 12 (3½")/28" 12 (3½")/26" | 3 (3½") 4 (2¾" & 3") | 25103 25102 | Vent Rib Rem Choke (Mod) | Single Bead | Matte Black Non-Reflect | 48" 46" | 14" | 1½" | 2½" | Synthetic | Matte Black | 7¼ 7½ |
| 870 Express Super Mag Waterfowl Camo ² | 12 (3½")/28" | 3 (3½") 4 (2¾" & 3") | 81074 | Vent Rib Rem Choke ³ | HiViz | Mossy Oak Shadow Grass Blades | 48½" | 14" | 1½" | 2½" | Synthetic | Mossy Oak Shadow Grass Blades | 7½ |
| 870 Express Super Mag Extra Barrel Combo | 12 (3½")/26" 12 (3)/20" | 3 (3½") 4 (2¾" & 3") | 25114 | Vent Rib Rem Choke (Mod.) Fully Rifled (Deer) ² | Single Bead (Vent Rib) Rifle Sight (Deer) | Matte Black Non-Reflect | 46" (VR) 40½" (Deer) | 14" | 1½" | 2½" | Hardwood | Satin | 7¼ |

¹ Supplied with sling swivel studs. ² Model 870 Express Super Magnum shotguns have 3 ½" chambers and will cycle 2 ¾", 3" and 3 ½" shotshells. ³ Supplied with Rem Choke "Over-Decoys" choke tube. ⁴ Turkey Extra Full Rem Choke tube. ⁵ Combo Deer barrel has 3" chamber.

MODEL 870 EXPRESS EXTRA BARREL COMBO SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

| MODEL | GAUGE/BBL LENGTH | MAG. CAPACITY | ORDER NO. | BARREL TYPE | SIGHTS | RECEIVER FINISH | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
|--|--|---------------|-----------|---|---|-----------------|-----------------------------------|----------------|-------------|-------------|----------------|--------------|----------------|
| 870 Express Combo | 12/26" (Vent Rib) 12/20" (Fully Rifled Deer) | 4 | 25578 | Vent Rib Rem Choke (Mod.) Fully Rifled Deer | Single Bead (Vent Rib) Rifle Sight (Deer BBL) | Matte Blue | 46¼" (Vent Rib) 40½" (Deer BBL) | 14" | 1½" | 2½" | Hardwood | Satin | 7¼ |
| 870 Express Combo | 20/26" (Vent Rib) 20/20" (Fully Rifled Deer) | 4 | 25597 | Vent Rib Rem Choke (Mod.) Fully Rifled Deer | Single Bead (Vent Rib) Rifle Sight (Deer BBL) | Matte Blue | 46½" (Vent Rib) 40½" (Deer BBL) | 14" | 1½" | 2½" | Hardwood | Satin | 6½ |
| 870 Express Synthetic Compact Combo | 20/21" (Vent Rib) 20/20" (Fully Rifled) | 4 | 25659 | Vent Rib Rem Choke (Mod.) Fully Rifled Deer | Single Bead (Vent Rib) Rifle Sight (Deer BBL) | Matte Blue | 40½" (Vent Rib) 39½" (Deer BBL) | 13" | 1½" | 2¼" | Synthetic | Matte Black | 6 |
| 870 Express Synthetic Field & Home Combo | 12/23" (Fully Rifled) 12/28" (Vent Rib) | 4 | 81280 | Vent Rib Rem Choke (Mod.) Fully Rifled Deer | Single Bead (Vent Rib) Cantilever (Deer BBL) | Matte Blue | 48½" (Vent Rib) 43½" (Deer BBL) | 14" | 1½" | 2¼" | Synthetic | Matte Black | 6 |
| 870 Express Combo | 12/26" (Vent Rib) 12/18½" (Vent Rib) | 4 | 81291 | Vent Rib Rem Choke Fixed Cylinder Choke | Single Bead | Matte Blue | 48½" (Vent Rib) 38½" (Fixed Cyl.) | 14" | 1½" | 2¼" | Synthetic | Matte Black | 6 |
| 870 Express Field & Home Combo | 12/28" (Vent Rib) 12/18½" (Vent Rib) | 4 | 81293 | Vent Rib Rem Choke (Mod.) Fully Rifled Deer | Single Bead | Matte Blue | 48½" (Vent Rib) 43½" (Deer BBL) | 14" | 1½" | 2¼" | Synthetic | Matte Black | 6 |

¹ Supplied with sling swivel studs. ² Model 870 Express Super Magnum shotguns have 3 ½" chambers and will cycle 2 ¾", 3" and 3 ½" shotshells. ³ Supplied with Rem Choke "Over-Decoys" choke tube. ⁴ Turkey Extra Full Rem Choke tube. ⁵ Combo Deer barrel has 3" chamber.

SPECIALTY FIREARM SPECIFICATIONS

MODEL 870 TAC-14 FIREARM DIMENSIONS / AVERAGE WEIGHTS

| MODEL | GAUGE/BBL LENGTH | MAG. CAPACITY | ORDER NO. | BARREL TYPE | SIGHTS | RECEIVER FINISH | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
|--------------------------------|------------------|---------------|-------------|-------------|-------------|---------------------------|----------------|----------------|-------------|-------------|----------------|--------------|----------------|
| Model 870 Tac-14 | 12/14" 20/14" | 4 | 81230 81145 | Cyl.-Bore | Single bead | Matte Blue | 26¾" | – | – | – | Synthetic | Matte Black | 5½ |
| Model 870 Tac-14 Marine Magnum | 12/14" | 4 | 81312 | Cyl.-Bore | Single bead | Electroless Nickel Plated | 26¾" | – | – | – | Synthetic | Matte Black | 5½ |
| Model 870 Tac-14 Arm Brace | 12/14" | 5 | 81240 | Cyl.-Bore | Single bead | Matte Blue | 33½" | – | – | – | Synthetic | Matte Black | 6 |
| Model 870 Tac-14 Hardwood | 12/14" | 5 | 81231 | Cyl.-Bore | Single bead | Matte Blue | 26¾" | – | – | – | Hardwood | Satin | 6 |
| Model 870 DM Tac-14 | 12/14" | 6 | 81348 | Cyl.-Bore | Single bead | Matte Blue | 26¾" | – | – | – | Synthetic | Matte Black | 6 |

V3 TAC-13 FIREARM DIMENSIONS / AVERAGE WEIGHTS

| MODEL | GAUGE/BBL LENGTH | MAG. CAPACITY | ORDER NO. | BARREL TYPE | SIGHTS | RECEIVER FINISH | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
|-----------|------------------|---------------|-----------|-------------|-------------|-----------------|----------------|----------------|-------------|-------------|----------------|--------------|----------------|
| V3 Tac-13 | 12/13" | 5 | 83392 | Cyl.-Bore | Single bead | Matte Blue | 26.3 | – | – | – | Synthetic | Matte Black | 5½ |

RIFLE SPECIFICATIONS

MODEL 700 PCR (PRECISION CHASSIS RIFLE)

| ORDER NO. | CALIBER | MAG. CAPACITY | BARREL LENGTH | TWIST-RH I TURN IN | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | BARREL MATERIAL | BARREL FINISH | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
|------------------|---------------|---------------|---------------|--------------------|----------------|----------------|-------------|-------------|-----------------|----------------|----------------|--------------|----------------|
| NEW 84578 | 6mm Creedmoor | 10 | 24" | 7½" | 43¾" | Adj | Adj | Adj | Carbon Steel | Black Cerakote | Aluminum | Black | 11½ |
| NEW 84579 | 6.5 Creedmoor | 10 | 24" | 8" | 43¾" | Adj | Adj | Adj | Carbon Steel | Black Cerakote | Aluminum | Black | 11½ |
| NEW 84580 | 308 Win | 10 | 24" | 10" | 43¾" | Adj | Adj | Adj | Carbon Steel | Black Cerakote | Aluminum | Black | 11½ |
| NEW 84598 | 6mm Creedmoor | 5 | 24" | 3" | 43¾" | Adj | Adj | Adj | Carbon Steel | Black Cerakote | Aluminum | Black | 11½ |
| NEW 84599 | 6.5 Creedmoor | 5 | 24" | 7½" | 43¾" | Adj | Adj | Adj | Carbon Steel | Black Cerakote | Aluminum | Black | 11½ |
| NEW 84597 | 308 Win | 5 | 24" | 10" | 43¾" | Adj | Adj | Adj | Carbon Steel | Black Cerakote | Aluminum | Black | 11½ |

MODEL 700 MAGPUL ENHANCED

| ORDER NO. | CALIBER | MAG. CAPACITY | BARREL LENGTH | TWIST-RH I TURN IN | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | BARREL MATERIAL | BARREL FINISH | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
|-----------|---------------|---------------|---------------|--------------------|----------------|----------------|-------------|-------------|-----------------|----------------|----------------|-----------------|----------------|
| 84301 | 308 Win | 10 | 20" | 10 | 39½" | 13 | ¾" | ¾" | Carbon Steel | Black Cerakote | Polymer | Flat Dark Earth | 8½ |
| 84303 | 6mm Creedmoor | 10 | 20" | 10 | 39½" | 13 | ¾" | ¾" | Carbon Steel | Black Cerakote | Polymer | Flat Dark Earth | 8½ |
| 84302 | 6.5 Creedmoor | 10 | 20" | 8 | 39½" | 13 | ¾" | ¾" | Carbon Steel | Black Cerakote | Polymer | Flat Dark Earth | 8½ |
| 84304 | 300 Win Mag | 10 | 24" | 8 | 43½" | 13 | ¾" | ¾" | Carbon Steel | Black Cerakote | Polymer | Flat Dark Earth | 8½ |

MODEL 700 MAGPUL

| ORDER NO. | CALIBER | MAG. CAPACITY | BARREL LENGTH | TWIST-RH I TURN IN | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | BARREL MATERIAL | BARREL FINISH | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
|-----------|---------------|---------------|---------------|--------------------|----------------|----------------|-------------|-------------|-----------------|----------------|----------------|---------------|----------------|
| 84291 | 260 Remington | 5 | 22" | 8" | 41½" | 13" | ¾" | ¾" | Carbon Steel | Black Cerakote | Synthetic | Magpul Hunter | 9 |
| 84293 | 308 Win | 5 | 22" | 10" | 41½" | 15" | ¾" | ¾" | Carbon Steel | Black Cerakote | Synthetic | Magpul Hunter | 9 |
| 84295 | 6.5 Creedmoor | 5 | 22" | 10" | 41½" | 15" | ¾" | ¾" | Carbon Steel | Black Cerakote | Synthetic | Magpul Hunter | 9 |
| 84286 | 300 Win Mag | 5 | 24" | 10" | 43½" | 13" | ¾" | ¾" | Carbon Steel | Black Cerakote | Synthetic | Magpul Hunter | 9 |

MODEL 700 TACTICAL CHASSIS

| ORDER NO. | CALIBER | MAG. CAPACITY | BARREL LENGTH | TWIST-RH I TURN IN | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | BARREL MATERIAL | BARREL FINISH | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
|-----------|---------------|---------------|---------------|--------------------|----------------|----------------|-------------|-------------|---------------------|----------------|----------------|--------------|----------------|
| 84474 | 308 Win | 5 | 24" | 10" | 46¼" | 15¼" - 16½" | Adj. | – | 416 Stainless Steel | Black Cerakote | Aluminum | Black | 11¾ |
| 84475 | 300 Win Mag | 5 | 24" | 10" | 48" | 15¼" - 16½" | Adj. | – | 416 Stainless Steel | Black Cerakote | Aluminum | Black | 12¼ |
| 84477 | 338 Lapua Mag | 5 | 26" | 10" | 50" | 15¼" - 16½" | Adj. | – | 416 Stainless Steel | Black Cerakote | Aluminum | Black | 12½ |

MODEL 700 STAINLESS 5R

| ORDER NO. | CALIBER | MAG. CAPACITY | BARREL LENGTH | TWIST-RH I TURN IN | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | BARREL MATERIAL | BARREL FINISH | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
|-----------|---------------|---------------|---------------|--------------------|----------------|----------------|-------------|-------------|-----------------|--------------------|----------------|-------------------|----------------|
| 29663 | 308 Win | 4 | 24" | 11¼" | 43¾" | 13¾" | 1¼" | 1½" | Stainless Steel | Polished Stainless | H.S. Precision | Black w/Green Web | 8½ |
| 85504 | 223 Remington | 5 | 24" | 9" | 43¾" | 13¾" | 1¼" | 1½" | Stainless Steel | Polished Stainless | H.S. Precision | Black w/Green Web | 8½ |
| 85505 | 300 Win Mag | 3 | 26" | 10" | 45¾" | 13¾" | 1¼" | 1½" | Stainless Steel | Polished Stainless | H.S. Precision | Black w/Green Web | 8½ |

MODEL 700 STAINLESS 5R THREADED

| ORDER NO. | CALIBER | MAG. CAPACITY | BARREL LENGTH | TWIST-RH I TURN IN | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | BARREL MATERIAL | BARREL FINISH | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
|-----------|---------|---------------|---------------|--------------------|----------------|----------------|-------------|-------------|-----------------|--------------------|----------------|-------------------|----------------|
| 85200 | 308 Win | 4 | 20" | 11¼" | 39¾" | 13¾" | 1¼" | 1½" | Stainless Steel | Polished Stainless | H.S. Precision | Black w/Green Web | 8½ |
| 85507 | | | | | | | | | | | | | |

RIFLE SPECIFICATIONS

| MODEL 700 STAINLESS 5R THREADED GEN 2 | | | | | | | | | | | | | |
|---------------------------------------|---------------|---------------|---------------|--------------------|----------------|----------------|-------------|-------------|-----------------|----------------|----------------|------------------|----------------|
| ORDER NO. | CALIBER | MAG. CAPACITY | BARREL LENGTH | TWIST-RH I TURN IN | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | BARREL MATERIAL | BARREL FINISH | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
| 85196 | 308 Win | 4 | 20" | 11¼" | 39¾" | 13¾" | 1¼" | 1½" | Stainless Steel | Black Cerakote | H.S. Precision | Sand w/Black Web | 8½ |
| 85201 | 308 Win | 4 | 24" | 11¼" | 43¾" | 13¾" | 1¼" | 1½" | Stainless Steel | Black Cerakote | H.S. Precision | Sand w/Black Web | 8½ |
| 85197 | 300 Win Mag | 3 | 24" | 10" | 43¾" | 13¾" | 1¼" | 1½" | Stainless Steel | Black Cerakote | H.S. Precision | Sand w/Black Web | 8½ |
| 85198 | 6.5 Creedmoor | 4 | 24" | 8" | 43¾" | 13¾" | 1¼" | 1½" | Stainless Steel | Black Cerakote | H.S. Precision | Sand w/Black Web | 8½ |

| MODEL 700 XCR COMPACT TACTICAL | | | | | | | | | | | | | |
|--------------------------------|---------|---------------|---------------|--------------------|----------------|----------------|-------------|-------------|---------------------|---------------|------------------------------------|--------------|----------------|
| ORDER NO. | CALIBER | MAG. CAPACITY | BARREL LENGTH | TWIST-RH I TURN IN | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | BARREL MATERIAL | BARREL FINISH | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
| 84467 | 308 Win | 4 | 20" | 10" | 39¾" | 13¾" | 1¼" | 1½" | 416 Stainless Steel | Black TriNyte | H.S. Precision Aramid Fiber Reinf. | OD Green | 7½ |

| MODEL 700 XCR TACTICAL LONG RANGE | | | | | | | | | | | | | |
|-----------------------------------|------------------|---------------|---------------|--------------------|----------------|----------------|-------------|-------------|---------------------|---------------|------------------------------------|--------------|----------------|
| ORDER NO. | CALIBER | MAG. CAPACITY | BARREL LENGTH | TWIST-RH I TURN IN | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | BARREL MATERIAL | BARREL FINISH | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
| 84461 | 308 Win | 4 | 26" | 10" | 45¾" | 13¾" | 1¼" | 1½" | 416 Stainless Steel | Black TriNyte | Bell & Carlson Aramid Fiber Reinf. | OD Green | 8½ |
| 84462 | 300 Win Mag | 3 | 26" | 10" | 45¾" | 13¾" | 1¼" | 1½" | 416 Stainless Steel | Black TriNyte | Bell & Carlson Aramid Fiber Reinf. | OD Green | 8½ |
| 84463 | 338 Lapua Magnum | 5 | 26" | 10" | 45¾" | 13¾" | 1¼" | 1½" | 416 Stainless Steel | Black TriNyte | Bell & Carlson Aramid Fiber Reinf. | OD Green | 8½ |

| MODEL 700 SPS TACTICAL | | | | | | | | | | | | | |
|------------------------|------------------|---------------|---------------|--------------------|----------------|----------------|-------------|-------------|-----------------|---------------|------------------|---------------|----------------|
| ORDER NO. | CALIBER | MAG. CAPACITY | BARREL LENGTH | TWIST-RH I TURN IN | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | BARREL MATERIAL | BARREL FINISH | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
| 85549 (A) ¹ | 223 Remington | 5 | 16½" | 9" | 36¼" | 13¾" | 1¼" | 1½" | Carbon Steel | Matte Blue | Hogue Overmolded | Ghillie Green | 7½ |
| 84205 (A) ¹ | 300 AAC Blackout | 5 | 16½" | 7" | 36¼" | 13¾" | 1¼" | 1½" | Carbon Steel | Matte Blue | Hogue Overmolded | Ghillie Green | 7½ |
| 85538 (A) ¹ | 308 Win | 4 | 16½" | 10" | 36¼" | 13¾" | 1¼" | 1½" | Carbon Steel | Matte Blue | Hogue Overmolded | Ghillie Green | 7½ |
| 84203 (A) ¹ | 308 Win | 4 | 20" | 10" | 39¾" | 13¾" | 1¼" | 1½" | Carbon Steel | Matte Blue | Hogue Overmolded | Ghillie Green | 7½ |
| 84204 (A) ¹ | 6.5 Creedmoor | 4 | 22" | 8" | 39¾" | 13¾" | 1¼" | 1½" | Carbon Steel | Matte Blue | Hogue Overmolded | Ghillie Green | 7½ |
| 84206 | 223 Remington | 5 | 20" | 9" | 39¾" | 13¾" | 1¼" | 1½" | Carbon Steel | Matte Blue | Hogue Overmolded | Matte Black | 7½ |
| 84207 | 308 Win | 4 | 20" | 10" | 39¾" | 13¾" | 1¼" | 1½" | Carbon Steel | Matte Blue | Hogue Overmolded | Matte Black | 7½ |
| 85551 | 6.5 Creedmoor | 4 | 22" | 8" | 41¾" | 13¾" | 1¼" | 1½" | Carbon Steel | Coyote Tan | Hogue Overmolded | Matte Black | 7½ |

¹ (A) AAC-SD with 5/8x24 Threaded Muzzle

| MODEL 700 SPS THREADED BARREL | | | | | | | | | | | | | |
|-------------------------------|---------------|---------------|---------------|--------------------|----------------|----------------|-------------|-------------|-----------------|---------------|----------------|--------------|----------------|
| ORDER NO. | CALIBER | MAG. CAPACITY | BARREL LENGTH | TWIST-RH I TURN IN | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | BARREL MATERIAL | BARREL FINISH | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
| 84158 | 223 Remington | 5 | 20" | 9" | 39¾" | 13¾" | 1¼" | 1½" | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7 |
| 84159 | 308 Win | 4 | 20" | 10" | 39¾" | 13¾" | 1¼" | 1½" | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7 |
| 84160 | 243 Win | 4 | 20" | 9½" | 39¾" | 13¾" | 1¼" | 1½" | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7 |
| 84161 | 30-06 SPRG | 4 | 20" | 10" | 40½" | 13¾" | 1¼" | 1½" | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7¼ |

| MODEL 700 AWR | | | | | | | | | | | | | |
|---------------|----------------------|---------------|---------------|--------------------|----------------|----------------|-------------|-------------|---------------------|----------------|----------------------------|--------------------------|----------------|
| ORDER NO. | CALIBER | MAG. CAPACITY | BARREL LENGTH | TWIST-RH I TURN IN | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | BARREL MATERIAL | BARREL FINISH | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
| 84550 | 270 Win | 4 | 24" | 10" | 44½" | 13½" | 1¼" | 1½" | 416 Stainless Steel | Black Cerakote | Grayboe Fiberglass & Epoxy | Brown with Black Webbing | 7¾ |
| 84551 | 30-06 SPRG | 4 | 24" | 10" | 44½" | 13½" | 1¼" | 1½" | 416 Stainless Steel | Black Cerakote | Grayboe Fiberglass & Epoxy | Brown with Black Webbing | 7¾ |
| 84555 | 300 Win Mag | 3 | 24" | 10" | 44½" | 13½" | 1¼" | 1½" | 416 Stainless Steel | Black Cerakote | Grayboe Fiberglass & Epoxy | Brown with Black Webbing | 7¾ |
| 84556 | 338 Win Mag | 3 | 24" | 10" | 44½" | 13½" | 1¼" | 1½" | 416 Stainless Steel | Black Cerakote | Grayboe Fiberglass & Epoxy | Brown with Black Webbing | 7¾ |
| 84552 | 7mm Remington Magnum | 3 | 24" | 9¼" | 44½" | 13½" | 1¼" | 1½" | 416 Stainless Steel | Black Cerakote | Grayboe Fiberglass & Epoxy | Brown with Black Webbing | 7¾ |
| 84557 | 300 Remington Magnum | 3 | 26" | 10" | 46½" | 13½" | 1¼" | 1½" | 416 Stainless Steel | Black Cerakote | Grayboe Fiberglass & Epoxy | Brown with Black Webbing | 7¾ |
| 84558 | 338 Remington Ultra | 3 | 26" | 10" | 46½" | 13½" | 1¼" | 1½" | 416 Stainless Steel | Black Cerakote | Grayboe Fiberglass & Epoxy | Brown with Black Webbing | 7¾ |

| MODEL 700 ADL (WITH SCOPE) | | | | | | | | | | | | | |
|----------------------------|----------------------|---------------|---------------|--------------------|----------------|----------------|-------------|-------------|-----------------|---------------|----------------|--------------|----------------|
| ORDER NO. | CALIBER | MAG. CAPACITY | BARREL LENGTH | TWIST-RH I TURN IN | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | BARREL MATERIAL | BARREL FINISH | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
| 84601 | 22-250 Remington | 4 | 24" | 14" | 43½" | 13¾" | 1¼" | 1½" | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7¼ |
| 84600 | 223 Remington | 5 | 24" | 9" | 43½" | 13¾" | 1¼" | 1½" | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7¼ |
| 27093 | 243 Win | 4 | 24" | 9½" | 43½" | 13¾" | 1¼" | 1½" | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7¼ |
| 27094 | 270 Win | 4 | 24" | 10" | 44½" | 13¾" | 1¼" | 1½" | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7¾ |
| 85407 | 308 Win | 4 | 24" | 10" | 43½" | 13¾" | 1¼" | 1½" | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7¼ |
| 85447 | 6.5 Creedmoor | 4 | 24" | 8" | 43½" | 13¾" | 1¼" | 1½" | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7¼ |
| 27095 | 30-06 SPRG | 4 | 24" | 10" | 44½" | 13¾" | 1¼" | 1½" | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7¾ |
| 27097 | 7mm Remington Magnum | 3 | 26" | 9¼" | 46½" | 13¾" | 1¼" | 1½" | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7½ |
| 27099 | 300 Win Mag | 3 | 26" | 10" | 46½" | 13¾" | 1¼" | 1½" | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7½ |
| 27092 | 243 Win | 4 | 20" | 9½" | 39¾" | 12½" | 1¼" | 1½" | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7¼ |

RIFLE SPECIFICATIONS

| MODEL 700 ADL SS (WITH SCOPE) | | | | | | | | | | | | | |
|-------------------------------|------------|---------------|---------------|--------------------|----------------|----------------|-------------|-------------|-----------------|---------------|----------------|--------------|----------------|
| ORDER NO. | CALIBER | MAG. CAPACITY | BARREL LENGTH | TWIST-RH I TURN IN | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | BARREL MATERIAL | BARREL FINISH | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
| 85486 | 243 Win | 4 | 24" | 9½" | 43½" | 13¾" | 1¼" | 1½" | Stainless Steel | Satin | Synthetic | Matte Black | 7¼ |
| 85488 | 270 Win | 4 | 24" | 10" | 44½" | 13¾" | 1¼" | 1½" | Stainless Steel | Satin | Synthetic | Matte Black | 7¾ |
| 85490 | 308 Win | 4 | 24" | 10" | 43½" | 13¾" | 1¼" | 1½" | Stainless Steel | Satin | Synthetic | Matte Black | 7¼ |
| 85491 | 30-06 SPRG | 4 | 24" | 10" | 44½" | 13¾" | 1¼" | 1½" | Stainless Steel | Satin | Synthetic | Matte Black | 7¾ |

| MODEL 700 BDL | | | | | | | | | | | | | |
|---------------|-------------------|---------------|---------------|--------------------|----------------|----------------|-------------|-------------|-----------------|---------------|-----------------|--------------|----------------|
| ORDER NO. | CALIBER | MAG. CAPACITY | BARREL LENGTH | TWIST-RH I TURN IN | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | BARREL MATERIAL | BARREL FINISH | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
| 25787 | 243 Win | 4 | 22" | 9½" | 41½" | 13½" | 1" | 1½" | Carbon Steel | Polished Blue | American Walnut | Gloss | 7¼ |
| 25791 | 270 Win | 4 | 22" | 10" | 42½" | 13½" | 1" | 1½" | Carbon Steel | Polished Blue | American Walnut | Gloss | 7¾ |
| 25803 | 7mm Remington Mag | 3 | 24" | 9¼" | 44½" | 13½" | 1" | 1½" | Carbon Steel | Polished Blue | American Walnut | Gloss | 7½ |
| 25793 | 30-06 SPRG | 4 | 22" | 10" | 42½" | 13½" | 1" | 1½" | Carbon Steel | Polished Blue | American Walnut | Gloss | 7¾ |

| MODEL 700 CDL | | | | | | | | | | | | | |
|---------------|----------------------|---------------|---------------|--------------------|----------------|----------------|-------------|-------------|-----------------|---------------|-----------------|--------------|----------------|
| ORDER NO. | CALIBER | MAG. CAPACITY | BARREL LENGTH | TWIST-RH I TURN IN | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | BARREL MATERIAL | BARREL FINISH | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
| 27007 | 243 Win | 4 | 24" | 9½" | 43½" | 13½" | 1¼" | 1½" | Carbon Steel | Satin Blue | American Walnut | Satin | 7¾ |
| 27011 | 270 Win | 4 | 24" | 10" | 44½" | 13½" | 1¼" | 1½" | Carbon Steel | Satin Blue | American Walnut | Satin | 7½ |
| 27015 | 7mm-08 Remington | 4 | 24" | 9¼" | 43½" | 13½" | 1¼" | 1½" | Carbon Steel | Satin Blue | American Walnut | Satin | 7¾ |
| 27047 | 7mm Remington Magnum | 3 | 26" | 9¼" | 46½" | 13½" | 1¼" | 1½" | Carbon Steel | Satin Blue | American Walnut | Satin | 7¾ |
| 27017 | 30-06 SPRG | 4 | 24" | 10" | 44½" | 13½" | 1¼" | 1½" | Carbon Steel | Satin Blue | American Walnut | Satin | 7½ |
| 27049 | 300 Win Mag | 3 | 26" | 10" | 46½" | 13½" | 1¼" | 1½" | Carbon Steel | Satin Blue | American Walnut | Satin | 7¾ |
| 27009 | 25-06 Remington | 4 | 24" | 10" | 44½" | 13½" | 1¼" | 1½" | Carbon Steel | Satin Blue | American Walnut | Satin | 7½ |

| MODEL 700 CDL SF | | | | | | | | | | | | | |
|--------------------|----------------------|---------------|---------------|--------------------|----------------|----------------|-------------|-------------|---------------------|-----------------|-----------------|--------------|----------------|
| ORDER NO. | CALIBER | MAG. CAPACITY | BARREL LENGTH | TWIST-RH I TURN IN | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | BARREL MATERIAL | BARREL FINISH | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
| 84019 | 257 Wby Mag | 3 | 26" | 10" | 46½" | 13½" | 1¼" | 1½" | 416 Stainless Steel | Satin Stainless | American Walnut | Satin | 7½ |
| 84036 ¹ | 25-06 Remington | 3 | 24" | 8" | 41¾" | 13½" | 1¼" | 1½" | 416 Stainless Steel | Satin Stainless | American Walnut | Satin | 7½ |
| 84014 | 270 Win | 4 | 24" | 10" | 44½" | 13½" | 1¼" | 1½" | 416 Stainless Steel | Satin Stainless | American Walnut | Satin | 7½ |
| 84013 | 270 WSM | 3 | 24" | 10" | 43½" | 13½" | 1¼" | 1½" | 416 Stainless Steel | Satin Stainless | American Walnut | Satin | 7½ |
| 84012 | 7mm-08 Remington | 4 | 24" | 9¼" | 43½" | 13½" | 1¼" | 1½" | 416 Stainless Steel | Satin Stainless | American Walnut | Satin | 7½ |
| 84016 | 7mm Remington Magnum | 3 | 26" | 9¼" | 46½" | 13½" | 1¼" | 1½" | 416 Stainless Steel | Satin Stainless | American Walnut | Satin | 7¾ |
| 84015 | 30-06 SPRG | 4 | 24" | 10" | 44½" | 13½" | 1¼" | 1½" | 416 Stainless Steel | Satin Stainless | American Walnut | Satin | 7½ |
| 84017 | 300 WSM | 3 | 24" | 10" | 43½" | 13½" | 1¼" | 1½" | 416 Stainless Steel | Satin Stainless | American Walnut | Satin | 7½ |
| NEW 84038 | 300 Savage | 4 | 22" | 10" | 41½" | 13½" | 1¼" | 1½" | 416 Stainless Steel | Satin Stainless | American Walnut | Satin | 7½ |

¹ Limited Edition

| MODEL 700 LONG RANGE | | | | | | | | | | | | | |
|----------------------|----------------------------|---------------|---------------|--------------------|----------------|----------------|-------------|-------------|-----------------|---------------|--------------------------|------------------|----------------|
| ORDER NO. | CALIBER | MAG. CAPACITY | BARREL LENGTH | TWIST-RH I TURN IN | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | BARREL MATERIAL | BARREL FINISH | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
| 84162 | 25-06 Remington | 4 | 26" | 10" | 47" | 13" | 1½" | 1½" | Carbon Steel | Matte Blue | Bell & Carlson M40 Stock | Black w/Grey Web | 9 |
| 84163 | 7mm Remington Magnum | 3 | 26" | 9¼" | 47" | 13" | 1½" | 1½" | Carbon Steel | Matte Blue | Bell & Carlson M40 Stock | Black w/Grey Web | 9 |
| 84164 | 300 Win Mag | 3 | 26" | 10" | 47" | 13" | 1½" | 1½" | Carbon Steel | Matte Blue | Bell & Carlson M40 Stock | Black w/Grey Web | 9 |
| 84165 | 300 Remington Ultra Magnum | 3 | 26" | 10" | 47" | 13" | 1½" | 1½" | Carbon Steel | Matte Blue | Bell & Carlson M40 Stock | Black w/Grey Web | 9 |
| 84166 | 30-06 SPRG | 4 | 26" | 10" | 47" | 13" | 1½" | 1½" | Carbon Steel | Matte Blue | Bell & Carlson M40 Stock | Black w/Grey Web | 9 |

| MODEL 700 LONG RANGE STAINLESS | | | | | | | | | | | | | |
|--------------------------------|----------------------------|---------------|---------------|--------------------|----------------|----------------|-------------|-------------|-----------------|-----------------|--------------------------|------------------|----------------|
| ORDER NO. | CALIBER | MAG. CAPACITY | BARREL LENGTH | TWIST-RH I TURN IN | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | BARREL MATERIAL | BARREL FINISH | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
| 85624 | 300 Win Mag | 3 | 26" | 10" | 47" | 13" | 1½" | 1½" | Stainless Steel | Satin Stainless | Bell & Carlson M40 Stock | Black w/Grey Web | 9 |
| 85625 | 300 Remington Ultra Magnum | 3 | 26" | 10" | 47" | 13" | 1½" | 1½" | Stainless Steel | Satin Stainless | Bell & Carlson M40 Stock | Black w/Grey Web | 9 |
| NEW 85626 | 6.5 Creedmoor | 4 | 26" | 8" | 43½" | 13" | 1½" | 1½" | Stainless Steel | Satin Stainless | Bell & Carlson M40 Stock | Black w/Grey Web | 9 |
| 85611 | 7mm Remington Magnum | 3 | 26" | 9¼" | 47" | 13" | 1½" | 1½" | Stainless Steel | Satin Stainless | Bell & Carlson M40 Stock | Black w/G | |

RIFLE SPECIFICATIONS

| MODEL 700 SPS | | | | | | | | | | | | | |
|----------------------|----------------------------|---------------|---------------|---------------------------------|----------------------------------|----------------------------------|---------------------------------|---------------------------------|-----------------|---------------|----------------|--------------|-------------------------------|
| ORDER NO. | CALIBER | MAG. CAPACITY | BARREL LENGTH | TWIST-RH I TURN IN | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | BARREL MATERIAL | BARREL FINISH | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
| 27351 | 223 Remington | 5 | 24" | 12" | 43 ³ / ₈ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7 |
| 27475 (Compact) | 243 Win | 4 | 20" | 9 ¹ / ₈ " | 39 ⁵ / ₈ " | 12 ¹ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7 |
| 84150 (Compact) (LH) | 243 Win | 4 | 20" | 9 ¹ / ₈ " | 39 ⁵ / ₈ " | 12 ¹ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7 |
| 27355 | 243 Win | 4 | 24" | 9 ¹ / ₈ " | 43 ³ / ₈ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7 ¹ / ₈ |
| 84148 | 6.5 Creedmoor | 4 | 24" | 8" | 43 ³ / ₈ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7 ¹ / ₈ |
| 84149 | 260 Remington | 4 | 24" | 8" | 43 ³ / ₈ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7 ¹ / ₈ |
| 27361 | 270 Win | 4 | 24" | 10" | 44 ¹ / ₂ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7 ¹ / ₈ |
| 84177 (LH) | 270 Win | 4 | 24" | 10" | 44 ¹ / ₂ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7 ¹ / ₈ |
| 27331 | 270 WSM | 3 | 26" | 10" | 43 ³ / ₈ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7 ¹ / ₈ |
| 27391 (Compact) | 7mm-08 Remington | 4 | 20" | 9 ¹ / ₈ " | 39 ⁵ / ₈ " | 12 ¹ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7 |
| 84151 (Compact) (LH) | 7mm-08 Remington | 4 | 20" | 9 ¹ / ₈ " | 39 ⁵ / ₈ " | 12 ¹ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7 |
| 27357 | 7mm-08 Remington | 4 | 24" | 9 ¹ / ₈ " | 43 ³ / ₈ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7 ¹ / ₈ |
| 27385 | 7mm Remington Magnum | 3 | 26" | 9 ¹ / ₈ " | 46 ¹ / ₂ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7 ¹ / ₈ |
| 84179 (LH) | 7mm Remington Magnum | 3 | 26" | 9 ¹ / ₈ " | 46 ¹ / ₂ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7 ¹ / ₈ |
| 27363 | 30-06 SPRG | 4 | 24" | 10" | 44 ¹ / ₂ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7 ¹ / ₈ |
| 84178 (LH) | 30-06 SPRG | 4 | 24" | 10" | 44 ¹ / ₂ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7 ¹ / ₈ |
| 27333 | 300 WSM | 3 | 26" | 10" | 43 ³ / ₈ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7 ¹ / ₈ |
| 27387 | 300 Win Mag | 3 | 26" | 10" | 46 ¹ / ₂ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7 ¹ / ₈ |
| 84180 (LH) | 300 Win Mag | 3 | 26" | 10" | 46 ¹ / ₂ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7 ¹ / ₈ |
| 27359 | 308 Win | 4 | 24" | 10" | 43 ³ / ₈ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7 ¹ / ₈ |
| 27389 | 300 Remington Ultra Magnum | 3 | 26" | 10" | 46 ¹ / ₂ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7 ¹ / ₈ |

(LH) Left-hand model

| MODEL 700 SPS CAMO – MOSSY OAK BREAK-UP INFINITY | | | | | | | | | | | | | |
|--|----------------------|---------------|---------------|---------------------------------|----------------------------------|----------------------------------|---------------------------------|---------------------------------|-----------------|---------------|-----------------------|-----------------------------|-------------------------------|
| ORDER NO. | CALIBER | MAG. CAPACITY | BARREL LENGTH | TWIST-RH I TURN IN | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | BARREL MATERIAL | BARREL FINISH | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
| 84185 | 270 Win | 4 | 22" | 10" | 42 ¹ / ₂ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | Carbon Steel | Matte Blue | Synthetic w/ Overmold | Mossy Oak Break-Up Infinity | 7 ¹ / ₈ |
| 84186 | 30-06 SPRG | 4 | 22" | 10" | 42 ¹ / ₂ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | Carbon Steel | Matte Blue | Synthetic w/ Overmold | Mossy Oak Break-Up Infinity | 7 ¹ / ₈ |
| 84187 | 7mm Remington Magnum | 3 | 24" | 9 ¹ / ₈ " | 44 ¹ / ₂ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | Carbon Steel | Matte Blue | Synthetic w/ Overmold | Mossy Oak Break-Up Infinity | 7 ¹ / ₈ |
| 84188 | 300 Win Mag | 3 | 24" | 10" | 44 ¹ / ₂ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | Carbon Steel | Matte Blue | Synthetic w/ Overmold | Mossy Oak Break-Up Infinity | 7 ¹ / ₈ |

| MODEL 700 SPS STAINLESS | | | | | | | | | | | | | |
|-------------------------|----------------------------|---------------|---------------|---------------------------------|----------------------------------|----------------------------------|---------------------------------|---------------------------------|---------------------|-----------------|----------------------------------|--------------|-------------------------------|
| ORDER NO. | CALIBER | MAG. CAPACITY | BARREL LENGTH | TWIST-RH I TURN IN | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | BARREL MATERIAL | BARREL FINISH | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
| 27133 | 223 Remington | 5 | 24" | 12" | 43 ³ / ₈ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | 416 Stainless Steel | Matte Stainless | Synthetic w/Overmold Grip Panels | Matte Black | 7 ¹ / ₈ |
| 27135 | 22-250 Remington | 4 | 24" | 14" | 43 ³ / ₈ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | 416 Stainless Steel | Matte Stainless | Synthetic w/Overmold Grip Panels | Matte Black | 7 ¹ / ₈ |
| 27263 | 243 Win | 4 | 24" | 9 ¹ / ₈ " | 43 ³ / ₈ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | 416 Stainless Steel | Matte Stainless | Synthetic w/Overmold Grip Panels | Matte Black | 7 ¹ / ₈ |
| 27251 | 25-06 Remington | 4 | 24" | 10" | 44 ¹ / ₂ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | 416 Stainless Steel | Matte Stainless | Synthetic w/Overmold Grip Panels | Matte Black | 7 ¹ / ₈ |
| 27267 | 270 Win | 4 | 24" | 10" | 44 ¹ / ₂ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | 416 Stainless Steel | Matte Stainless | Synthetic w/Overmold Grip Panels | Matte Black | 7 ¹ / ₈ |
| 27253 | 270 WSM | 3 | 24" | 10" | 43 ³ / ₈ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | 416 Stainless Steel | Matte Stainless | Synthetic w/Overmold Grip Panels | Matte Black | 7 ¹ / ₈ |
| 27265 | 7mm-08 Remington | 4 | 24" | 9 ¹ / ₈ " | 43 ³ / ₈ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | 416 Stainless Steel | Matte Stainless | Synthetic w/Overmold Grip Panels | Matte Black | 7 ¹ / ₈ |
| 27271 | 7mm Remington Magnum | 3 | 26" | 9 ¹ / ₈ " | 46 ¹ / ₂ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | 416 Stainless Steel | Matte Stainless | Synthetic w/Overmold Grip Panels | Matte Black | 7 ¹ / ₈ |
| 27269 | 30-06 SPRG | 4 | 24" | 10" | 44 ¹ / ₂ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | 416 Stainless Steel | Matte Stainless | Synthetic w/Overmold Grip Panels | Matte Black | 7 ¹ / ₈ |
| 27255 | 300 WSM | 3 | 24" | 10" | 43 ³ / ₈ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | 416 Stainless Steel | Matte Stainless | Synthetic w/Overmold Grip Panels | Matte Black | 7 ¹ / ₈ |
| 27273 | 300 Win Mag | 3 | 26" | 10" | 46 ¹ / ₂ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | 416 Stainless Steel | Matte Stainless | Synthetic w/Overmold Grip Panels | Matte Black | 7 ¹ / ₈ |
| 27136 | 308 Win | 4 | 24" | 10" | 43 ³ / ₈ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | 416 Stainless Steel | Matte Stainless | Synthetic w/Overmold Grip Panels | Matte Black | 7 ¹ / ₈ |
| 27140 | 300 Remington Ultra Magnum | 3 | 26" | 10" | 46 ¹ / ₂ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | 416 Stainless Steel | Matte Stainless | Synthetic w/Overmold Grip Panels | Matte Black | 7 ¹ / ₈ |

| MODEL 700 MOUNTAIN SS (STAINLESS STEEL) | | | | | | | | | | | | | |
|---|------------------|---------------|---------------|---------------------------------|----------------------------------|----------------------------------|---------------------------------|---------------------------------|---------------------|-----------------|-----------------------------|--------------|-------------------------------|
| ORDER NO. | CALIBER | MAG. CAPACITY | BARREL LENGTH | TWIST-RH I TURN IN | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | BARREL MATERIAL | BARREL FINISH | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
| 84272 | 25-06 Remington | 4 | 22" | 10" | 42 ¹ / ₂ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | 416 Stainless Steel | Satin Stainless | Bell & Carlson Aramid Fiber | Matte | 6 ¹ / ₂ |
| 84273 | 270 Win | 4 | 22" | 10" | 42 ¹ / ₂ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | 416 Stainless Steel | Satin Stainless | Bell & Carlson Aramid Fiber | Matte | 6 ¹ / ₂ |
| 84274 | 280 Remington | 4 | 22" | 9 ¹ / ₈ " | 42 ¹ / ₂ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | 416 Stainless Steel | Satin Stainless | Bell & Carlson Aramid Fiber | Matte | 6 ¹ / ₂ |
| 84276 | 7mm-08 Remington | 4 | 22" | 9 ¹ / ₈ " | 41 ⁵ / ₈ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | 416 Stainless Steel | Satin Stainless | Bell & Carlson Aramid Fiber | Matte | 6 ¹ / ₂ |
| 84275 | 30-06 SPRG | 4 | 22" | 10" | 42 ¹ / ₂ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | 416 Stainless Steel | Satin Stainless | Bell & Carlson Aramid Fiber | Matte | 6 ¹ / ₂ |
| 84277 | 308 Win | 4 | 22" | 10" | 41 ⁵ / ₈ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | 416 Stainless Steel | Satin Stainless | Bell & Carlson Aramid Fiber | Matte | 6 ¹ / ₂ |
| NEW 85513 | 6.5 Creedmoor | 4 | 22" | 8" | 41 ⁵ / ₈ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | 416 Stainless Steel | Satin Stainless | Bell & Carlson Aramid Fiber | Matte | 6 ¹ / ₂ |

| MODEL 700 VTR (VARMINT TARGET RIFLE) | | | | | | | | | | | | | |
|--------------------------------------|------------------|---------------|---------------|--------------------|----------------------------------|----------------------------------|---------------------------------|---------------------------------|-----------------|---------------|--------------------------------|-----------------|-------------------------------|
| ORDER NO. | CALIBER | MAG. CAPACITY | BARREL LENGTH | TWIST-RH I TURN IN | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | BARREL MATERIAL | BARREL FINISH | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
| 84374 | 223 Remington | 5 | 22" | 9" | 41 ⁵ / ₈ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | Carbon Steel | Matte Blue | Synthetic Overmold Grip Panels | Flat Dark Earth | 7 ¹ / ₈ |
| 84376 | 22-250 Remington | 4 | 22" | 12" | 41 ⁵ / ₈ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | Carbon Steel | Matte Blue | Synthetic Overmold Grip Panels | Flat Dark Earth | 7 ¹ / ₈ |
| 84375 | 260 Remington | 4 | 22" | 8" | 41 ⁵ / ₈ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | Carbon Steel | Matte Blue | Synthetic Overmold Grip Panels | Flat Dark Earth | 7 ¹ / ₈ |
| 84377 | 308 Win | 4 | 22" | 10" | 41 ⁵ / ₈ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | Carbon Steel | Matte Blue | Synthetic Overmold Grip Panels | Flat Dark Earth | 7 ¹ / ₈ |

RIFLE SPECIFICATIONS

| MODEL 700 VTR SS (VARMINT TARGET RIFLE, STAINLESS STEEL) | | | | | | | | | | | | | |
|--|---------------|---------------|---------------|--------------------|----------------------------------|----------------------------------|---------------------------------|---------------------------------|---------------------|---------------|--|--------------|-------------------------------|
| ORDER NO. | CALIBER | MAG. CAPACITY | BARREL LENGTH | TWIST-RH I TURN IN | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | BARREL MATERIAL | BARREL FINISH | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
| 84356 | 223 Remington | 5 | 22" | 9" | 41 ⁵ / ₈ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | 416 Stainless Steel | Matte Blue | Synthetic w/Hogue Overmold Grip Panels | Black | 7 ¹ / ₈ |
| 84358 | 308 Win | 4 | 22" | 10" | 41 ⁵ / ₈ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | 416 Stainless Steel | Matte Blue | Synthetic w/Hogue Overmold Grip Panels | Black | 7 ¹ / ₈ |

| MODEL 700 SPS VARMINT | | | | | | | | | | | | | |
|-----------------------|------------------|---------------|---------------|---------------------------------|----------------------------------|----------------------------------|---------------------------------|---------------------------------|-----------------|---------------|----------------------------------|--------------|-------------------------------|
| ORDER NO. | CALIBER | MAG. CAPACITY | BARREL LENGTH | TWIST-RH I TURN IN | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | BARREL MATERIAL | BARREL FINISH | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
| 84214 | 204 Ruger | 5 | 26" | 12" | 46 ¹ / ₂ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | Carbon Steel | Matte Blue | Synthetic w/Overmold Grip Panels | Matte Black | 8 ¹ / ₂ |
| 84216 | 22-250 Remington | 4 | 26" | 14" | 46 ¹ / ₂ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | Carbon Steel | Matte Blue | Synthetic w/Overmold Grip Panels | Matte Black | 8 ¹ / ₂ |
| 84226 (LH) | 22-250 Remington | 4 | 26" | 14" | 46 ¹ / ₂ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | Carbon Steel | Matte Blue | Synthetic w/Overmold Grip Panels | Matte Black | 8 ¹ / ₂ |
| 84215 | 223 Remington | 5 | 26" | 12" | 46 ¹ / ₂ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | Carbon Steel | Matte Blue | Synthetic w/Overmold Grip Panels | Matte Black | 8 ¹ / ₂ |
| 84227 (LH) | 223 Remington | 5 | 26" | 12" | 46 ¹ / ₂ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | Carbon Steel | Matte Blue | Synthetic w/Overmold Grip Panels | Matte Black | 8 ¹ / ₂ |
| 84217 | 243 Win | 4 | 26" | 9 ¹ / ₈ " | 46 ¹ / ₂ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | Carbon Steel | Matte Blue | Synthetic w/Overmold Grip Panels | Matte Black | 8 ¹ / ₂ |
| 84228 (LH) | 243 Win | 4 | 26" | 9 ¹ / ₈ " | 46 ¹ / ₂ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | Carbon Steel | Matte Blue | Synthetic w/Overmold Grip Panels | Matte Black | 8 ¹ / ₂ |
| 84218 | 308 Win | 4 | 26" | 10" | 46 ¹ / ₂ " | 13 ³ / ₈ " | 1 ¹ / ₈ " | 1 ³ / ₈ " | Carbon Steel | Matte Blue | Synthetic w/Overmold Grip Panels | Matte Black | 8 ¹ / ₂ |
| 84229 (LH) | 308 Win | | | | | | | | | | | | |

RIFLE SPECIFICATIONS

| MODEL SEVEN SS (STAINLESS STEEL) | | | | | | | | | | | | | |
|----------------------------------|------------------|---------------|---------------|--------------------|----------------|----------------|-------------|-------------|---------------------|---------------|----------------|--------------|----------------|
| ORDER NO. | CALIBER | MAG. CAPACITY | BARREL LENGTH | TWIST-RH I TURN IN | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | BARREL MATERIAL | BARREL FINISH | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
| 85904 | 223 Remington | 5 | 20" | 9" | 39 1/4" | 13 3/8" | 1 1/4" | 1 1/2" | 416 Stainless Steel | Satin | Synthetic | Matte Black | 6 1/2 |
| 24739 | 243 Win | 4 | 20" | 9 1/8" | 39 1/4" | 13 3/8" | 1 1/4" | 1 1/2" | 416 Stainless Steel | Satin | Synthetic | Matte Black | 6 1/2 |
| 24751 | 260 Remington | 4 | 20" | 8" | 39 1/4" | 13 3/8" | 1 1/4" | 1 1/2" | 416 Stainless Steel | Satin | Synthetic | Matte Black | 6 1/2 |
| 24741 | 7mm-08 Remington | 4 | 20" | 9 1/4" | 39 1/4" | 13 3/8" | 1 1/4" | 1 1/2" | 416 Stainless Steel | Satin | Synthetic | Matte Black | 6 1/2 |
| 24743 | 308 Win | 4 | 20" | 10" | 39 1/4" | 13 3/8" | 1 1/4" | 1 1/2" | 416 Stainless Steel | Satin | Synthetic | Matte Black | 6 1/2 |
| 85905 | 300 WSM | 4 | 20" | 10" | 39 1/4" | 13 3/8" | 1 1/4" | 1 1/2" | 416 Stainless Steel | Satin | Synthetic | Matte Black | 6 3/4 |
| 85907 | 6mm Remington | 4 | 20" | 9 1/8" | 39 1/4" | 13 3/8" | 1 1/4" | 1 1/2" | 416 Stainless Steel | Satin | Synthetic | Matte Black | 6 1/2 |

| MODEL SEVEN STAINLESS HS | | | | | | | | | | | | | |
|--------------------------|------------------|---------------|---------------|--------------------|----------------|----------------|-------------|-------------|-----------------|---------------|----------------|-----------------------|----------------|
| ORDER NO. | CALIBER | MAG. CAPACITY | BARREL LENGTH | TWIST-RH I TURN IN | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | BARREL MATERIAL | BARREL FINISH | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
| 85970 | 308 Win | 4 | 20" | 9" | 39 1/4" | 13 3/8" | 1 1/4" | 1 1/2" | Stainless | Satin | H.S Precision | Black w/Green Webbing | 6 |
| 85971 | 6.5 Creedmoor | 4 | 20" | 8" | 39 1/4" | 13 3/8" | 1 1/4" | 1 1/2" | Stainless | Satin | H.S Precision | Black w/Green Webbing | 6 |
| 85972 | 7mm-08 Remington | 4 | 20" | 9" | 39 1/4" | 13 3/8" | 1 1/4" | 1 1/2" | Stainless | Satin | H.S Precision | Black w/Green Webbing | 6 |
| 85968 | 243 Win | 4 | 20" | 9 1/8" | 39 1/4" | 13 3/8" | 1 1/4" | 1 1/2" | Stainless | Satin | H.S Precision | Black w/Green Webbing | 6 |

| MODEL SEVEN LAMINATE | | | | | | | | | | | | | |
|----------------------|------------------|---------------|---------------|--------------------|----------------|----------------|-------------|-------------|-----------------|---------------|----------------|--------------|----------------|
| ORDER NO. | CALIBER | MAG. CAPACITY | BARREL LENGTH | TWIST-RH I TURN IN | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | BARREL MATERIAL | BARREL FINISH | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
| 85960 | 223 Remington | 5 | 18 1/2" | 9" | 37 3/4" | 13 3/8" | 1 1/4" | 1 1/2" | Carbon Steel | Satin Blue | Brown Laminate | Satin | 6 1/2 |
| 85961 | 243 Win | 4 | 18 1/2" | 9 1/8" | 37 3/4" | 13 3/8" | 1 1/4" | 1 1/2" | Carbon Steel | Satin Blue | Brown Laminate | Satin | 6 1/2 |
| 85962 | 7mm-08 Remington | 4 | 18 1/2" | 9 1/4" | 37 3/4" | 13 3/8" | 1 1/4" | 1 1/2" | Carbon Steel | Satin Blue | Brown Laminate | Satin | 6 1/2 |
| 85963 | 308 Win | 4 | 18 1/2" | 10" | 37 3/4" | 13 3/8" | 1 1/4" | 1 1/2" | Carbon Steel | Satin Blue | Brown Laminate | Satin | 6 1/2 |

| MODEL SEVEN CDL | | | | | | | | | | | | | |
|-----------------|------------------|---------------|---------------|--------------------|----------------|----------------|-------------|-------------|-----------------|---------------|-----------------|--------------|----------------|
| ORDER NO. | CALIBER | MAG. CAPACITY | BARREL LENGTH | TWIST-RH I TURN IN | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | BARREL MATERIAL | BARREL FINISH | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
| 26417 | 243 Win | 4 | 20" | 9 1/8" | 39 1/4" | 13 3/8" | 1 1/4" | 1 1/2" | Carbon Steel | Satin Blue | American Walnut | Satin | 6 1/2 |
| 26419 | 260 Remington | 4 | 20" | 8" | 39 1/4" | 13 3/8" | 1 1/4" | 1 1/2" | Carbon Steel | Satin Blue | American Walnut | Satin | 6 1/2 |
| 23421 | 7mm-08 Remington | 4 | 20" | 9 1/4" | 39 1/4" | 13 3/8" | 1 1/4" | 1 1/2" | Carbon Steel | Satin Blue | American Walnut | Satin | 6 1/2 |
| 26423 | 308 Win | 4 | 20" | 10" | 39 1/4" | 13 3/8" | 1 1/4" | 1 1/2" | Carbon Steel | Satin Blue | American Walnut | Satin | 6 1/2 |

| MODEL 783 (WITH SCOPE) | | | | | | | | | | | | | |
|------------------------|----------------------|---------------|---------------|--------------------|----------------|----------------|-------------|-------------|-----------------|---------------|----------------|--------------|----------------|
| ORDER NO. | CALIBER | MAG. CAPACITY | BARREL LENGTH | TWIST-RH I TURN IN | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | BARREL MATERIAL | BARREL FINISH | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
| NEW 85826 | 6.5 Creedmoor | 4 DM | 22" | 8" | 41 1/8" | 13 1/2" | 1 1/8" | 1 1/8" | Carbon Steel | Matte Blue | Synthetic | Matte Black | 8 |
| 85845 | 22-250 Remington | 4 DM | 22" | 14" | 41 1/8" | 13 3/8" | 1" | 1 1/8" | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7 1/2 |
| 85840 | 223 Remington | 5 DM | 22" | 9" | 41 1/8" | 13 3/8" | 1" | 1 1/8" | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7 1/2 |
| 85842 | 243 Win | 4 DM | 22" | 9 1/8" | 41 1/8" | 13 3/8" | 1" | 1 1/8" | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7 1/2 |
| 85835 | 7mm-08 Remington | 4 DM | 22" | 9 1/8" | 41 1/8" | 13 3/8" | 1" | 1 1/8" | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7 1/2 |
| 85844 | 270 Win | 4 DM | 22" | 10" | 42 1/2" | 13 3/8" | 1" | 1 1/8" | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7 1/2 |
| 85847 | 308 Win | 4 DM | 22" | 10" | 41 1/8" | 13 3/8" | 1" | 1 1/8" | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7 1/2 |
| 85846 | 30-06 SPRG | 4 DM | 22" | 10" | 42 1/2" | 13 3/8" | 1" | 1 1/8" | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7 1/2 |
| 85848 | 7mm Remington Magnum | 3 DM | 24" | 9 1/4" | 44 1/2" | 13 3/8" | 1" | 1 1/8" | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7 1/2 |
| 85849 | 300 Win Mag | 3 DM | 24" | 10" | 44 1/2" | 13 3/8" | 1" | 1 1/8" | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7 1/2 |
| 85852 (Compact) | 243 Win | 4 DM | 20" | 9 1/8" | 38 3/8" | 12 3/8" | 1" | 1 1/8" | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7 1/2 |
| 85853 (Compact) | 308 Win | 4 DM | 20" | 10" | 38 3/8" | 12 3/8" | 1" | 1 1/8" | Carbon Steel | Matte Blue | Synthetic | Matte Black | 7 1/2 |

| MODEL 783 VARMINT LAMINATE | | | | | | | | | | | | | |
|----------------------------|---------------|---------------|---------------|--------------------|----------------|----------------|-------------|-------------|--------------------------|---------------------|----------------|--------------|----------------|
| ORDER NO. | CALIBER | MAG. CAPACITY | BARREL LENGTH | TWIST-RH I TURN IN | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | BARREL MATERIAL | BARREL FINISH | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
| 85735 | 308 Win | 4 | 26" | 10" | 45 3/4" | 13 3/8" | 5/8" | 1" | A151 4137 Modified Steel | Satin / Black Oxide | Brown Laminate | Satin | 8 1/2 |
| 85737 | 223 Rem | 5 | 26" | 9" | 45 3/4" | 13 3/8" | 5/8" | 1" | A151 4137 Modified Steel | Satin / Black Oxide | Brown Laminate | Satin | 8 1/2 |
| 85738 | 22-250 Rem | 4 | 26" | 14" | 45 3/4" | 13 3/8" | 5/8" | 1" | A151 4137 Modified Steel | Satin / Black Oxide | Brown Laminate | Satin | 8 1/2 |
| 85734 | 243 Win | 4 | 26" | 9 1/4" | 45 3/4" | 13 3/8" | 5/8" | 1" | A151 4137 Modified Steel | Satin / Black Oxide | Brown Laminate | Satin | 8 1/2 |
| 85748 | 6.5 Creedmoor | 4 | 26" | 8" | 45 3/4" | 13 3/8" | 5/8" | 1" | A151 4137 Modified Steel | Satin / Black Oxide | Brown Laminate | Satin | 8 1/2 |

RIFLE SPECIFICATIONS

| MODEL 783 HBT (HEAVY BARREL THREADED) | | | | | | | | | | | | | |
|---------------------------------------|------------------|---------------|---------------|--------------------|----------------|----------------|-------------|-------------|-----------------|---------------|----------------|-----------------|----------------|
| ORDER NO. | CALIBER | MAG. CAPACITY | BARREL LENGTH | TWIST-RH I TURN IN | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | BARREL MATERIAL | BARREL FINISH | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
| 85764 | 223 Remington | 5 | 16 1/2" | 9" | 36 1/8" | 13 3/8" | 1" | 1 1/8" | Carbon Steel | Matte Blue | Synthetic | Flat Dark Earth | 7 |
| 85770 | 223 Remington | 5 | 24" | 9" | 43 1/8" | 13 3/8" | 1" | 1 1/8" | Carbon Steel | Matte Blue | Synthetic | Flat Dark Earth | 7 1/2 |
| 85765 | 308 Win | 4 | 16 1/2" | 10" | 36 1/8" | 13 3/8" | 1" | 1 1/8" | Carbon Steel | Matte Blue | Synthetic | Flat Dark Earth | 7 |
| 85771 | 308 Win | 4 | 24" | 10" | 43 1/8" | 13 3/8" | 1" | 1 1/8" | Carbon Steel | Matte Blue | Synthetic | Flat Dark Earth | 7 1/2 |
| 85766 | 300 AAC Blackout | 5 | 16 1/2" | 7" | 36 1/8" | 13 3/8" | 1" | 1 1/8" | Carbon Steel | Matte Blue | Synthetic | Flat Dark Earth | 7 |
| 85767 | 6.5 Creedmoor | 4 | 16 1/2" | 8" | 36 1/8" | 13 3/8" | 1" | 1 1/8" | Carbon Steel | Matte Blue | Synthetic | Flat Dark Earth | 7 |
| NEW 85772 | 450 Bushmaster | 3 | 16.5" | 8" | 38" | 13 3/8" | 1" | 1 1/8" | Carbon Steel | Matte Blue | Synthetic | Flat Dark Earth | 8 |
| 85773 | 6.5 Creedmoor | 4 | 24" | 8" | 43 3/8" | 13 3/8" | 1" | 1 1/8" | Carbon Steel | Matte Blue | Synthetic | Flat Dark Earth | 7 |

| MODEL 783 WALNUT | | | | | | | | | | | | | |
|--------------------|----------------------|---------------|---------------|--------------------|----------------|----------------|-------------|-------------|-----------------|---------------|-----------------|--------------|----------------|
| ORDER NO. | CALIBER | MAG. CAPACITY | BARREL LENGTH | TWIST-RH I TURN IN | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | BARREL MATERIAL | BARREL FINISH | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
| 85866 | 6.5 Creedmoor | 4 DM | 22" | 8" | 41 1/8" | 13 3/8" | 1" | 1 1/8" | Carbon Steel | Matte Blue | American Walnut | Satin | 7 1/2 |
| 85870 | 270 Win | 4 DM | 22" | 10" | 42 1/2" | 13 3/8" | 1" | 1 1/8" | Carbon Steel | Matte Blue | American Walnut | Satin | 7 1/2 |
| 85872 | 30-06 SPRG | 4 DM | 22" | 10" | 42 1/2" | 13 3/8" | 1" | 1 1/8" | Carbon Steel | Matte Blue | American Walnut | Satin | 7 1/2 |
| 85874 | 308 Win | 4 DM | 22" | 10" | 41 1/8" | 13 3/8" | 1" | 1 1/8" | Carbon Steel | Matte Blue | American Walnut | Satin | 7 1/2 |
| 85876 | 7mm Remington Magnum | 3 DM | 24" | 9 1/4" | 44 1/2" | 13 3/8" | 1" | 1 1/8" | Carbon Steel | Matte Blue | American Walnut | Satin | 7 1/2 |
| 85884 ¹ | 243 Win | 4 DM | 22" | 9 1/8" | 41 1/8" | 13 3/8" | 1" | 1 1/8" | Carbon steel | Matte Blue | American Walnut | Satin | 7 1/2 |
| 85886 ⁶ | 270 Win | 4 DM | 22" | 10" | 42 1/2" | 13 3/8" | 1" | 1 1/8" | Carbon steel | Matte Blue | American Walnut | Satin | 7 1/2 |
| 85888 ⁸ | 30-06 SPRG | 4 DM | 22" | 10" | 42 1/2" | 13 3/8" | 1" | 1 1/8" | Carbon steel | Matte Blue | American Walnut | Satin | 7 1/2 |
| 85890 ¹ | 308 Win | 4 DM | 22" | 10" | 41 1/8" | 13 3/8" | 1" | 1 1/8" | Carbon steel | Matte Blue | American Walnut | Satin | 7 1/2 |
| 85892 ¹ | 7mm Remington Magnum | 3 DM | 24" | 9 1/4" | 44 1/2" | 13 3/8" | 1" | 1 1/8" | Carbon steel | Matte Blue | American Walnut | Satin | 7 1/2 |
| 85894 ¹ | 300 Win Mag | 3 DM | 24" | 10" | 44 1/2" | 13 3/8" | 1" | 1 1/8" | Carbon steel | Matte Blue | American Walnut | Satin | 7 1/2 |

¹ Comes with Vortex Crossfire II scope.

| MODEL 783 CAMO (WITH SCOPE) | | | | | | | | | | | | | |
|-----------------------------|-------------------|---------------|---------------|--------------------|----------------|----------------|-------------|-------------|-----------------|---------------|----------------|----------------------------|----------------|
| ORDER NO. | CALIBER | MAG. CAPACITY | BARREL LENGTH | TWIST-RH I TURN IN | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | BARREL MATERIAL | BARREL FINISH | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
| 85750 | 223 Remington | 5 DM | 22" | 9 1/8" | 41 1/8" | 13 3/8" | 1" | 1 1/8" | Carbon Steel | Matte Blue | Synthetic | Mossy Oak Break Up Country | 8 |
| 85751 | 243 Win | 4 DM | 22" | 9 1/8" | 41 1/8" | 13 3/8" | 1" | 1 1/8" | Carbon Steel | Matte Blue | Synthetic | Mossy Oak Break Up Country | 8 |
| NEW 85777 | 6.5 Creedmoor | 4 DM | 22" | 8" | 41 1/8" | 13 3/8" | 1" | 1 1/8" | Carbon Steel | Matte Blue | Synthetic | Mossy Oak Break Up Country | 8 |
| 85752 | 270 Win | 4 DM | 22" | 10" | 42 1/2" | 13 3/8" | 1" | 1 1/8" | Carbon Steel | Matte Blue | Synthetic | Mossy Oak Break Up Country | 8 |
| 85754 | 308 Win | 4 DM | 22" | 10" | 41 1/8" | 13 3/8" | 1" | 1 1/8" | Carbon Steel | Matte Blue | Synthetic | Mossy Oak Break Up Country | 8 |
| 85753 | 30-06 SPRG | 4 DM | 22" | 10" | 42 1/2" | 13 3/8" | 1" | 1 1/8" | Carbon Steel | Matte Blue | Synthetic | Mossy Oak Break Up Country | 8 |
| 85755 | 7mm Remington Mag | 4 DM | 24" | 9 1/8" | 43 3/8" | 13 3/8" | 1" | 1 1/8" | Carbon Steel | Matte Blue | Synthetic | Mossy Oak Break Up Country | 8 |
| 85756 | 300 Win Mag | 4 DM | 22" | 9 1/8" | 41 1/8" | 13 3/8" | 1" | 1 1/8" | Carbon Steel | Matte Blue | Synthetic | Mossy Oak Break Up Country | 8 |

| MODEL 7600 PUMP-ACTION | | | | | | | | | | | | | | |
|------------------------|-----------|------------|---------------|---------------|--------------------|----------------|----------------|-------------|-------------|-----------------|---------------|-----------------|--------------|----------------|
| MODEL | ORDER NO. | CALIBER | MAG. CAPACITY | BARREL LENGTH | TWIST-RH I TURN IN | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | BARREL MATERIAL | BARREL FINISH | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
| 7600 | 24655 | 270 Win | 4 | 22" | 10" | 42 1/8" | 13 1/2" | 1 3/16" | 2 1/4" | Carbon Steel | Polished Blue | American Walnut | Satin | 7 1/2 |
| 7600 Carbine | 24661 | 30-06 SPRG | 4 | 18 1/2" | 10" | 39 1/8" | 13 1/2" | 1 3/16" | 2 1/4" | Carbon Steel | Polished Blue | American Walnut | Satin | 7 1/4 |
| 7600 | 24657 | 30-06 SPRG | 4 | 22" | 10" | 42 1/8" | 13 1/2" | 1 3/16" | 2 1/4" | Carbon Steel | Polished Blue | American Walnut | Satin | 7 1/2 |
| 7600 | 24659 | 308 Win | 4 | 22" | 10" | 42 5/8" | 13 1/2" | 1 3/16" | 2 1/4" | Carbon Steel | Polished Blue | American Walnut | Satin | 7 1/2 |

Equipped with iron sights.

| MODEL 552/572 | | | | | | | | | | | | | |
|----------------------------|-----------|-----------------------|-----------------|---------------|----------------|----------------|-------------|-------------|-----------------|---------------|-----------------|--------------|----------------|
| MODEL | ORDER NO. | ACTION TYPE (CALIBER) | MAG. CAPACITY | BARREL LENGTH | OVERALL LENGTH | LENGTH OF PULL | DROP (COMB) | DROP (HEEL) | BARREL MATERIAL | BARREL FINISH | STOCK MATERIAL | STOCK FINISH | AVG. WT. (LB.) |
| 552 BDL Deluxe Speedmaster | 25594 | Auto (22, S, L, LR) | 15 ¹ | 21" | 40" | 13 3/8" | 1 3/8" | 2 5/8" | Carbon Steel | Polished Blue | American Walnut | Gloss | 5 |

RIFLE CHAMBERING (cont.)

MODEL 700 BOLT CALIBER LISTINGS

| CALIBERS | MAG. CAPACITY | BARREL LENGTH | TWIST-R-H I TURN IN | AWR | ADL | ADLSS | BOL | CDL | COLSF | SPS | SPS CAMO | SPS STAINLESS | LONG RANGE | SPS TACTICAL | SPS VARMINIT | MOUNTAIN SS | VARMINIT SF | VLS | SENDERO SF II | VTR | MAGPUL | XCR TACTICAL | XCR TACTICAL LONG RANGE | TACTICAL CHASSIS | |
|-------------------------|----------------|---------------|---------------------|-----|---------|---------|---------|---------|---------|---------|----------|---------------|------------|--------------|--------------|-------------|-------------|---------|---------------|---------|-----------|--------------|-------------------------|------------------|--------|
| 300 WSM | 3 | 24" | 10" | - | - | - | - | - | 84017 | 27333 | - | 27255 | - | - | - | - | - | - | - | - | - | - | - | - | |
| 308 Win | 4 | 16 1/2" | 10" | - | - | - | - | - | - | - | - | - | - | 85538 | - | - | - | - | - | - | - | - | - | - | |
| | 4 | 20" | 10" | - | - | - | - | - | - | - | - | - | - | 84203 | - | - | - | - | - | - | - | - | - | - | |
| | 4 | 22" | 10" | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 84377 | 84293 | - | - | |
| | 4 | 22" | 10" | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 84358(SS) | - | - | - | |
| | 4 | 24" | 10" | - | 85407 | 85490 | - | - | - | 27359 | - | 27136 | - | - | - | - | - | - | - | - | - | - | - | - | |
| | 4 | 20" | 12" | - | - | - | - | - | - | - | - | - | - | 84207 | - | - | - | - | - | - | - | - | 84467(C) | - | |
| | 4 | 22" | 12" | - | - | - | - | - | - | - | - | - | - | - | - | 84277 | - | - | - | - | - | - | - | - | |
| | 4 | 26" | 11 1/4" | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| | 4 | 26" | 12" | - | - | - | - | - | - | - | - | - | - | - | 84218 | - | 84345 | 27499 | - | - | - | - | - | 84461 | - |
| | 4 | 26" | 12" | - | - | - | - | - | - | - | - | - | - | - | 84229(L) | - | - | - | - | - | - | - | - | - | |
| 5 | 22" | 10" | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | |
| 5 | 24" | 10" | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 84474 | | |
| 300 Remington Ultra Mag | 3 | 26" | 10" | - | - | - | 26410 | 27053 | - | 27389 | - | 27140 | 84165 | - | - | - | - | - | 27318 | - | - | - | - | - | |
| 338 Win Mag | 3 | 24" | 10" | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 338 Lapua Mag | 3 | 26" | 10" | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 84463 | - | |
| 4 | 26" | 10" | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 84477 | |
| 338 Remington Ultra Mag | 3 | 26" | 10" | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 375 H&H ¹ | 3 | 22" | 12" | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Stock Dimensions | Length of Pull | | | | 13 3/8" | 13 3/8" | 13 3/8" | 13 1/2" | 13 1/2" | 13 3/8" | 13 3/8" | 13 3/8" | 13 3/8" | 13 3/8" | 13 3/8" | 13 3/8" | 13 3/8" | 13 3/8" | 13 3/8" | 13 3/8" | 13" | 13 3/8" | 13 3/8" | 13 3/8" | |
| | Drop at Comb | | | | 1 1/8" | 1 1/8" | 1" | 1 1/8" | 1 1/8" | 1 1/8" | 1 1/8" | 1 1/8" | 1 1/8" | 1 1/8" | 1 1/8" | 1 1/8" | 1 1/8" | 1 1/8" | 1" | 1 1/4" | 1 1/8" | 1 1/4" | 1 1/4" | 1 1/4" | 1 1/4" |
| | Drop at Heel | | | | 1 3/8" | 1 3/8" | 1 1/8" | 1 3/8" | 1 3/8" | 1 3/8" | 1 3/8" | 1 3/8" | 1 3/8" | 1 3/8" | 1 3/8" | 1 3/8" | 1 3/8" | 1 3/8" | 1 3/8" | 1 1/2" | 1 3/8" | 1 1/2" | 1 1/2" | 1 1/2" | 1 1/2" |

(L) Left-hand model (C) Compact model (AT) A-TACS (BC) Bone Collector (LT) Limited Edition (HP) Polished Blued (R) Rocky Mountain Elk Foundation (WT) Wood Tech (SS) Stainless Steel ¹ Equipped with Iron Sights.

NEW MODEL 700 BOLT CALIBER LISTINGS

| CALIBERS | MAG. CAPACITY | BARREL LENGTH | TWIST-R-H I TURN IN | PRECISION CHASSIS RIFLE (PCR) | PCR ENHANCED | MAGPUL ENHANCED | STAINLESS SR | STAINLESS SR THREADED | STAINLESS SR THREADED GEN 2 | LONG RANGE STAINLESS | MAINTAIN SS | COL SF |
|-------------------------|---------------|---------------|---------------------|-------------------------------|--------------|-----------------|--------------|-----------------------|-----------------------------|----------------------|-------------|--------|
| 223 Remington | 5 | 20" | 9" | - | - | - | - | 85507 | - | - | - | - |
| | 5 | 24" | 9" | - | - | - | 85504 | - | - | - | - | - |
| 6mm Creedmoor | 10 | 20" | 10" | - | - | 84303 | - | - | - | - | - | - |
| 6.5 Creedmoor | 4 | 24" | 8" | - | - | - | - | - | 85198 | - | - | - |
| | 10 | 20" | 8" | - | - | 84302 | - | - | - | - | - | - |
| 6mm Creedmoor | | 24" | | 84598 | | | | | | | | |
| 6.5 Creedmoor | | 24" | | 84599 | | | | | | | | |
| 308 Win | | 24" | | 84597 | | | | | | | | |
| 6mm | | 24" | | | 84578 | | | | | | | |
| 6.5 Creedmore | | 24" | | | 84579 | | | | | | | |
| 308 Win | | 24" | | | 84580 | | | | | | | |
| 6.5 Creedmoor | | 26" | | | | | | | | 85626 | | |
| 6.5 Creedmoor | | 22" | | | | | | | | | 85513 | |
| 300 Savage | | 20" | | | | | | | | | | 84038 |
| 7mm Remington Mag | 3 | 26" | 9 1/4" | - | - | - | - | - | - | 85611 | - | - |
| | 3 | 24" | 10" | - | - | - | - | 85508 | 85197 | - | - | - |
| 300 Win Mag | 3 | 26" | 10" | - | - | - | 85505 | - | - | 85624 | - | - |
| | 10 | 24" | 8" | - | - | 84304 | - | - | - | - | - | - |
| 300 Remington Ultra Mag | 3 | 26" | 10" | - | - | - | - | - | - | 85625 | - | - |



INTERCHANGEABILITY CHART

CARTRIDGES WITHIN GROUPS SHOWN ARE INTERCHANGEABLE. Other substitutions should not be made without specific recommendation of the firearms manufacturer since improper combinations could result in firearm damage or personal injury.

CENTERFIRE

| | |
|---|---|
| 25-20 Remington | 38 S&W |
| 25-20 W.C.F. | 38 Colt New Police |
| 25-20 Win | 380 Webley |
| 25-20 Win High Speed | 38 Colt Special (SEE NOTE B & D) |
| 25-20 Marlin | 38 S&W Special (SEE NOTE B & D) |
| 25 W.C.F. | 8 S&W Special Mid-Range (SEE NOTE B & D) |
| 6mm Remington | 38 Special Targetmaster (SEE NOTE B & D) |
| 244 Remington | 38 Special +P (SEE NOTE B & D) |
| 25 Automatic | 38-44 Special +P (SEE NOTE B & D) |
| 5 Auto. Colt Pistol (ACP) | 38 Special (SEE NOTE B & D) |
| 25 (6.35mm) Automatic | 38 Special Flat Point (SEE NOTE B & D) |
| 6.35mm Browning | 38 Short Colt in 38 Long Colt but not conversely. Both can be used in 38 Special. |
| 7mm Express, Remington | 38 Marlin (SEE NOTE A) |
| 280 Remington | 38 Win (SEE NOTE A) |
| 30-30 Sav. | 38 Remington (SEE NOTE A) |
| 30-30 Win | 38-40 Win (SEE NOTE A) |
| 30-30 Win Accelerator (SEE NOTE A) | 38 W.C.F. (SEE NOTE A) |
| 30-30 Marlin | 38 Automatic in 38 Super +P - but not conversely |
| 30-30 Win High Speed | 380 Automatic |
| 30 W.C.F. | 9mm Browning Short (Corto Kurz) |
| 32 Colt Automatic | 9mm Luger (SEE NOTE E) |
| 32 Auto. Colt Pistol (ACP) | 9mm Parabellum (SEE NOTE E) |
| 32 (7.65mm) Automatic | 44 S&W Special (SEE NOTE F) |
| 32 (7.65mm) Automatic Pistol | 44 Marlin |
| 7.65mm Browning (not interchangeable with 7.65mm Luger) | 44 Win |
| 32 Short Colt in 32 Long Colt but not conversely (SEE NOTE C) | 44 Remington |
| 32 S&W in 32 S&W Long but not conversely | 44-40 Win |
| 32 S&W Long | 44 W.C.F. |
| 32 Colt New Police | 45-70 Government |
| 32 Colt Police Positive | 45-70 Marlin |
| 32 W.C.F. (SEE NOTE A) | 45-70 Win |
| 2 Win (SEE NOTE A) | 45-70-405 |
| 32-20 Win. High Speed (SEE NOTE A) | |
| 32-20 Colt L.M.R. (SEE NOTE G) | |
| 32-20 W.C.F. (SEE NOTE G) | |
| 32-20 Win (SEE NOTE G) | |
| 32-20 Marlin (SEE NOTE G) | |

RIMFIRE

| |
|---|
| 22 W.R.F. |
| 22 Remington Special |
| 22 Win. Model 1890 in a 22 Win. Mag. Rimfire - but not conversely |

NOTE A: High-speed cartridges must not be used in revolvers. They should be used only in rifles made especially for them. **NOTE B:** Ammunition with "+P" on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the gun manufacturer. **NOTE C:** Not for use in revolvers chambered for 32 S&W or 32 S&W Long. **NOTE D:** All 38 Special cartridges can be used in 357 Magnum revolvers but not conversely. **NOTE E:** 9mm sub machine gun cartridges should not be used in handguns. **NOTE F:** 44 Russian and 44 S&W Special can be used in 44 Remington Magnum revolvers but not conversely. **NOTE G:** Not to be used in Win. M-66 and M-73.

CENTERFIRE RIFLE BALLISTICS

| 17 REMINGTON FIREBALL - 7MM-08 REMINGTON | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|-----------------|-------|---------|------------------------------|------------|-----------------------|--------------|--------|------|----------------|------|------|------|------|--------|------|----------------|------|------|------|-------|--------|-------|---------------------|--------|-------|-----|-----|-----------------------|
| CARTRIDGE | INDEX/ IDEX NO. | RAMAC | WT (GR) | BULLET STYLE | PRIMER NO. | SIGHT HEIGHT (INCHES) | ZERO (YARDS) | MUZZLE | 100 | VELOCITY (FPS) | 200 | 300 | 400 | 500 | MUZZLE | 100 | ENERGY (FT-LB) | 200 | 300 | 400 | 500 | MUZZLE | 100 | TRAJECTORY (INCHES) | 200 | 300 | 400 | 500 | BALLISTIC COEFFICIENT |
| 17 Remington Fireball | PRA17FB | 29165 | 20 | AccuTip-V | 7½ | 1.5 | 200 | 4000 | 3380 | 2840 | 2360 | 1930 | 1555 | 710 | 507 | 358 | 247 | 165 | 107 | -1.5 | 0.8 | 0.0 | -5.1 | -16.6 | -37.6 | 0.185 | | | |
| | L17FB | 28472 | 25 | Jacketed Hollow Point | 7½ | 1.5 | 200 | 3850 | 3273 | 2767 | 2313 | 1905 | 1547 | 823 | 595 | 425 | 297 | 201 | 133 | -1.5 | 0.9 | 0.0 | -5.5 | -17.6 | -39.3 | 0.193 | | | |
| 17 Remington | PRA17RA | 29162 | 20 | AccuTip-V | 7½ | 1.5 | 200 | 4250 | 3594 | 3028 | 2529 | 2081 | 1684 | 802 | 574 | 407 | 284 | 192 | 126 | -1.5 | 0.6 | 0.0 | -4.4 | -14.4 | -32.5 | 0.185 | | | |
| | R17R2 | 28460 | 25 | Hollow Point | 7½ | 1.5 | 200 | 4040 | 3420 | 2881 | 2402 | 1972 | 1594 | 906 | 649 | 461 | 320 | 216 | 141 | -1.5 | 0.8 | 0.0 | -5.0 | -16.1 | -36.3 | 0.187 | | | |
| 204 Ruger | PRA204A | 29218 | 32 | AccuTip-V | 7½ | 1.5 | 200 | 4225 | 3645 | 3137 | 2683 | 2272 | 1899 | 1268 | 944 | 699 | 512 | 367 | 256 | -1.5 | 0.6 | 0.0 | -4.1 | -13.1 | -29.0 | 0.210 | | | |
| | PRA204B | 29220 | 40 | AccuTip-V Boat Tail | 7½ | 1.5 | 200 | 3900 | 3482 | 3103 | 2755 | 2433 | 2133 | 1351 | 1077 | 855 | 674 | 526 | 404 | -1.5 | 0.7 | 0.0 | -4.3 | -13.2 | -28.1 | 0.275 | | | |
| 22 Hornet | PRA22HNA | 29154 | 35 | AccuTip-V | 6½ | 1.5 | 100 | 3100 | 2271 | 1590 | 1126 | - | - | 747 | 401 | 197 | 99 | - | - | -1.5 | 0.0 | -5.6 | -25.5 | - | - | 0.109 | | | |
| | R22HN1 | 28376 | 45 | Pointed Soft Point | 6½ | 1.5 | 100 | 2690 | 2044 | 1505 | 1130 | - | - | 723 | 417 | 226 | 128 | - | - | -1.5 | 0.0 | -7.1 | -30.0 | - | - | 0.130 | | | |
| 220 Swift | R22HN2 | 28378 | 45 | Hollow Point | 6½ | 1.5 | 100 | 2690 | 2044 | 1505 | 1130 | - | - | 723 | 417 | 226 | 128 | - | - | -1.5 | 0.0 | -7.1 | -30.0 | - | - | 0.130 | | | |
| | R220S1 | 21297 | 50 | Pointed Soft Point | 9½ | 1.5 | 200 | 3780 | 3158 | 2617 | 2135 | 1710 | 1357 | 1586 | 1107 | 760 | 506 | 325 | 204 | -1.5 | 1.0 | 0.0 | -6.2 | -20.1 | -46.1 | 0.175 | | | |
| 221 Remington Fireball | PRA221FB | 29172 | 50 | AccuTip-V Boat Tail | 7½ | 1.5 | 200 | 2995 | 2605 | 2246 | 1917 | 1621 | 1368 | 996 | 753 | 560 | 408 | 292 | 208 | -1.5 | 1.8 | 0.0 | -8.8 | -27.1 | -58.8 | 0.238 | | | |
| 222 Remington | R222R1 | 21303 | 50 | Pointed Soft Point | 7½ | 1.5 | 200 | 3140 | 2601 | 2121 | 1697 | 1347 | 1105 | 1094 | 751 | 499 | 320 | 202 | 136 | -1.5 | 1.9 | 0.0 | -9.7 | -31.8 | -73.1 | 0.175 | | | |
| | PRA222RB | 29174 | 50 | AccuTip-V Boat Tail | 7½ | 1.5 | 200 | 3140 | 2743 | 2380 | 2045 | 1740 | 1471 | 1094 | 835 | 629 | 464 | 336 | 240 | -1.5 | 1.6 | 0.0 | -7.8 | -23.9 | -51.7 | 0.242 | | | |
| 223 Remington | L223R3 | 23711 | 55 | Full Metal Jacket | 7½ | 1.5 | 200 | 3240 | 2759 | 2325 | 1933 | 1586 | 1300 | 1282 | 929 | 660 | 456 | 307 | 206 | -1.5 | 1.6 | 0.0 | -8.1 | -25.6 | -57.1 | 0.202 | | | |
| | L223R7 | 23748 | 45 | Jacketed Hollow Point | 7½ | 1.5 | 200 | 3550 | 2953 | 2430 | 1963 | 1559 | 1241 | 1259 | 871 | 590 | 385 | 243 | 154 | -1.5 | 1.3 | 0.0 | -7.3 | -23.7 | -54.7 | 0.173 | | | |
| 223 Remington | L223R8 | 23812 | 50 | Jacketed Hollow Point | 7½ | 1.5 | 200 | 3425 | 2899 | 2430 | 2007 | 1633 | 1324 | 1302 | 933 | 655 | 447 | 296 | 195 | -1.5 | 1.3 | 0.0 | -7.3 | -23.4 | -52.7 | 0.192 | | | |
| | PRA223RB | 29184 | 50 | AccuTip-V Boat Tail | 7½ | 1.5 | 200 | 3410 | 2989 | 2654 | 2252 | 1928 | 1635 | 1291 | 992 | 753 | 563 | 413 | 297 | -1.5 | 1.2 | 0.0 | -6.4 | -19.7 | -42.4 | 0.242 | | | |
| 223 Remington | PRA223RC | 29192 | 55 | AccuTip-V | 7½ | 1.5 | 200 | 3240 | 2854 | 2500 | 2172 | 1871 | 1598 | 1282 | 995 | 763 | 576 | 427 | 312 | -1.5 | 1.4 | 0.0 | -7.0 | -21.4 | -45.9 | 0.255 | | | |
| | R223R1 | 28399 | 55 | Pointed Soft Point | 7½ | 1.5 | 200 | 3240 | 2747 | 2304 | 1904 | 1554 | 1270 | 1282 | 921 | 648 | 443 | 295 | 197 | -1.5 | 1.6 | 0.0 | -8.2 | -26.2 | -58.7 | 0.197 | | | |
| 223 Remington | RD223RA | 22107 | 62 | Core-Lokt Ultra Bonded PSP | 7½ | 2.5 | 200 | 3100 | 2700 | 2328 | 1986 | 1678 | 1411 | 1323 | 1004 | 746 | 543 | 388 | 274 | -2.5 | 1.17 | 0.0 | -7.6 | -24.2 | -53.2 | 0.234 | | | |
| | PRH223RA | 28919 | 62 | Core-Lokt Ultra Bonded PSP | 7½ | 1.5 | 200 | 3260 | 2841 | 2458 | 2105 | 1784 | 1511 | 1465 | 1112 | 832 | 610 | 438 | 310 | -1.5 | 1.4 | 0.0 | -7.2 | -22.4 | -48.6 | 0.234 | | | |
| 223 Remington | HTP223RA | 27699 | 62 | Barnes TSX BT +++ | 7½ | 2.5 | 200 | 3100 | 2766 | 2456 | 2167 | 1898 | 1651 | 1323 | 1054 | 831 | 646 | 496 | 376 | -2.5 | 1.0 | 0.0 | -6.8 | -21.1 | -45.1 | 0.287 | | | |
| | PHH223RA | 27700 | 62 | Barnes TSX BT +++ | 7½ | 2.5 | 200 | 3100 | 2766 | 2456 | 2167 | 1898 | 1651 | 1323 | 1054 | 831 | 646 | 496 | 376 | -2.5 | 1.0 | 0.0 | -6.8 | -21.1 | -45.1 | 0.287 | | | |
| 223 Remington | R223R6 | 22106 | 62 | Open Tip Match | 7½ | 2.5 | 200 | 3025 | 2572 | 2162 | 1792 | 1471 | 1218 | 1260 | 911 | 644 | 442 | 298 | 204 | -2.5 | 1.4 | 0.0 | -6.9 | -28.9 | -65.0 | 0.205 | | | |
| | RM223R1 | 27680 | 69 | MatchKing BTHP +++ | 7½ | 2.5 | 200 | 3000 | 2720 | 2456 | 2208 | 1974 | 1756 | 1379 | 1133 | 924 | 747 | 597 | 472 | -2.5 | 1.1 | 0.0 | -6.9 | -21.0 | -44.0 | 0.336 | | | |
| 223 Remington | RM223R3 | 27686 | 77 | MatchKing BTHP +++ | 7½ | 2.5 | 200 | 2790 | 2539 | 2304 | 2081 | 1871 | 1676 | 1329 | 1102 | 907 | 740 | 598 | 480 | -2.5 | 1.5 | 0.0 | -8.0 | -24.1 | -50.2 | 0.362 | | | |
| | L22503 | 23750 | 45 | Jacketed Hollow Point | 9½ | 1.5 | 200 | 4000 | 3340 | 2770 | 2267 | 1820 | 1441 | 1598 | 1114 | 767 | 513 | 331 | 207 | -1.5 | 0.8 | 0.0 | -5.4 | -17.7 | -40.7 | 0.173 | | | |
| 223 Remington | L22504 | 23813 | 50 | Jacketed Hollow Point | 9½ | 1.5 | 200 | 3820 | 3245 | 2739 | 2286 | 1878 | 1523 | 1620 | 1169 | 833 | 580 | 392 | 258 | -1.5 | 0.9 | 0.0 | -5.6 | -18.0 | -40.3 | 0.192 | | | |
| | PRA2250RB | 29186 | 50 | AccuTip-V Boat Tail | 9½ | 1.5 | 200 | 3800 | 3339 | 2925 | 2546 | 2198 | 1878 | 1603 | 1238 | 949 | 720 | 536 | 392 | -1.5 | 0.8 | 0.0 | -4.9 | -15.2 | -32.8 | 0.242 | | | |
| 223 Remington | HTP2250R1 | 27726 | 50 | Barnes TSX FB | 9½ | 1.5 | 200 | 3830 | 3267 | 2771 | 2326 | 1924 | 1570 | 1629 | 1185 | 853 | 601 | 411 | 274 | -1.5 | 0.9 | 0.0 | -5.5 | -17.5 | -39.0 | 0.197 | | | |
| | R22501 | 21311 | 55 | Pointed Soft Point | 9½ | 1.5 | 200 | 3680 | 3136 | 2654 | 2220 | 1829 | 1490 | 1654 | 1201 | 860 | 602 | 409 | 271 | -1.5 | 1.0 | 0.0 | -6.0 | -19.2 | -42.9 | 0.197 | | | |
| 6mm Remington | R6MM4 | 29051 | 100 | Core-Lokt Pointed Soft Point | 9½ | 1.5 | 200 | 3100 | 2829 | 2574 | 2333 | 2104 | 1890 | 2133 | 1777 | 1471 | 1208 | 983 | 793 | -1.5 | 1.4 | 0.0 | -6.7 | -19.8 | -40.8 | 0.356 | | | |
| 6mm Creedmoor | R6CM01 | 29049 | 100 | Core-Lokt Pointed Soft Point | 9½ | 1.5 | 200 | 3000 | 2656 | 2337 | 2041 | 1768 | 1524 | 1999 | 1567 | 1214 | 925 | 695 | 516 | -1.5 | 1.7 | 0.0 | -8.1 | -24.7 | -52.4 | 0.272 | | | |
| | RM6CM01 | 29049 | 100 | Barnes Match Burner OTM BT | 9½ | 2.0 | 200 | 2960 | 2808 | 2662 | 2520 | 2382 | 2249 | - | - | - | - | - | - | -2.0 | 0.0 | -2.4 | -9.7 | -22.5 | -41.5 | 0.624 | | | |
| 243 Win | PRA243WB | 29194 | 75 | AccuTip-V Boat Tail | 9½ | 1.5 | 200 | 3375 | 3065 | 2775 | 2504 | 2248 | 2008 | 1897 | 1564 | 1282 | 1044 | 842 | 671 | -1.5 | 1.1 | 0.0 | -5.6 | -16.8 | -35.0 | 0.330 | | | |
| | R243W1 | 27800 | 80 | Pointed Soft Point | 9½ | 1.5 | 200 | 3350 | 2955 | 2593 | 2258 | 1949 | - | 1993 | 1550 | 1194 | 906 | 675 | - | -1.5 | 1.3 | 0.0 | -6.5 | -19.8 | - | 0.255 | | | |
| 243 Win | PRSC243WA | 29320 | 90 | Swift Scirocco Bonded | 9½ | 1.5 | 200 | 3120 | 2871 | 2635 | 2411 | 2199 | 1997 | 1946 | 1647 | 1388 | 1162 | 966 | 797 | -1.5 | 1.4 | 0.0 | -6.4 | -18.7 | -38.4 | 0.390 | | | |
| | PRA243WA | 29196 | 95 | AccuTip | 9½ | 1.5 | 200 | 3120 | 2847 | 2590 | 2347 | 2118 | 1902 | 2053 | 1710 | 1415 | 1162 | 946 | 763 | -1.5 | 1.4 | 0.0 | -6.6 | -19.5 | -40.2 | 0.355 | | | |
| 243 Win | PRH243WC | 28923 | 100 | Core-Lokt Ultra Bonded PSP | 9½ | 1.5 | 200 | 3120 | 2860 | 2614 | 2382 | 2161 | 1952 | 2162 | 1817 | 1518 | 1260 | 1037 | 847 | -1.5 | 1.4 | 0.0 | -6.5 | -19.1 | -39.2 | 0.373 | | | |
| | R243W3 | 27802 | 100 | Core-Lokt Pointed Soft Point | 9½ | 1.5 | 200 | 2960 | 2697 | 2449 | 2215 | 1993 | 1786 | 1945 | 1615 | 1332 | 1089 | 882 | 708 | -1.5 | 1.7 | 0.0 | -7.5 | -22.0 | -45.4 | 0.356 | | | |
| 25-06 Remington | R25062 | 21507 | 100 | Core-Lokt Pointed Soft Point | 9½ | 1.5 | 200 | 3230 | 2892 | 2579 | 2286 | 2013 | 1718 | 2316 | 1857 | 1476 | 1160 | 899 | 688 | -1.5 | 1.3 | 0.0 | -6.6 | -19.9 | -41.8 | 0.292 | | | |
| | R25063 | 21515 | 120 | Core-Lokt Pointed Soft Point | 9½ | 1.5 | 200 | 2990 | 2730 | 2484 | 2252 | 2032 | 1825 | 2382 | 1985 | 1644 | 1351 | 1100 | 887 | -1.5 | 1.6 | 0.0 | -7.2 | -21.4 | -43.9 | 0.362 | | | |
| 25-20 Win | R25202 | 28364 | 86 | Core-Lokt Pointed Soft Point | 6½ | 0.9 | 100 | 1460 | 1194 | 1030 | - | - | - | 407 | 272 | 202 | - | - | -0.9 | 0.0 | -23.5 | - | - | - | 0.190 | | | | |
| 250 Savage | R250SV | 29077 | 100 | Core-Lokt Pointed Soft Point | 9½ | 1.5 | 200 | 2820 | 2504 | 2209 | 1935 | 1684 | - | 1765 | 1392 | 1084 | 831 | 629 | - | -1.5 | 2.0 | 0.0 | -9.2 | -27.8 | - | 0.285 | | | |
| 257 Roberts | R257 | 28335 | 117 | Core-Lokt Pointed Soft Point | 9½ | 1.5 | 200 | 2650 | 2291 | 1961 | 1663 | 1404 | 1199 | 1824 | 1363 | 999 | 718 | 512 | 373 | -1.5 | 2.6 | 0.0 | -11.7 | -36.1 | -78.20 | 0.240 | | | |
| | HTP65CR | 27716 | 120 | Barnes TSX BT | 9½ | 1.5 | 200 | 2910 | 2667 | 2436 | 2217 | 2010 | 1815 | 2257 | 1900 | 1586 | 1314 | 1080 | 880 | | | | | | | | | | |

CENTERFIRE RIFLE BALLISTICS (cont.)

| 7.62X39 – 450 BUSHMASTER | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---------------|-------|---------|------------------------------|------------|-----------------------|--------------|----------------|------|------|------|------|----------------|--------|------|-------|------|---------------------|------|--------|------|-------|-----------------------|-------|-------|--------|-------|
| CARTRIDGE | INDEX/EDI NO. | RAMAC | WT (GR) | BULLET STYLE | PRIMER NO. | SIGHT HEIGHT (INCHES) | ZERO (YARDS) | VELOCITY (FPS) | | | | | ENERGY (FT-LB) | | | | | TRAJECTORY (INCHES) | | | | | BALLISTIC COEFFICIENT | | | | |
| | | | | | | | | MUZZLE | 100 | 200 | 300 | 400 | 500 | MUZZLE | 100 | 200 | 300 | 400 | 500 | MUZZLE | 100 | 200 | | 300 | 400 | 500 | |
| 300 Wby Mag | R300WB1 | 29279 | 180 | Core-Lokt Pointed Soft Point | 9½ M | 1.5 | 200 | 3120 | 2866 | 2627 | 2399 | 2184 | 1979 | 3890 | 3283 | 2757 | 2301 | 1905 | 1565 | -1.5 | 1.4 | 0.0 | -6.4 | -18.9 | -38.7 | 0.383 | |
| 303 British | L303B1 | 23701 | 174 | Full Metal Jacket | 9½ | 1.5 | 100 | 2475 | 2209 | 1960 | 1730 | 1521 | 1339 | 2366 | 1886 | 1484 | 1156 | 893 | 692 | -1.5 | 0.0 | -5.7 | -20.4 | -46.9 | -88.4 | 0.315 | |
| 7.62 x 39 | R303B1 | 21471 | 180 | Core-Lokt Soft Point | 9½ | 1.5 | 100 | 2460 | 2125 | 1819 | 1544 | 1313 | — | 2418 | 1805 | 1322 | 953 | 689 | — | -1.5 | 0.0 | -6.3 | -23.1 | -54.7 | — | 0.247 | |
| | L762391 | 23709 | 123 | Full Metal Jacket | 9½ | 2.0 | 100 | 2365 | 2060 | 1780 | 1529 | 1315 | 1150 | — | 1527 | 1159 | 865 | 638 | 472 | 361 | -2.0 | 0.0 | -6.3 | -23.6 | -55.9 | -108.3 | 0.266 |
| | R762391 | 29125 | 125 | Core-Lokt Pointed Soft Point | 9½ | 2.0 | 100 | 2365 | 2061 | 1782 | 1531 | — | — | 1552 | 1179 | 881 | 651 | — | — | -2.0 | 0.0 | -6.2 | -23.5 | — | — | 0.267 | |
| 300 Remington SA Ultra Mag | PR300SM2 | 27954 | 165 | Core-Lokt Pointed Soft Point | 9½ M | 1.5 | 200 | 3075 | 2792 | 2527 | 2277 | 2041 | 1820 | 3464 | 2856 | 2339 | 1899 | 1525 | 1213 | -1.5 | 1.5 | 0.0 | -7.0 | -20.6 | -42.7 | 0.339 | |
| 300 Remington Ultra Mag | PRA300UM1-P1 | 29016 | 150 | AccuTip Boat Tail | 9½ M | 1.5 | 200 | 2910 | 2686 | 2473 | 2270 | 2077 | 1893 | 2820 | 2403 | 2037 | 1716 | 1436 | 1193 | -1.5 | 1.7 | 0.0 | -7.4 | -21.5 | -43.7 | 0.415 | |
| | PR300UM5 | 27950 | 150 | Swift Scirocco Bonded | 9½ M | 1.5 | 200 | 3450 | 3208 | 2980 | 2763 | 2556 | 2358 | 3965 | 3429 | 2958 | 2542 | 2176 | 1853 | -1.5 | 0.9 | 0.0 | -4.9 | -14.3 | -29.1 | 0.435 | |
| | R300RUM01 | 27641 | 180 | Core-Lokt Pointed Soft Point | 9½ M | 1.5 | 200 | 3175 | 2922 | 2679 | 2449 | 2231 | 2024 | 4030 | 3405 | 2863 | 2392 | 1984 | 1633 | -1.5 | 1.3 | 0.0 | -6.2 | -18.1 | -37.1 | 0.383 | |
| | PR300UM3 | 27936 | 180 | Swift Scirocco Bonded | 9½ M | 1.5 | 200 | 3250 | 3048 | 2856 | 2672 | 2495 | 2325 | 4182 | 3679 | 3229 | 2825 | 2462 | 2137 | -1.5 | 1.1 | 0.0 | -5.4 | -15.7 | -31.5 | 0.500 | |
| | HTP300UM | 27722 | 180 | Barnes TSX BT | 9½ M | 1.5 | 200 | 3150 | 2936 | 2730 | 2532 | 2343 | 2162 | 3967 | 3440 | 2972 | 2558 | 2190 | 1865 | -1.5 | 1.3 | 0.0 | -5.9 | -17.3 | -35.0 | 0.453 | |
| 32-20 Win | R32201 | 28410 | 100 | Lead | 6½ | 0.9 | 100 | 1210 | 1021 | 913 | — | — | — | -0.9 | 0.0 | -32.3 | — | — | — | -0.9 | 0.0 | -32.3 | — | — | — | 0.166 | |
| 32 Win Special | R32W21 | 21489 | 170 | Core-Lokt Soft Point | 9½ | 0.9 | 100 | 2250 | 1922 | 1627 | 1373 | — | — | 1911 | 1394 | 999 | 712 | — | — | -0.9 | 0.0 | -8.6 | -30.5 | — | — | 0.239 | |
| 338 Marlin Express | R338ME1 | 22184 | 250 | Soft Point | 9½ | 1.5 | 200 | 2215 | 1946 | 1698 | 1477 | 1289 | — | 2723 | 2101 | 1601 | 1211 | 922 | — | -1.5 | 3.9 | 0.0 | -16.0 | -48.0 | — | 0.291 | |
| 338 Win Mag | R338W1 | 22189 | 225 | Core-Lokt Pointed Soft Point | 9½ M | 1.5 | 200 | 2780 | 2572 | 2374 | 2184 | 2004 | 1832 | 3860 | 3305 | 2815 | 2384 | 2005 | 1677 | -1.5 | 1.9 | 0.0 | -8.1 | -23.4 | -47.5 | 0.435 | |
| | R338W2 | 22191 | 250 | Core-Lokt Pointed Soft Point | 9½ M | 1.5 | 200 | 2660 | 2456 | 2261 | 2075 | 1898 | 1731 | 3927 | 3348 | 2837 | 2389 | 1999 | 1663 | -1.5 | 2.1 | 0.0 | -9.0 | -26.0 | -52.7 | 0.431 | |
| 338 Remington Ultra Mag | PR338UM2 | 27942 | 250 | Core-Lokt Pointed Soft Point | 9½ M | 1.5 | 200 | 2860 | 2647 | 2443 | 2249 | 2063 | 1887 | 4540 | 3888 | 3313 | 2807 | 2363 | 1976 | -1.5 | 1.7 | 0.0 | -7.6 | -22.0 | -44.7 | 0.431 | |
| 338 Lapua Mag | RM338LMR1 | 27944 | 250 | Scenar Match | 9½ M | 1.5 | 200 | 2960 | 2820 | 2683 | 2551 | 2423 | 2299 | 4863 | 4412 | 3996 | 3613 | 3259 | 2932 | -1.5 | 1.4 | 0.0 | -6.3 | -17.9 | -35.4 | 0.675 | |
| 35 Remington | R35R2 | 27852 | 200 | Core-Lokt Soft Point | 9½ | 1.5 | 100 | 2080 | 1697 | 1374 | 1138 | — | — | 1921 | 1278 | 838 | 575 | — | — | -1.5 | 0.0 | -8.4 | -31.7 | — | — | 0.192 | |
| 35 Whelen | R35WH1 | 21495 | 200 | Core-Lokt Pointed Soft Point | 9½ M | 1.5 | 200 | 2675 | 2378 | 2100 | 1842 | 1607 | 1400 | 3177 | 2511 | 1959 | 1507 | 1147 | 870 | -1.5 | 2.3 | 0.0 | -10.3 | -30.9 | -65.0 | 0.294 | |
| | R35WH3 | 21499 | 250 | Pointed Soft Point | 9½ M | 1.5 | 200 | 2400 | 2197 | 2005 | 1823 | 1652 | 1496 | 3197 | 2681 | 2232 | 1845 | 1516 | 1243 | -1.5 | 2.9 | 0.0 | -11.5 | -33.6 | -68.4 | 0.409 | |
| 9.3 x 62 | R93x621 | 28276 | 286 | Pointed Soft Point | 9½ | 1.5 | 200 | 2360 | 2155 | 1960 | 1777 | 1607 | 1451 | 3536 | 2948 | 2440 | 2005 | 1639 | 1337 | -1.5 | 3.0 | 0.0 | -12.1 | -35.2 | -71.8 | 0.400 | |
| 375 H&H Mag | R375M1 | 29097 | 270 | Soft Point | 9½ M | 1.5 | 200 | 2690 | 2363 | 2059 | 1780 | 1530 | 1317 | 4337 | 3347 | 2542 | 1900 | 1403 | 1039 | -1.5 | 2.4 | 0.0 | -10.6 | -32.4 | -69.0 | 0.267 | |
| 375 Remington Ultra Mag | PR375UM2 | 29340 | 270 | Soft Point | 9½ M | 1.5 | 200 | 2900 | 2558 | 2240 | 1946 | 1677 | 1441 | 5041 | 3921 | 3008 | 2269 | 1686 | 1244 | -1.5 | 1.9 | 0.0 | -8.9 | -27.1 | -57.7 | 0.267 | |
| 444 Marlin | R444M | 29475 | 240 | Core-Lokt Soft Point | 9½ | 0.9 | 100 | 2350 | 1816 | 1376 | 1087 | — | — | 2942 | 1758 | 1009 | 630 | — | — | -0.9 | 0.0 | -10.0 | -38.5 | — | — | 0.146 | |
| 45-70 Govt | HTP4570G1 | 27736 | 300 | Barnes TSX FN †† | 9½ | 0.9 | 100 | 1925 | 1505 | 1189 | 1008 | — | — | 2469 | 1509 | 942 | 676 | — | — | -0.9 | 0.0 | -14.7 | -54.0 | — | — | 0.163 | |
| | PHH4570G1 | 27807 | 300 | Barnes TSX FN †† | 9½ | 0.9 | 100 | 1925 | 1505 | 1189 | 1008 | — | — | 2469 | 1509 | 942 | 676 | — | — | -0.9 | 0.0 | -14.7 | -54.0 | — | — | 0.163 | |
| | R4570G | 29473 | 405 | Core-Lokt Soft Point † | 9½ | 0.9 | 100 | 1330 | 1169 | 1056 | 978 | — | — | 1590 | 1228 | 1002 | 860 | — | — | -0.9 | 0.0 | -24.5 | -80.2 | — | — | 0.281 | |
| | R4570G1 | 21459 | 405 | Core-Lokt Soft Point †† | 9½ | 0.9 | 100 | 1600 | 1385 | 1210 | 1084 | — | — | 2303 | 1726 | 1318 | 1057 | — | — | -0.9 | 0.0 | -17.3 | -58.3 | — | — | 0.281 | |
| | R4570L1 | 21463 | 300 | Semi-Jacketed Hollow Point†† | 9½ | 0.9 | 100 | 1900 | 1574 | 1304 | 1111 | — | — | 2405 | 1651 | 1134 | 823 | — | — | -0.9 | 0.0 | -13.3 | -47.1 | — | — | 0.213 | |
| 450 Bushmaster | PRA450B1 | 27943 | 260 | AccuTip | 7½ | 2.5 | 100 | 2180 | 1664 | 1261 | 1026 | — | — | 2743 | 1598 | 918 | 608 | — | — | -2.5 | 0.0 | -10.4 | -42.8 | — | — | 0.144 | |
| | HTP450B1 | 27739 | 250 | Barnes TTSX BT | 7½ | 2.5 | 100 | 2200 | 1811 | 1469 | 1206 | — | — | 2686 | 1821 | 1198 | 807 | — | — | -2.5 | 0.0 | -8.8 | -33.7 | — | — | 0.195 | |
| | PHH450B1 | 27809 | 250 | Barnes TTSX BT | 7½ | 2.5 | 100 | 2200 | 1811 | 1469 | 1206 | — | — | 2686 | 1821 | 1198 | 807 | — | — | -2.5 | 0.0 | -8.8 | -33.7 | — | — | 0.195 | |

Note: These ballistics are developed using a test barrel length of 24" except those for 30 carbine, 7.62 x 39 and 44 Remington magnum which are 20" test barrels, 300 sac blackout which is a 16" test barrel and 300 rum, 27722, which is a 26" barrel. Specifications are nominal ballistics figures established in test barrels. Individual rifles may vary from test barrel results. "Zero" indicates yardage at which rifle was sighted in. *Ramac 27699 and 27700 require 1.9" twist rate or faster barrel.

PREMIER ACCUTIP (Page 121)
CORE-LOKT (Page 126)
HIGH PERFORMANCE RIFLE (Page 136)

PREMIER MATCH (Page 121)
PREMIER SCIROCCO (Page 126)
UMC (Page 137)

HTP COPPER (Page 122)
SUBSONIC (Page 132)

HOG HAMMER (Page 125)
ULTIMATE DEFENSE RIFLE BONDED (Page 133)

HANDGUN BALLISTICS

| 25 AUTO – 9MM LUGER | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---------------|-------|---------|-----------------------------|------------|-----------------------|--------------|----------------|------|------|--------|-----|----------------|--------|------|------|--------|---------------------|---------------|-----------------------|
| CARTRIDGE | INDEX/EDI NO. | RAMAC | WT (GR) | BULLET STYLE | PRIMER NO. | SIGHT HEIGHT (INCHES) | ZERO (YARDS) | VELOCITY (FPS) | | | | | ENERGY (FT-LB) | | | | | TRAJECTORY (INCHES) | BARREL LENGTH | BALLISTIC COEFFICIENT |
| | | | | | | | | MUZZLE | 25 | 50 | MUZZLE | 25 | 50 | MUZZLE | 25 | 50 | MUZZLE | | | |
| 25 Auto (6.35mm Browning) | L25AP | 23716 | 50 | Full Metal Jacket | 1 ½ | 0.9 | 25 | 760 | 733 | 707 | 64 | 60 | 56 | 0.0 | 0.0 | -3.2 | 2 | 0.088 | | |
| 32 S&W | RPW32SW | 22206 | 88 | Lead Round Nose | 1 ½ | 0.9 | 25 | 680 | 662 | 644 | 90 | 86 | 81 | 0.0 | -4.1 | 3 | 0.114 | | | |
| 32 S&W Long | RPW32SWL | 22210 | 98 | Lead Round Nose | 1 ½ | 0.9 | 25 | 705 | 687 | 669 | 108 | 103 | 97 | 0.0 | -3.7 | 4 | 0.119 | | | |
| 32 Auto (7.65mm Browning) | L32AP | 23704 | 71 | Full Metal Jacket | 1 ½ | 0.9 | 25 | 905 | 879 | 854 | 129 | 122 | 115 | 0.0 | -1.9 | 4 | 0.131 | | | |
| 357 Mag** | RTP357M7 | 22229 | 110 | Semi-Jacketed Hollow Point | 5 ½ | 0.9 | 25 | 1295 | 1182 | 1093 | 410 | 341 | 292 | 0.0 | -0.7 | 4** | 0.098 | | | |
| | HD357MA | 28920 | 125 | Brass Jacketed Hollow Point | 5 ½ | 0.9 | 25 | 1220 | 1095 | 1009 | 413 | 333 | 283 | 0.0 | -0.9 | 4** | 0.073 | | | |
| | RTP357M1 | 22217 | 125 | Semi-Jacketed Hollow Point | 5 ½ | 0.9 | 25 | 1450 | 1338 | 1240 | 583 | 497 | 427 | 0.0 | -0.3 | 4** | 0.125 | | | |
| | L357M12 | 23738 | 125 | Jacketed Soft Point | 5 ½ | 0.9 | 25 | 1450 | 1338 | 1240 | 583 | 497 | 427 | 0.0 | -0.3 | 4** | 0.125 | | | |
| | PHH357M1 | 27799 | 140 | Barnes XPB | 5 ½ | 0.9 | 25 | 1265 | 1192 | 1130 | 498 | 442 | 397 | 0.0 | -0.6 | 4 | 0.151 | | | |
| | HTP357M1 | 27724 | 140 | Barnes XPB | 5 ½ | 0.9 | 25 | 1265 | 1192 | 1130 | 498 | 442 | 397 | 0.0 | -0.6 | 4 | 0.151 | | | |
| | RTP357M2 | 22219 | 158 | Semi-Jacketed Hollow Point | 5 ½ | 0.9 | 25 | 1235 | 1164 | 1104 | 535 | 475 | 428 | 0.0 | -0.7 | 4** | 0.145 | | | |
| | RTP357M3 | 22221 | 158 | Soft Point | 5 ½ | 0.9 | 25 | 1235 | 1164 | 1104 | 535 | 475 | 428 | 0.0 | -0.7 | 4** | 0.145 | | | |
| | RPW357M5 | 22223 | | | | | | | | | | | | | | | | | | |

SS SLUG BALLISTICS

| GAUGE / BORE | INDEX/ EDI NO. | RAMAC | LENGTH (INCHES) | WEIGHT | SLUG STYLE | SIGHT HEIGHT (INCHES) | VELOCITY (FPS) | | | | | ENERGY (FT-LB) | | | | | TRAJECTORY (INCHES) | | | | | BALLISTIC COEFFICIENT |
|--------------|----------------|-------|-----------------|---------|-----------------|-----------------------|----------------|------|------|-----|------|----------------|------|-----|-----|------|---------------------|----|-------|-----|-----|-----------------------|
| | | | | | | | MUZZLE | 50 | 100 | 150 | 200 | MUZZLE | 50 | 100 | 150 | 200 | MUZZLE | 50 | 100 | 150 | 200 | |
| 410 | SP41RS | 20618 | 2½ | ⅓ oz. | Rifled Slug | 1.5 | 1830 | 1335 | 1040 | | 654 | 348 | 211 | | 0.0 | -3.5 | -- | | 0.064 | | | |
| 16 | SP16RS | 20614 | 2¾ | ⅔ oz. | Rifled Slug HP | 1.5 | 1600 | 1175 | 965 | | 1989 | 1072 | 724 | | 0.0 | -4.8 | -- | | 0.063 | | | |
| 20 | PRX20 | 20815 | 2¾ | 250 gr. | Tipped TSX | 1.5 | 1825 | 1631 | 1457 | | 1849 | 1477 | 1178 | | 0.0 | -1.8 | -7.7 | | 0.179 | | | |
| | PRX20M | 20817 | 3 | 250 gr. | Tipped TSX | 1.5 | 1900 | 1700 | 1519 | | 2004 | 1605 | 1280 | | 0.0 | -1.5 | -6.8 | | 0.179 | | | |
| | PRA20 | 20496 | 2¾ | 260 gr. | Power Port Tip | 1.5 | 1850 | 1610 | 1399 | | 1976 | 1496 | 1130 | | 0.0 | -1.9 | -8.2 | | 0.144 | | | |
| | PRA20M | 20498 | 3 | 260 gr. | Power Port Tip | 1.5 | 1900 | 1655 | 1438 | | 2084 | 1581 | 1193 | | 2.5 | 3.4 | 0.0 | | 0.144 | | | |
| | SPHV20RS | 28608 | 2¾ | ½ oz. | Rifled Slug | 1.5 | 1800 | 1800 | 1321 | | 1037 | 1575 | 848 | | 0.0 | -2.2 | -- | | 0.130 | | | |
| | PR20CS | 20824 | 2¾ | ⅝ oz. | Copper Solid HP | 1.5 | 1500 | 1360 | 1240 | | 1444 | 1187 | 986 | | 0.0 | -3.2 | -- | | 0.206 | | | |
| | SP20RS | 20616 | 2¾ | ⅝ oz. | Rifled Slug HP | 1.5 | 1580 | 1240 | 1034 | | 1513 | 931 | 648 | | 0.0 | -4.2 | -- | | 0.081 | | | |
| | PR12CS | 20716 | 2¾ | 1 oz. | Copper Solid HP | 1.5 | 1450 | 1320 | 1208 | | 2040 | 1689 | 1417 | | 0.0 | -3.5 | -12.9 | | 0.211 | | | |
| | PR12MCS | 20718 | 3 | 1 oz. | Copper Solid HP | 1.5 | 1550 | 1408 | 1283 | | 2331 | 1923 | 1597 | | 0.0 | -2.9 | -11.1 | | 0.211 | | | |
| 12 | PRA12 | 20727 | 2¾ | 385 Gr. | Power Port Tip | 1.5 | 1850 | 1611 | 1401 | | 2925 | 2218 | 1677 | | 2.7 | 3.6 | 0.0 | | 0.145 | | | |
| | PRA12M | 20731 | 3 | 385 gr. | Power Port Tip | 1.5 | 1900 | 1656 | 1439 | | 3086 | 2344 | 1771 | | 2.5 | 3.4 | 0.0 | | 0.145 | | | |
| | SPHV12RS | 28600 | 2¾ | ⅔ oz. | Rifled Slug | 1.5 | 1800 | 1252 | 978 | | 2751 | 1517 | 813 | | 0.0 | -4.1 | -- | | 0.055 | | | |
| | SPHV12MRS | 28604 | 3 | ⅔ oz. | Rifled Slug | 1.5 | 1875 | 1302 | 998 | | 2989 | 1442 | 847 | | 0.0 | -3.7 | -- | | 0.055 | | | |
| | RL12RS | 20290 | 2¾ | 1 oz. | Rifled Slug | 1.5 | 1200 | 988 | 873 | | 1397 | 948 | 739 | | 0.0 | -7.4 | -- | | 0.068 | | | |
| | PRX12 | 20696 | 2¾ | 438 gr. | Tipped TSX | 1.5 | 1450 | 1313 | 1198 | | 2042 | 1676 | 1395 | | 0.0 | -3.5 | -13.2 | | 0.200 | | | |
| | PRX12M | 20715 | 3 | 438 gr. | Tipped TSX | 1.5 | 1550 | 1397 | 1264 | | 2334 | 1895 | 1551 | | 0.0 | -3.0 | -11.4 | | 0.200 | | | |
| | SP12RS | 20300 | 2¾ | 1 oz. | Rifled Slug | 1.5 | 1560 | 1203 | 1004 | | 2361 | 1403 | 976 | | 0.0 | -4.5 | -- | | 0.075 | | | |
| | S12RS | 20302 | 2¾ | 1 oz. | Rifled Slug | 1.5 | 1680 | 1285 | 1045 | | 2378 | 1605 | 1059 | | 0.0 | -3.8 | -- | | 0.075 | | | |
| | S12MRS | 20270 | 3 | 1 oz. | Rifled Slug | 1.5 | 1760 | 1345 | 1075 | | 3005 | 1753 | 1121 | | 0.0 | -3.4 | -- | | 0.075 | | | |

*0.0 indicates yardage at which shotgun was sighted in.

PREMIER EXPANDER (Page 154)
 SLUGGER (Page 158)
 MANAGED RECOIL SLUGGER (Page 158)

PREMIER ACCUTIP SLUG (Page 154)
 SLUGGER HIGH VELOCITY (Page 158)
 PREMIER COPPER SOLID

MUZZLELOADER BALLISTICS

| 50 CALIBER | | | | | | | | | | | | | | | | | | | | | | | | |
|------------|----------------|-------|---------|--------------|-----------------------|----------------|------|------|------|------|----------------|--------|------|------|------|---------------------|-----|--------|------|------|-----------------------|-------|--------|-------|
| CARTRIDGE | INDEX/ EDI NO. | RAMAC | WT (GR) | BULLET STYLE | SIGHT HEIGHT (INCHES) | VELOCITY (FPS) | | | | | ENERGY (FT-LB) | | | | | TRAJECTORY (INCHES) | | | | | BALLISTIC COEFFICIENT | | | |
| | | | | | | MUZZLE | 50 | 100 | 150 | 200 | 300 | MUZZLE | 50 | 100 | 150 | 200 | 300 | MUZZLE | 50 | 100 | | 150 | 200 | 300 |
| 50 Caliber | RBMLR2A | 30610 | 250 | AccuTip FB | 1.5 | 2400 | 2188 | 1987 | 1797 | 1621 | 1319 | 3198 | 2658 | 2191 | 1793 | 1459 | 966 | -1.5 | 0.09 | 1.49 | 0.0 | -4.28 | -23.57 | 0.195 |

PREMIER ACCUTIP (Page 121)

RIMFIRE BALLISTICS

| LINE | INDEX/ EDI NO. | RAMAC | WT (GR) | BULLET STYLE | VELOCITY (FPS) | | | | | ENERGY (FT-LB) | | | | | TRAJECTORY (INCHES) | | | | | BALLISTIC COEFFICIENT |
|-------------------------------|----------------------|----------------|---------|-----------------------------|----------------|------|------|------|------|----------------|-----|-----|-----|-----|---------------------|-----|-------|-------|-------|-----------------------|
| | | | | | MUZZLE | 50 | 100 | 150 | 200 | MUZZLE | 50 | 100 | 150 | 200 | MUZZLE | 50 | 100 | 150 | 200 | |
| Golden Bullet, High Velocity | 1022 1000* | 21000 21001 | 29 | Plated Round Nose | 1095 | 986 | 903 | 829 | -- | 77 | 63 | 52 | 44 | -- | 0.3 | 0 | -7.4 | -25.5 | -- | 0.084 |
| Yellow Jacket, Hyper Velocity | 1722 1700* | 21074 21280 | 33 | Plated Truncated Cone HP | 1500 | 1243 | 1075 | 983 | -- | 165 | 113 | 85 | 71 | -- | -0.2 | 0 | -4.1 | -15.8 | -- | 0.095 |
| Viper, Hyper Velocity | 1922 1900* | 21080 21288 | 36 | Plated Truncated Cone Solid | 1410 | 1186 | 1056 | 976 | -- | 159 | 112 | 89 | 76 | -- | -0.1 | 0 | -4.7 | -17.1 | -- | 0.103 |
| Cyclone, High Velocity | CY-22HP*** | 21222 | 36 | Lead Hollow Point | 1280 | 1104 | 1010 | 939 | -- | 131 | 97 | 82 | 71 | -- | 0.0 | 0 | -5.6 | -19.7 | -- | 0.104 |
| Golden Bullet, High Velocity | 1622 1600* | 21008 21278 | 36 | Plated Hollow Point | 1280 | 1104 | 1010 | 939 | -- | 131 | 97 | 82 | 71 | -- | 0.0 | 0 | -5.6 | -19.7 | -- | 0.104 |
| | 1622E** | 21229 | | | | | | | | | | | | | | | | | | |
| | 1622C** | 21250 | | | | | | | | | | | | | | | | | | |
| | 1622B*** | 21231 | | | | | | | | | | | | | | | | | | |
| Golden Bullet, High Velocity | 1522 1500* | 21006 21276 | 40 | Plated Round Nose | 1255 | 1103 | 1017 | 952 | -- | 140 | 108 | 92 | 80 | -- | 0.0 | 0 | -5.6 | -19.6 | -- | 0.116 |
| Thunderbolt, High Velocity | TB-22A TB-22B*** | 21238 21241 | 40 | Lead Round Nose | 1255 | 1103 | 1017 | 952 | -- | 140 | 108 | 92 | 80 | -- | 0.0 | 0 | -5.6 | -19.6 | -- | 0.116 |
| Target | 6122 6100* | 21022 21284 | 40 | Lead Round Nose | 1150 | 1046 | 976 | 916 | w- | 117 | 97 | 85 | 75 | -- | 0.2 | 0 | -6.4 | -22.0 | -- | 0.116 |
| Subsonic | SUB22HP SUB22HP1* | 21140 21141 | 38 | Lead Hollow Point | 1050 | 969 | 901 | 839 | -- | 93 | 79 | 68 | 59 | -- | 0.3 | 0 | -7.7 | -26.2 | -- | 0.100 |
| CBee, Low Noise, Low Velocity | CB-22L100* | 21119 | 33 | Plated Truncated Cone HP | 740 | 687 | 638 | 592 | -- | 40 | 35 | 30 | 26 | -- | 1.4 | 0 | -16.9 | -55.2 | -- | 0.095 |
| Eley Match | RE22EPS | 21259 | 40 | Lead Flat Nose | 1085 | 1005 | 941 | 884 | -- | 105 | 90 | 79 | 69 | -- | 0.3 | 0 | -7.1 | -24.0 | -- | 0.115 |
| Eley Club Xtra | RE22CX | 21256 | 40 | Lead Flat Nose | 1085 | 1005 | 941 | 884 | -- | 105 | 90 | 79 | 69 | -- | 0.3 | 0 | -7.1 | -24.0 | -- | 0.115 |
| Eley Target Rifle | RE22T | 21252 | 40 | Lead Flat Nose | 1085 | 1005 | 941 | 884 | -- | 105 | 90 | 79 | 69 | -- | 0.3 | 0 | -7.1 | -24.0 | -- | 0.115 |
| Premier Magnum Rimfire | PR17HM1 | 28464 | 17 | AccuTip-V BT | 2550 | 2212 | 1901 | 1620 | 1378 | 246 | 185 | 136 | 99 | 72 | -1.5 | 0.2 | zero | -2.6 | -8.5 | 0.125 |
| Premier Magnum Rimfire | PR22M1 | 21184 | 33 | AccuTip-V BT | 2000 | 1730 | 1495 | 1289 | 1135 | 293 | 220 | 163 | 122 | 94 | -1.5 | 0.7 | zero | -4.6 | -14.5 | 0.136 |
| Magnum Rimfire | R22M1 | 21170 | 40 | JHP | 1910 | 1610 | 1355 | 1160 | 1032 | 324 | 230 | 163 | 119 | 95 | -1.5 | 0.9 | zero | -5.7 | -17.8 | 0.117 |
| Magnum Rimfire | R22M2 | 21172 | 40 | PSP | 1910 | 1600 | 1340 | 1143 | 1018 | 324 | 228 | 159 | 116 | 78 | -1.5 | 1 | zero | -5.8 | -18.3 | 0.113 |

* Available in 100-round slide-open plastic packs. ** Available in 225-round and 525-round bulk packs. *** Available in 500-round bulk packs. **** Available in 1400-round buckets.

GOLDEN BULLET (Page 178)
 THUNDERBOLT (Page 179)
 ELEY

YELLOW JACKET (Page 178)
 TARGET (Page 178)
 PREMIER MAGNUM (Page 179)

VIPER (Page 178)
 SUBSONIC (Page 132)
 MAGNUM (Page 179)

CYCLONE (Page 179)
 CBEE (Page 178)



Remington

**FOR CONSUMER INFORMATION,
ARMS SERVICE, PARTS & REPAIRS
AND CUSTOM SHOP:**

Call (800) 243-9700 or visit www.remington.com

[remington.com/facebook](https://www.facebook.com/remington.com/facebook)

11-87, 597, 700, 750, 783, 870, 887, 1100, 1911 R1, 2020, Accelerator, All-In, ArmorLokt, Black Belt, Brakeout, BriteBore, Bullet, CBee22, Core-Lokt, Copper-Lokt, Copper Solid, Crossfire, Disintegrator, Express, Express Bit, F.A.S.T., Fieldmaster, Golden Saber, Gun Club, Hi-Speed, Hog Hammer, HyperSonic Steel, Kleanbore, Managed-Recoil, Marine Magnum, Model 7, Moistureguard, Nitro 27, Nitro Mag, Nitro Pheasant, Nitro-Steel, Nitro Turkey, Parker, Power Level, Power-Lokt, Power Piston, Premier, ProBore, R-15, R-25, R51, Rem, Remington, Sendero, ShurShot, Slugger, Speedmaster, Sportsman, STS, Super Cell, Super Slug, Thunderbolt, TriNyte, Ultra Bonded, Ultra Mag, UMC, VERSA MAX, VersaPort, Viper, Wingmaster, Woodsmaster, Wood Tech, Yellow Jacket, Xelerator, X-Mark Pro are trademarks of RA Brands, L.L.C. or Remington Arms Company, LLC. Crimson Trace is a trademark of the Crimson Trace Corporation. Novak is a trademark of Wayne Novak. Mossy Oak, Mossy Oak Bottomland, Breakup, Mossy Oak Brush, Mossy Oak Duck Blind, Infinity, Mossy Oak Obsession, Mossy Oak Shadow Grass, and Treestand are trademarks of Haas Outdoors, Inc. RealTree, AP, HD, Hardwoods, Max-1, and Max-4 are trademarks of Jordan Outdoor Enterprises, Ltd. Kryptek is a trademark of Kryptek Outdoor Group, LLC. Kuiu is a trademark of Kuiu, Inc. MDT and Tac21 are trademarks of Modular Driven Technologies Corp. Cerakote is a trademark of NIC Industries, Inc. MagPul, PRS, and MOE are trademarks of MagPul Industries Corp. SB Tactical is a trademark of NST Global, LLC. Bell and Carlson is a trademark of Bell and Carlson. Hogue is a trademark of Hogue, Inc. A-TACS is a trademark of Concealment Systems, LLC. TruGlo is a trademark of TruGlo, Inc. McMillan is a trademark of McMillan Fiberglass Stocks, Inc. Shilen is a trademark of Shilen Rifles, Inc. HiViz is a trademark of North Pass Ltd. Ducks Unlimited is a trademark of Ducks Unlimited, Inc. XS is a trademark of XS Sight Systems, Inc. Pachmayr is a trademark of Pachmayr Gun Works, Inc. Blackhawk, Knox, and SpecOps are trademarks of Blackhawk Industries Product Group Unlimited LLC. Swift, A-Frame, and Scirocco are trademarks of Hober-Reed, Inc. Sierra and MatchKing are trademarks of Sierra Bullets, LLC. Hornady is a trademark of Hornady Manufacturing Company Corporation. Scentar is a trademark of Lapua, Ltd. Taurus and Judge are trademarks of Taurus International MFG, Inc. USA. Eley is a trademark of Eley, Ltd. Cordura is a trademark of Invista. Teflon is a trademark of The Chemours Company FC, LLC. H-S Precision is a trademark of H-S Precision, Inc. Magpul is a registered trademark of Magpul Industries Corp.

Weights, stock dimensions, checkering pattern and wood grain may vary according to the individual firearm. Remington reserves the right to change or modify its products without notice. Pricing may vary by model, specification, color, size and availability. Follow the safety rules printed in firearms instruction books and on ammunition boxes. If you do not have an instruction book for your Remington firearm, write to Remington Arms Company, LLC, 870 Remington Drive, PO Box 700, Madison, NC 27025, for a free copy or visit our website at www.remington.com/manuals. Please specify the model and serial number. The firearms herein have been photographed with their actions closed to properly showcase their features. In actual practice, any firearm not in use must be left with ammunition removed, action open and safety on. Consumer Information, Arms Service, Parts and Repairs and Custom Shop: (800) 243-9700. Visit us on the web at: www.remington.com.

R



PROUDLY MADE IN THE USA
BY AMERICAN WORKERS.